arXiv:astro-ph/0311196v1 9 Nov 2003

Submitted to Astrophysical Journal Supplements

A Galactic O-Star Catalog

Jesús Maíz-Apellániz[1]

Space Telescope Science Institute[2], 3700 San Martin Drive, Baltimore, MD 21218, U.S.A.

Nolan R. Walborn

Space Telescope Science Institute[2], 3700 San Martin Drive, Baltimore, MD 21218, U.S.A.

Héctor Á. Galué

Instituto Tecnológico y de Estudios Superiores de Monterrey, Av. Eugenio Garza Sada 2501, 64849 Monterrey, Nuevo León, México

Lisa H. Wei

Department of Astronomy, Cornell University, Ithaca, NY 14853, U.S.A.

ABSTRACT

We have produced a catalog of 378 Galactic O stars with accurate spectral classifications which is complete for $V < 8$ but includes many fainter stars. The catalog provides cross-identifications with other sources; coordinates (obtained in most cases from Tycho-2 data); astrometric distances for 24 of the nearest stars; optical (Tycho-2, Johnson, and Strömgren) and NIR photometry; group membership, runaway character, and multiplicity information; and a web-based version with links to online services.

Subject headings: binaries: general — catalogs – open clusters and associations: general – stars: distances – stars: early-type – stars: fundamental parameters

---

[1] Affiliated with the Space Telescope Division of the European Space Agency, ESTEC, Noordwijk, Netherlands.

[2] The Space Telescope Science Institute is operated by the Association of Universities for Research in Astronomy, Inc. under NASA contract No. NAS5-26555.

1. Introduction

The advent of internet search engines and databases is producing a revolution in astronomy. Nowadays, it is possible to use a number of web-based tools to extract spectroscopic, photometric, kinematic, or astrometric data from almost any source published in the last century. Also, new large-scale surveys are making huge amounts of data available to any astronomer sitting in front of a computer screen connected to the internet. This has made possible a new kind of astronomer, the electronic one, who can work with previously unanalyzed data and combine it with information from search engines to produce interesting science without ever visiting an observatory.

However, behind the possibilities offered by this avalanche of information lurks a danger. When one compares data from widely diverse sources, the possibility exists that apples and oranges are being mixed: good quality results with poorer ones, data with different systematic errors, or measurements obtained with different calibrations (filter sets, observatories, data reduction packages. . .). One of the fields where this danger is more apparent is spectral classification, a subject where lower quality data or the technique of the observer can easily introduce systematic errors. It is in those cases where a critical compilation of a catalog using criteria as uniform as possible becomes important, since different sources can provide quite different classifications. As an example of the problems in this field, if one searches in Simbad for the spectral classification of δ Ori A, one of the brightest O stars in the sky, 41 references are returned with spectral classes between O8 and O9.5 and luminosity classes between III and Iab. θ^1 Ori A, one of the stars in the Trapezium, provides an even more dramatic example: the two results obtained in Simbad are O7 and O8 V n; in reality it is an early-B star (see next section).

A number of lists and catalogs of spectral types for O stars are available in the literature. The works of Morgan et al. (1955); Hiltner (1956); and Lesh (1968) provided original accurate spectral classifications for "northern" ($\delta \gtrsim -20^\circ$) stars which, taken together, constitute a quite uniform catalog for that part of the sky. The southern equivalent can be obtained by merging the spectral classifications obtained by Hiltner et al. (1969) and Garrison et al. (1977). Those catalogs, though, are far from complete and most of their spectral classifications were done before the introduction of spectral types O3 (Walborn 1971b) and O2 (Walborn et al. 2002). A different approach was taken by Goy (1980) and by Garmany et al. (1982), who built catalogs of 970 and 765 stars, respectively, by compiling spectral classifications from different sources (39 in the first case, 8 in the second one). These catalogs are impressive for its number of stars but, unfortunately, its spectral classifications are far from uniform and complete. This is reflected in Goy (1980) having multiple spectral classifications for many of its stars, and in Garmany et al. (1982) with many stars not having luminosity classes and with a non-negligible number of errors (see next section for a few of them). Another alternative is to use objective prisms to perform large-scale surveys, of which the most comprehensive one is the ongoing Michigan Spectral Catalog (Houk & Swift 1999). The resolution of those surveys tends to be lower and the spectral classifications can have systematic errors with respect to studies performed with slits (in the Michigan catalog a number of stars classified as O are actually of early-B type), making the former less precise. Finally, a recent catalog (Reed 2003) takes the broad approach of compiling "OB" (meaning O to approximately B2) stars by adding stars on the basis of optical photometry alone. Given good-quality photometry, this method is capable of increasing the sample considerably (Reed 2003, indeed, contains over 16 000 stars) but, given the color degeneracy existent between O and early B stars, it is not of much use to distinguish between them and, given the relative numbers of the two samples, one would expect that most of the stars in that catalog are actually of early-B type.

Our approach in this article will be to build a catalog of O stars with the following conditions. (1) Stars should be selected on the basis of their optical spectroscopy alone. (2) Sources for spectral classification should be accurate and as uniform as possible. (3) Valuable additional information (positions, photometry, distances…) should be added only if they come from uniform catalogs or if their accuracy can be checked. (4) The catalog should be made accessible through the web and be actively maintained in order for updates to reach the users as fast as possible. With those criteria in mind, we intend this article to be just the first version of the Galactic O-star (GOS) catalog. In the future, if resources are found, we intend to add data from other missions, such as UV photometry and spectroscopy from GALEX and IUE; expand the catalog to include more stars, increasing the completeness limit in magnitude; and collect more data, e.g. producing a spectroscopic library. Updates (and possible errata) will be posted at the web site `http://www.stsci.edu/~jmaiz/GOSmain.html`.

This paper is organized as follows. In section 2 we describe how the catalog was constructed. In section 3 we lay out the criteria used for the spectral classification. In sections 4, 5, and 6 we describe how the astrometry, the photometry, and other information in the GOS catalog was compiled, respectively.

2. Catalog construction, nomenclature and cross-identification

The GOS catalog was built initially by collecting all Galactic O-spectral-type classifications produced by one of the authors (N.R.W.) over the years in the following primary references: Walborn (1972, 1973, 1974, 1976, 1980, 1981, 1982); Drissen et al. (1995); Walborn & Fitzpatrick (2000); Walborn & Howarth (2000); and Walborn et al. (2002), yielding a total of 350 stars. We also included other known O stars with $V < 8$ using the following procedure. We first selected the five major catalogs quoted in the Introduction, which include a large number of O stars and which were compiled using uniform spectral classification criteria: Morgan et al. (1955); Hiltner (1956); Lesh (1968); Hiltner et al. (1969); Garrison et al. (1977). The search of those five secondary references yielded 18 additional O stars with $V < 8$, which were included in the GOS catalog. We then used as tertiary references four additional general catalogs (Garmany et al. 1982; Gies 1987; Mason et al. 1998; Houk & Swift 1999) plus a number of papers on individual clusters, associations, or stars (MacConnell & Bidelman 1976; Niemela & Morrison 1988; Smith et al. 1990; Williams et al. 1990; Massey & Thompson 1991; Garmany & Stencel 1992; Massey & Johnson 1993; Hillenbrand et al. 1993; Brown et al. 1994; Massey et al. 1995; Burkholder et al. 1997; de Marco & Schmutz 1999; de Zeeuw et al. 1999; Schweickhardt et al. 1999; Hoogerwerf et al. 2001; Penny et al. 2002) to find additional cases. In order to ensure an adequate degree of uniformity, we included in the GOS catalog additional O stars with $V < 8$ from those references only if they were not classified as B stars in one of the primary or secondary references. Each case was studied in detail; conflicts are described later in this section. 10 O stars were added from those tertiary references, yielding a total of 378 stars in this version of the GOS catalog. Therefore, in the absence of errors, we expect our catalog to be complete for $V < 8$ unless an O star of that magnitude or brighter has escaped detection in all of the above references.

The stars in the GOS catalog are listed in Tables 1 and 2. The main catalog (Table 1) lists the majority of the stars, while the supplement (Table 2) lists those O stars which have unresolved WR companions. Within each table stars are sorted by Galactic longitude. The first column includes the designation in this catalog (e.g. the first star in Table 1 is GOS G001.94 − 02.62_01), which was produced according to the criteria recommended by the IAU (Lortet et al. 1994). The first character is always a G (indicates Galactic coordinates), the next six express the Galactic longitude in degrees in the format `LLL.ll`, the eighth character is the latitude sign, the next five express the absolute value of the Galactic latitude in degrees in the format `BB.bb`, the fourteenth is an underscore, and the fifteenth and sixteenth are a running number to differentiate stars which would otherwise have the same catalog number[3]. Each of the two tables is sorted hierarchically by GOS number, i.e. by longitude, latitude sign, latitude, and running number (in this order). The second column in Tables 1 and 2 lists the corresponding HD number (when it exists) and the third column the capital letter and/or numerical identifications for the members of a multiple system. Most of the original spectral classifications identified the stars by their HD numbers, so in order to facilitate cross-identification we have generated Table 3, where all stars in the catalog with HD numbers are sorted using that identification as sorting criterion.

---

[3] Note that a previous web-based version of this catalog used a different nomenclature with arcminutes instead of decimal degrees.

As we shall see later, we use the Tycho-2 catalog (Høg et al. 2000b) as our main source for positions. In order to find the correspondence between HD and Tycho-2 identifications we utilized as our primary source the work by Fabricius et al. (2002). Those cases without HD numbers were manually identified as Tycho-2 stars using Aladin (Bonnarel et al. 2000). We also checked a number of other cases manually and we found a few errors or incomplete assignments in the HD-Tycho-2 identification table of Fabricius et al. (2002), which we corrected for in our catalog:

- HD 5005 A and C have independent Tycho-2 numbers, but only HD 5005 A is listed in the HD to Tycho-2 identification table.
- HD 92206 A and C have independent Tycho-2 numbers but only HD 92206 A is listed. Note that the original spectral classifications in Walborn (1982) refers to the composite spectrum of AB, and C separately.
- The Tycho-2 assignment for HD 93128 corresponds in reality to HD 93129 A. HD 93128 and HD 93129 B are not Tycho-2 stars.
- HD 113904 A and B have independent Tycho-2 numbers but only HD 113904 A is listed in the HD to Tycho-2 identification table.
- HD 229232 is listed as Tyc 3152-00569-1 but in reality it is Tyc 3152-00289-1.
- HD 303308 is listed as Tyc 8626-02809-1 but in reality it is Tyc 8526-02808-1
- The assignment for HD 319703 corresponds to the A component of this system.

The resulting Tycho-2 identification is listed in the fourth column of Tables 1 and 2. The fifth column gives the identification from the August 2002 version of the Washington Double Star (WDS) catalog (Mason et al. 2001). The sixth column gives the most common name for those stars that do not have an HD catalog number or which are usually known by a name other than their HD designation.

We end this section by noting that some early-B stars are identified as O stars erroneously in the literature. Here we provide a non-comprehensive list of the most notorious cases:

- θ^1 **Ori:** Only θ^1 Ori C is an O star; the other three classical members of the Trapezium are early-type B stars (see, e.g. Schulz et al. 2001). The source of the confusion is that some authors have assigned letters to the the four stars in order of right ascension and others in order of brightness. Note that the spectral type assignments in the current printed edition of the Bright Star Catalog are incorrect.

- **HD 37743:** ζ Ori B (A is HD 37742) is actually an early-type B giant but is listed in Garmany et al. (1982) as O9.5 IV.

- **HD 61827:** Garrison et al. (1977) give B3 Iab (adopted) but Houk & Swift (1999) give O8/9 Ib:.

- **HD 69106:** Garrison et al. (1977) give B0.5 IV (adopted). This is an example of the archaic HD type Oe5 (between late-type O supergiant and B0) and Garmany et al. (1982) give O5 V.

- **HD 75821:** Morgan et al. (1955) give B0 III (adopted) but Garmany et al. (1982) give O9.5 II.

- **HD 91452:** Garrison et al. (1977) give B0 Ia (adopted) but in Humphreys (1973) it is listed as O9.5 Iab-Ib.

- **HD 93208:** Garrison et al. (1977) give B2 II-III (adopted) but Houk & Swift (1999) give O9/B0, while Simbad gives O9.5. Also, there is a possible confusion with HD 93028, which is a real O star.

- **HD 116781:** Garrison et al. (1977) give B0 IIIne (adopted); Houk & Swift (1999) give O9/B1 (I)e.

- **HD 122879:** Walborn (1976) gives B0 Ia (adopted) but it appears as O9.5 Ia in Garmany et al. (1982).

- **HD 151564:** Garrison et al. (1977) give B0.5 V (adopted) but Garmany et al. (1982) give O9.5 IV.

- **HD 155775:** Garrison et al. (1977) give B0.5 III (adopted); Garmany et al. (1982) give O9.5.

- **HD 161807:** Garrison et al. (1977) give B0: III:nn (adopted) but it appears as O9.5 V:n in Houk & Swift (1999).

- **HD 163181:** An example of the archaic HD type Oe5 (between late-type O supergiant and B0). It is actually BN0.5 Iae var (Walborn 1976) but appears as O5 in Garmany et al. (1982).
- **HD 165319:** Morgan et al. (1955) give B0 Ia (adopted) but it is classified as O9.5 Iab in Houk & Swift (1999).
- **HD 191139:** Walborn (1971c) gives B0.5 II (adopted); Garmany et al. (1982) give O9.5 II.
- **HD 204827:** Morgan et al. (1955) give B0.5 V but Garmany et al. (1982) give O9.5 V. New data obtained by C. Robert et al. (private communication) yield B0.2 V.
- **HD 206183:** Morgan et al. (1955) give B0 V but Garmany et al. (1982) give O9.5 V. New data obtained by C. Robert et al. (private communication) confirm the B0 V classification.
- **HD 207538:** Morgan et al. (1955) give B0 V but Garmany et al. (1982) give O9 V. New data obtained by C. Robert et al. (private communication) yield B0.2 V.

3. Spectral classification

The seventh, eighth, and ninth columns in Tables 1 and 2 give the spectral class, luminosity class, and qualifiers that constitute the spectral classification of each of the O stars in the catalog. The tenth column in Table 1 gives the secondary component detected in the spectrum, if any, while in Table 2 it gives the spectral type of the WR companion. The eleventh and twelfth columns give the reference and the table in the reference from which the spectral classification was obtained.

The majority of the spectral classifications in the Catalog were reported by Walborn (1972, 1973, 1982). They were performed with photographic material, specifically with dispersions of $60 - 80$ Å mm^{-1} and widening of 1.2 mm on IIa-O plates, obtained at the Kitt Peak, Cerro Tololo, and Las Campanas Observatories. These observational parameters provided an information content about twice that of the classical MK system, which led to several classification developments discussed by Walborn (1971a). For the O stars, these developments included new spectral types at the extremes of the range, and a second (luminosity-class) dimension throughout the entire range (the MK system was one-dimensional earlier than type O9.)

As in the MK system, the horizontal (spectral-type) criteria consist of ratios of He I and He II absorption lines, the principal ratio $\lambda4471/\lambda4541$, having a value of unity at type O7. A new earliest spectral type of O3 was defined by the disappearance of the He I line with these observational characteristics, whereas it was weak but well defined in the MK O4 standards (Walborn 1971b). At the cool end of the sequence, a new spectral type of O9.7 was interpolated between the prior O9.5 and B0 types, defined by a value near unity of the line ratio Si III $\lambda4552$/He II $\lambda4541$. The new luminosity classification was based upon the behavior of He II $\lambda4686$ and the N III $\lambda\lambda4634-4640-4642$ triplet. O stars with both of these features in emission had previously been denoted as Of. With the higher information-content material, spectra were recognized with the He II line neutralized or weakly in absorption and N III emission of intermediate strength, called O(f); and with strong absorption in the He II line and weak N III emission, called O((f)). These effects were hypothesized to correspond to luminosity differences, with the full Of stars being the normal supergiants, as was confirmed by subsequent calibration work in the papers cited above. A property of the more luminous O3 spectra was selective emission in N IV $\lambda4058$ stronger than the N III, which was denoted by the f* qualifier. A further development was the recognition of spectra with anomalies in the relative strengths of CNO lines, categorized as ON or OC (Walborn 1971a, 1976). These and other notational developments are summarized in Table 4.

Subsequently, all spectral classification work has shifted to more powerful digital detectors, which offer greater quantum efficiency, linear response, and sky subtraction. A digital atlas of normal, blue-violet OB spectra was presented by Walborn & Fitzpatrick (1990), and of peculiar spectra by Walborn & Fitzpatrick (2000). The earliest spectral types were re-investigated with high-quality digital data by Walborn et al. (2002), resulting in the subdivision of the former O3 type into three, including the new types O2 and O3.5. The principal classification criterion for them is the N IV/N III selective emission-line ratio, as explained in detail in that work.

4. Astrometry

The coordinates of the stars in the catalog are given in Tables 5 and 6. The first two columns there identify the star, the next two give the epoch J2000.0 right ascension and declination, the fifth column gives the coordinate source, and the sixth and seventh columns the longitude and latitude.

The Tycho-2 catalog (Høg et al. 2000b) was used as our primary reference for positions, given its precision (median astrometric errors of 7 mas for stars with $V_T < 9$), completeness (99% of all stars with $V \lesssim 11$), and uniformity. 359 of our stars were found in the Tycho-2 catalog. Of those, 336 were present in the main catalog and had proper motion measurements (these are the stars with the most precise positions) and 14 were present in the main catalog but did not have their proper motion measured. The remaining 9 Tycho stars were found in the first supplement (7 with proper motions and 2 without them) and their coordinates were precessed to epoch J2000.0.

For the 19 stars in the GOS catalog not included in Høg et al. (2000b), we obtained their positions from other sources. Eleven of them were measured using a WFPC2 field which included Tycho-2 stars (used as a reference to correct the absolute astrometry), three were measured using ground-based images, one was listed in the USNO-A2.0 catalog (Monet et al. 1998), and four were obtained from the literature (see notes for Table 5). Those coordinates are expected to have in general a lower precision than the Tycho ones.

The eighth and ninth columns in Tables 5 and 6 give the parallax (π) and its uncertainty (σ_π) for those stars with Hipparcos measurements (ESA 1997). The vast majority of the O stars are beyond the range in which individual Hipparcos measurements are useful (i.e. most of the measurements suffer from Lutz-Kelker-type biases, Lutz & Kelker 1973), as evidenced by the large fraction of values in Tables 5 and 6 with large relative uncertainties ($\varepsilon_\pi \equiv \sigma_\pi/\pi$) or negative parallaxes.

Nevertheless, 24 O stars do have significant Hipparcos parallaxes and those are shown in Table 7. For those stars, we apply the method developed by Maíz-Apellániz (2001) to calculate distances using trigonometric parallaxes. The method has two parts: First, a vertical (with respect to the Galaxy) spatial distribution is calculated in a self-consistent way using Hipparcos parallaxes taking into account Lutz-Kelker-type biases. Second, the probability distribution as a function of distance along the line line of sight r is calculated using the expression:

$$p(r) = A\, r^2\, e^{-\frac{1}{2}\left(\frac{1-r\pi}{r\sigma_\pi}\right)^2} \rho(r), \qquad (1)$$

where $\rho(r)$ is the spatial distribution along the line of sight derived from the vertical spatial distribution and A is a normalizing constant. Maíz-Apellániz (2001) used this method to measure the vertical spatial distribution of Galactic O-B5 stars in the solar neighborhood and found that it could be well fitted by a combination of a self-gravitating isothermal disk and a parabolic halo. Here we shall assume that the O stars in this catalog have the same vertical distribution[4] and that we are not probing distances so large that Galactic radial variations in that distribution become important. Furthermore, we shall assume that the O-B5 halo is composed of runaway stars and the disk of non-runaway ones and assign each star to its corresponding parent population with its underlying spatial distribution. It is important to stress that:

---

[4] It is not expected that O-B5 stars will have a very different vertical spatial distribution compared to O stars except maybe for a different fraction of runaway stars (Stone 1991). However, since the Maíz-Apellániz

- The most likely value of the distance r to a star (which we shall call d) IS NOT $1/\pi$. A Lutz-Kelker-type correction has to be applied to $1/\pi$ before obtaining d (Smith 2003). Also, the correction itself depends on the spatial distribution of the parent population (see Eq. 1), which in our case is chosen from a disk or a halo projected along the line of sight.

- The probability distribution for the distance modulus $5\log r - 5$ is given by $p(r)$ multiplied by r and renormalized to unity, i.e.:

  $$p'(5\log r - 5) = B\, r^3\, e^{-\frac{1}{2}\left(\frac{1-r\pi}{r\sigma_\pi}\right)^2} \rho(r). \tag{2}$$

  We define DM to be the most likely value of $p'(5\log r - 5)$. NEITHER $p(r)$ NOR $p'(5\log r - 5)$ ARE Gaussian (or even symmetric) probability distributions.

- In Table 7 the values given for d and DM are the median of $p(r)$ and $p'(r)$, respectively, and the values given for σ_{d-}, σ_{d+}, σ_{DM-}, and σ_{DM+} are defined by:

  $$\begin{aligned} \int_{\sigma_{d-}}^{d} p(r)dr &= \int_{d}^{\sigma_{d+}} p(r)dr &= \\ \int_{\sigma_{DM-}}^{DM} p'(5\log r - 5)d(5\log r - 5) &= \int_{DM}^{\sigma_{DM+}} p'(5\log r - 5)d(5\log r - 5) &= 0.3413 \end{aligned} \tag{3}$$

  These choices have the properties that $DM - \sigma_{DM-} = 5\log(d - \sigma_{d-}) - 5$, $DM + \sigma_{DM+} = 5\log(d + \sigma_{d+}) - 5$, and that, if $p(r)$ and $p'(5\log r - 5)$ were Gaussian distributions, $\sigma_d = \sigma_{d-} = \sigma_{d+}$, $\sigma_{DM} = \sigma_{DM-} = \sigma_{DM+}$, with σ_d and σ_{DM} being the standard deviations of each distribution.

In Fig. 1 we plot $p(r)$ and $p'(5\log r - 5)$ for the 24 O stars with significant Hipparcos distances.

(2001) method separates the spatial distribution of each type (runaway and non-runaway) and here we can identify the category to which each star belongs, even a possible variation in that fraction is not a problem.

5. Photometry

5.1. Optical

We have included in the GOS catalog three sets of optical photometry: Tycho-2 (B_T and V_T), Johnson (V, $B-V$, and $U-B$), and Strömgren ($b-y$, m_1, and c_1). Tycho-2 photometry is listed in Tables 8 and 9 while Johnson and Strömgren photometry appears in Tables 10 and 11.

The Tycho-2 photometry is described in Høg et al. (2000a,b). Two passbands, B_T and V_T, similar but not identical to Johnson's B and V, were observed by the star mapper aboard the astrometric satellite Hipparcos of the European Space Agency between 1989.85 and 1993.21. Photometric typical uncertainties on V_T are 0.013 magnitudes for $V_T < 9$ and 0.10 magnitudes for the full catalog (which includes many fainter stars); individual uncertainties are provided for the value of B_T and V_T of each star. The main advantages of Tycho photometry are (a) its full sky coverage (b) by a single instrument (c) not affected by atmospheric extinction and (d) with a common reduction procedure. The GOS catalog includes V_T magnitudes and uncertainties for 359 stars and B_T magnitudes and uncertainties for 356 stars.

The Johnson UBV (Johnson & Morgan 1953) and Strömgren $uvby$ (Crawford & Mander 1966) systems are the two most common optical photometric systems. However, as opposed to Tycho-2, there is no uniform survey of the full sky using a single instrument that includes the majority of the stars in our catalog for either one of those systems. Therefore, to collect the Johnson and Strömgren photometric data we used the General Catalog of Photometric Data, GCPD (Mermilliod et al. 1997), which includes a good fraction of our sample by compiling data from a large number of sources in the literature. The GCPD lists values for V, $B-V$, and $U-B$ in the case of Johnson photometry and for $b-y$, $m_1 = (v-b)-(b-y)$, and $c_1 = (u-v)-(v-b)$ in the case of Strömgren photometry, but contrary to the Tycho-2 case, no uncertainty estimates are provided. In order to discard incorrect values and to provide uncertainty estimates, the following procedure was adopted.

- Stars with two or more sources for a given system (Johnson or Strömgren) but with non-identical values in V, $B-V$, $U-B$, $b-v$, m_1, or c_1 had the mean value calculated and the standard deviation used as the uncertainty. In those cases where the uncertainty was below a certain critical value (0.01 magnitudes for Johnson data, 0.003 magnitudes for Strömgren data) it was rounded up to that amount to avoid the existence of values with unrealistic precision (e.g. most Johnson photometric data are given with only two digits after the decimal point, so rounding errors are expected to play some role).

- Stars with two or more sources but all of them being identical were given the same minimum value of the uncertainty described in the previous point.
- Stars with a single source were given an uncertainty of 0.02 for Johnson data and 0.01 for Strömgren data (those values are typical of the uncertainties for cases with two or more sources).
- Stars with three or more sources (not all identical) and uncertainty greater than 0.10 in V or in one of the five colors were tested for an incorrect single source by eliminating the most discordant value and checking whether the uncertainty was reduced by a factor of two or more. If that was the case, the discordant value was indeed removed and the new values for the mean and uncertainty were used.

Two further tests were performed to check for inconsistencies in the photometry due to possible incorrect measurements. First, a plot of $V_T - V$ against $B_T - V_T$ was produced for stars with Tycho-2 and Johnson data (Fig. 2, upper left) and we searched for stars that deviated significantly from the general trend in $B_T - V_T$. Those stars were flagged with an M for magnitude (discrepancy) in the last column of Table 10. Some of those cases may be due to real errors in the data but we suspect that at least some of them could be due to the different spatial resolution of the Hipparcos star mapper compared to ground-based data. Second, a similar test was produced for each pair of Tycho, Johnson, and Strömgren photometries using the respective "blue" minus "visual" colors (B_T-V_T, $B-V$, and $b-y$, see Fig. 2) by comparing the individual color differences against the general color trend. Stars that deviated from at least one of the trends were flagged with a C for color (discrepancy) in the last column of Table 10 (stars that passed the test were indicated there with an N for no discrepancy). For this test we excluded stars in the supplement (the last column in Table 11 always shows a W for Wolf-Rayet) since Strömgren b data can be strongly affected by the WR lines around 4650 Å, thus producing photometric deviations from the general trend which are known to be real. Indeed, five of the stars without WR companions flagged with a C are Of stars (HD 169582, HD 14947, CW CMa, ζ Pup, and HD 152408), where the same process takes place to a lesser degree.

5.2. Near infrared

For the NIR photometry in the GOS catalog we have used the Two Micron All Sky Survey (2MASS, Skrutskie et al. 1997). The 2MASS generated JHK_s point-source photometry with associated uncertainties for the full sky using two automated 1.3 m telescopes, one at Mt. Hopkins, U.S.A., and the other at Cerro Tololo, Chile. The level-1 requirements of the survey specified magnitude limits for unconfused point sources outside the Galactic Plane of 15.8, 15.1, and 14.3 in J, H, and K_s, respectively, though the actual levels were exceeded in many cases.

We have collected the available information from 2MASS and we have listed the NIR photometry in Tables 8 and 9. We have included in those tables J, H, and K_s magnitudes only if two requirements were satisfied: (1) the 2MASS photometry for that passband had the best quality flag (A), indicating a valid measurement with SNR > 10 and $\sigma < 0.10857$; and (2) no other stars in the GOS catalog exist within a radius of $3''$ (this last requirement is included to avoid "mergers" in the data). With those restrictions, the GOS catalog includes 332, 339, and 344 stars with J, H, and K_s data, respectively. The values listed in Tables 8 and 9 have been corrected for the zero-point offsets which Cohen et al. (2003) measured in order to make them consistent with a number of other IR photometric systems. The corresponding uncertainties in the zero-point offsets have been added in quadrature to the measured ones.

6. Other information

6.1. Group membership

The quality of the data regarding membership to a cluster or an OB association is extremely varied. For nearby stars, the most detailed study is that of de Zeeuw et al. (1999), who use a combination of positions, parallaxes, and proper motions to identify the membership of OB associations in the solar neighborhood. For stars located at farther distances, information is usually poorer and many times based only on position and spectroscopic distances (which themselves may be suspect, see Walborn 2002). In some cases the only information present in the literature of the last 40 years is that of the original definition of OB Association nomenclature by the IAU (Haffnner & Alter 1964). A more complete recent list for O stars is found in Mason et al. (1998) but even there a significant fraction of the stars in the GOS catalog are missing.

A related question is that of the identification of runaway stars and of their parent group (be it a cluster or an association), if any. Again, for nearby stars a recent study (Hoogerwerf et al. 2000) uses Hipparcos data to provide quite detailed information but for the majority of the stars in the catalog what is known is usually less. There is even a problem of definition as to what constitutes a runaway star (Gies 1987; Stone 1991).

Given the problems described in the above paragraphs, it is clear that it is not possible at the present stage to build a high-quality uniform listing of group membership and runaway character for a sample like the one in this article (the future looks brighter with GAIA, though). Therefore, we decided to build this part of the GOS catalog with the approach of providing at least a tentative assignment for each star, knowing that future works may supersede our compilation. We used as a primary reference for group membership Mason et al. (1998) due to the large size of its sample, and we complemented it with a series of papers on individual clusters and associations (see footnotes for Tables 12 and 13, where the group membership information is listed in the ninth column) and by Haffnner & Alter (1964). For those stars not referenced in those articles, we used the boundaries for associations established by Haffnner & Alter (1964) to determine their membership tentatively (uncertain determinations are indicated by a colon). In those cases where a star is known to be part of a cluster or sub-association inside an association, both are listed. In this paper, we introduce the term of "Carina Nebula Association" to refer to the stars physically associated with that Nebula. Trumpler 14, Trumpler 16, and Collinder 228, as well as some stars in between those sub-associations, are included in that association (see Walborn 1995 for a discussion of the stellar content of this region).

We also list in the tenth column of Tables 12 and 13 the runaway character for each star based on the following recipe. (1) Stars listed as runaways in Hoogerwerf et al. (2001) or Mason et al. (1998) have a "yes" on that column. (2) Other stars in clusters/associations or stars in Mason et al. (1998) not listed as runaways have a "no". (3) Other stars with "Field:" in the previous column have a "no:".

6.2. Proximity/Multiplicity

We also list in Tables 12 and 13 additional information regarding proximity and multiplicity. The third column there gives d_1, the distance (in arcseconds) to the nearest star in the Tycho catalog, and the fourth one gives d_2, the distance to the nearest star in the GOS catalog. Columns five to eight are a summary of the information in Table 1 of Mason et al. (1998). The fifth column is the binary status (SB1O and SB2O are well-known single-lined or double-lined spectroscopic binaries, SB1? and SB2? are their uncertain equivalents, C are stars with apparent constant radial velocity, U are stars with unknown status, and an E suffix indicates an eclipsing or ellipsoidal variable), the sixth column gives the number of astrometric components, and the seventh and eight columns give the distances to the nearest and furthest astrometric components.

6.3. Online information

The catalog is available on the WWW at `http://www.stsci.edu/~jmaiz/GOSmain.html`. In addition to all the information in this paper, the online version also links for each star to other web-based astronomical data services, such as Aladin, MAST, and VizieR. We plan to use the web version to include corrections and add upgrades to the GOS catalog.

The authors would like to thank Carmelle Robert and Anne Pellerin for providing us with unpublished spectrograms of three O-star candidates and Rodolfo Barbá for helpful discussions. Support for this work was provided by grant 82280 from the STScI DDRF. Héctor Á. Galué and Lisa Wei also acknowledge support from the STScI Summer Student Program. This research has made use of Aladin, developed by CDS, Strasbourg, France.

REFERENCES

Bonnarel, F., Fernique, P., Bienaymé, O., Egret, D., Genova, F., Louys, M., Ochsenbein, F., Wenger, M., & Bartlett, J. G. 2000, A&AS, 143, 33

Brown, A. G. A., de Geus, E. J., & de Zeeuw, P. T. 1994, A&A, 289, 101

Burkholder, V., Massey, P., & Morrell, N. 1997, ApJ, 490, 328

Cardelli, J. A., Clayton, G. C., & Mathis, J. S. 1989, ApJ, 345, 245

Cohen, M., Wheaton, W. A., & Megeath, S. T. 2003, AJ, 126, 1090

Conti, P. S., & Leep, E. M. 1974, ApJ, 193, 113

Crawford, D. L., & Mander, J. 1966, AJ, 71, 114

de Marco, O., & Schmutz, W. 1999, A&A, 345, 163

de Zeeuw, P. T., Hoogerwerf, R., de Bruijne, J. H. J., Browne, A. G. A., & Blaauw, A. 1999, AJ, 117, 354

Drissen, L., Moffat, A. F. J., Walborn, N. R., & Shara, M. M. 1995, AJ, 110, 2235

ESA. 1997, The Hipparcos and Tycho Catalogues (ESA SP-1200)

Fabricius, C., Makarov, V. V., Knude, J., & Wycoff, G. L. 2002, A&A, 386, 709

Feast, M. W. 1958, MNRAS, 118, 618



Fig. 1.— $p(r)$ (left plot of each pair) and $p'(5 \log r - 5)$ (right plot of each pair) for the 24 O stars in the catalog with significant Hipparcos distances. Solid vertical lines indicate the median value and dashed lines encompass 68.26% of the area under each curve (1 σ equivalent).



Fig. 1.— (continued)



Fig. 1.— (continued)



Fig. 1.— (continued)



Fig. 2.— Tycho-Johnson (2 upper plots), Johnson-Strömgren (lower left plot), and Strömgen-Tycho photometry (lower right plot) checks. The upper left plot is used to check for discrepancies between the measured Tycho and Johnson "visual" magnitudes while the other three plots are used to check for discrepancies among the three possible combinations of "blue" minus "visual" colors using Tycho, Johnson, and Strömgren data.



Fig. 3.— $H - K_s$ vs. $J - H$ color-color diagram for the 326 stars in the GOS catalog with good-quality 2MASS data. The predicted reddened colors using an $R_V = 3.1$ Cardelli et al. (1989) extinction law for a $T = 30\,000$ K, $\log g = 4.75$, $Z = Z_\odot$ TLUSTY stellar atmosphere are also shown. The squares indicate the location of the predicted colors for $E(B - V) =$ 0.0, 0.5, 1.0, 1.5, and 2.0 (note that the square which corresponds to $E(B - V) = 0.5$ is only barely visible).

Garmany, C. D., Conti, P. S., & Chiosi, C. 1982, ApJ, 263, 777

Garmany, C. D., & Stencel, R. E. 1992, A&AS, 94, 211

Garrison, R. F., Hiltner, W. A., & Schild, R. E. 1977, ApJS, 35, 111

Gies, D. R. 1987, ApJS, 64, 545

Goy, G. 1980, A&AS, 42, 91

Haffnner, H., & Alter, G. 1964, Trans. IAU, 12B, 336

Heiser, A. M. 1977, AJ, 82, 973

Hillenbrand, L. A., Massey, P., Strom, S. E., & Merrill, K. M. 1993, AJ, 106, 1906

Hiltner, W. A. 1956, ApJS, 2, 389

Hiltner, W. A., Garrison, R. F., & Schild, R. E. 1969, ApJ, 157, 313

Høg, E., Fabricius, C., Makarov, V. V., Bastian, U., Schwekendiek, P., Wicenec, A., Urban, S., Corbin, T., & Wycoff, G. 2000a, A&A, 357, 367

Høg, E., Fabricius, C., Makarov, V. V., Urban, S., Corbin, T., Wycoff, G., Bastian, U., Schwekendiek, P., & Wicenec, A. 2000b, A&A, 355, L27

Hoogerwerf, R., de Bruijne, J. H. J., & de Zeeuw, P. T. 2000, ApJ, 544, 133L

Hoogerwerf, R., de Bruijne, J. H. J., & de Zeeuw, P. T. 2001, A&A, 365, 49

Houk, N., & Swift, C. 1999, Michigan catalogue of two-dimensional spectral types for the HD Stars; vol. 5, see also previous volumes (Department of Astronomy, University of Michigan)

Humphreys, R. M. 1973, A&AS, 9, 85

Johnson, H. L., & Morgan, W. W. 1953, ApJ, 117, 313

Lesh, J. R. 1968, ApJS, 17, 371

Levato, H., & Malaroda, S. 1980, PASP, 92, 323

Lortet, M.-C., Borde, S., & Ochsenbein, F. 1994, A&AS, 107, 193

Lutz, T. E., & Kelker, D. H. 1973, PASP, 85, 573

MacConnell, D. J., & Bidelman, W. P. 1976, AJ, 81, 225

Maíz-Apellániz, J. 2001, AJ, 121, 2737

Mason, B. D., Gies, D. R., Hartkopf, W. I., Bagnuolo, W. G., Brummelaar, T. T., & McAlister, H. A. 1998, AJ, 115, 821

Mason, B. D., Wycoff, G. L., Hartkopf, W. I., Douglass, G. G., & Worley, C. E. 2001, AJ, 122, 3466

Massey, P., DeGioia-Eastwood, K., & Waterhouse, E. 2001, AJ, 121, 1050

Massey, P., & Johnson, J. 1993, AJ, 105, 980

Massey, P., Johnson, K. E., & Degioia-Eastwood, K. 1995, ApJ, 454, 151

Massey, P., & Thompson, A. B. 1991, AJ, 101, 1408

Mermilliod, J.-C., Mermilliod, M., & Hauck, B. 1997, A&AS, 124, 349

Monet, D. B. A., Canzian, B., Dahn, C., Guetter, H., Harris, H., Henden, A., Levine, S., Luginbuhl, C., Monet, A. K. B., Rhodes, A., Riepe, B., Sell, S., Stone, R., Vrba, F., & Walker, R. 1998, VizieR Online Data Catalog, 1252, 0

Morgan, W. W., Code, A. D., & Whitford, A. E. 1955, ApJS, 2, 41

Morgan, W. W., González, G., & González, G. 1953, ApJ, 118, 323

Niemela, V. S., & Morrison, N. D. 1988, PASP, 100, 1436

Penny, L. R., Gies, D. R., Wise, J. H., Stickland, D. J., & Lloyd, C. 2002, ApJ, 575, 1050

Reed, B. C. 2003, AJ, 125, 2531

Schulz, N. S., Canizares, C., Huenemoerder, D., Kastner, J. H., Taylor, S. C., & Bergstrom, E. J. 2001, ApJ, 549, 441

Schweickhardt, J., Schmutz, W., Stahl, O., Szeifert, T., & Wolf, B. 1999, A&A, 347, 127

Skrutskie, M. F., Schneider, S. E., Stiening, R., Strom, S. E., Weinberg, M. D., Beichman, C., Chester, T., Cutri, R., Lonsdale, C., Elias, J., Elston, R., Capps, R., Carpenter, J., Huchra, J., Liebert, J., Monet, D., Price, S., & Seitzer, P. 1997, in ASSL Vol. 210: The Impact of Large Scale Near-IR Sky Surveys, 25

Smith, H. 2003, MNRAS, 338, 891

Smith, L. F., Shara, M. M., & Moffat, A. F. J. 1990, ApJ, 358, 229

Stone, R. C. 1991, AJ, 102, 333

van Altena, W. F., & Jones, B. F. 1972, A&A, 20, 425

Walborn, N. R. 1971a, ApJL, 164, L67

—. 1971b, ApJL, 167, L31

—. 1971c, ApJS, 23, 257

—. 1972, AJ, 77, 312

—. 1973, AJ, 78, 1067

—. 1974, ApJ, 189, 269

—. 1976, ApJ, 205, 419

—. 1980, ApJS, 44, 535

—. 1981, ApJ, 243, L37

—. 1982, AJ, 87, 1300

Walborn, N. R. 1995, in Rev. Mex. Astron. Astrofís. Conf. Series 2, 51–55

—. 2002, AJ, 124, 507

Walborn, N. R., & Fitzpatrick, E. L. 1990, PASP, 102, 379

—. 2000, PASP, 112, 50

Walborn, N. R., & Howarth, I. D. 2000, PASP, 112, 1446

Walborn, N. R., Howarth, I. D., Lennon, D. J., Massey, P., Oey, M. S., Moffat, A. F. J., Skalkowski, G., Morrell, N. I., Drissen, L., & Parker, J. W. 2002, AJ, 123, 2754

Williams, P. M., van der Hucht, K. A., Pollock, A. M. T., Florkowski, D. R., van der Woerd, H., & Wamsteker, W. M. 1990, MNRAS, 243, 662

This preprint was prepared with the AAS LATEX macros v5.0.

Table 1. Main catalog: Names and spectral classifications

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G001.91 − 02.62_01	164019	···	6854-01467-1	···	···	O9.5	III	···	···	W82	1
G004.54 + 00.30_01	162978	···	6845-00692-1	···	···	O7.5	II	((f))	···	W72	2
G005.82 − 06.31_01	168941	···	6852-05110-1	···	···	O9.5	II-III	···	···	W82	1
G005.97 − 01.17_01	···	···	···	···	Herschel 36	O7.5	V	(n)	···	W82	1
G006.01 − 01.20_01	164794	···	6842-01702-1	···	9 Sgr	O4	V	((f))	···	W73	2
G006.06 − 01.20_01	164816	···	6842-01472-1	···	···	O9.5	III-IV	(n)	···	W73	2
G006.12 − 01.48_01	165052	···	6846-01128-1	···	···	O6.5	V	(n)((f))	···	W73	1
G006.28 + 23.59_01	149757	···	5632-01042-1	···	ζ Oph	O9.5	V	nn	···	L68	4
G006.40 − 01.56_01	165246	···	6842-01179-1	18061 − 2412	···	O8	V	(n)	···	W73	2
G006.94 − 02.10_01	165921	···	6843-00543-1	···	···	O7	V	···	O9 V	N88	4
G007.00 − 00.25_01	164492	···	6842-00270-1	18024 − 2302	···	O7.5	III	((f))	···	W73	2
G007.05 + 00.69_01	163800	···	6841-01252-1	···	···	O7	III	((f))	···	W72	2
G007.15 + 00.62_01	163892	···	6262-00773-1	···	···	O9	IV	((n))	···	W73	2
G007.36 − 00.85_01	313846	···	6842-01045-1	···	···	O7:	Ia	fpe	···	W82	1
G010.35 + 01.79_01	164438	···	6259-01297-1	···	···	O9	III	···	···	G77	2
G010.36 − 00.92_01	166546	···	6272-00533-1	···	···	O9.5	II-III	···	···	W73	2
G010.46 − 01.74_01	167264	···	6276-01023-1	···	···	O9.7	Iab	···	···	W73	2
G010.76 − 01.58_01	167263	···	6272-00089-1	18152 − 2023	···	O9.5	II-III	((n))	···	W73	2
G012.20 − 01.27_01	167659	···	6273-00422-1	···	···	O7	II	(f)	···	W73	2
G012.70 − 01.13_01	167771	···	6269-02759-1	18175 − 1828	···	O7	III:	(n)((f))	···	W72	2
G012.97 + 13.31_01	157857	···	5662-00844-1	···	···	O6.5	III	(f)	···	W72	2
G014.34 − 00.07_01	167633	···	6265-02178-1	···	···	O6	V	((f))	···	W73	2
G015.28 − 10.58_01	175876	···	6290-02342-1	18582 − 2025	···	O6.5	III	(n)(f)	···	W73	2
G016.39 − 09.92_01	175754	···	6290-00874-1	···	···	O8	II	((f))	···	W72	2
G016.94 + 00.84_01	168075	···	5689-01208-1	18186 − 1348	···	O6	V	((f))	···	W82	1
G016.94 + 00.84_02	168076	···	5689-00607-1	18186 − 1348	···	O4	V	((f))	···	W73	2
G016.98 + 00.85_01	···	···	5689-00989-1	···	BD -13 4927	O7	Ib	(f)	···	W82	1
G018.25 + 01.68_01	167971	···	5685-04419-1	···	···	O8	Ib	(f)p	···	W72	2
G018.44 + 01.62_01	168112	···	5685-03744-1	···	···	O5	III	(f)	···	W73	2
G018.65 − 03.09_01	171589	···	5703-03712-1	···	···	O7	II	(f)	···	W73	2
G018.71 − 00.13_01	169515	···	5698-02356-1	···	···	O9.7	Ib	pe var	···	W82	1
G018.92 + 03.63_01	166734	···	5680-00383-1	···	···	O7	Ib	(f)	O8-9 I	W73	2
G019.08 + 02.14_01	···	···	5685-00430-1	···	BD -11 4586	O8	Ib	(f)	···	W82	1
G021.33 + 01.20_01	169582	···	5694-01105-1	···	···	O6	I	f	···	W73	2
G023.73 − 02.49_01	173010	···	5692-00926-1	···	···	O9.7	Ia	···	···	W82	1
G024.18 − 03.34_01	173783	···	5693-02438-1	···	···	O9.5	Iab	···	···	W82	1
G024.53 − 00.85_01	172175	···	5692-00043-1	···	···	O6	I	(n)f	···	W82	1
G056.48 − 04.33_01	188001	···	1620-03737-1	···	9 Sge	O7.5	Ia	f	···	W72	2
G059.40 − 00.15_01	344784	···	2139-02396-1	19432 + 2318	BD +22 3782	O7	V	((f))	···	W73	2
G067.39 + 03.66_01	186980	···	2660-02556-1	···	···	O7.5	III	((f))	···	W72	2
G071.34 + 03.07_01	226868	···	2678-00791-1	···	···	O9.7	Iab	(p-var)	···	W73	2
G072.47 + 02.02_01	190864	···	2678-00109-1	20057 + 3536	···	O6.5	III	(f)	···	W73	1
G072.59 + 02.61_01	190429	A	2682-03566-1	20035 + 3601	···	O4	I	f+	···	W73	1
G072.75 + 01.78_01	191201	···	2683-03993-1	20074 + 3543	···	O9.5	IV	((n))	···	W73	2
G072.99 + 01.43_01	191612	···	2683-03518-1	···	···	O6.5	···	f?pe	···	W73	2
G074.90 + 01.48_01	192639	···	2683-00853-1	···	···	O7	Ib	(f)	···	W72	2
G075.19 + 00.96_01	228766	···	2684-01935-1	···	···	O4	I	f	O8-9 I n	W73	2
G076.15 + 01.28_01	193443	AB	3151-03449-1	20189 + 3817	···	O9	III	···	···	W73	2

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G076.17 − 00.34_01	· · ·	· · ·	2697-00277-1	· · ·	BD +36 4063	ON9.7	Iab	· · ·	· · ·	W00b	1
G076.60 + 01.68_01	228841	· · ·	3151-03056-1	· · ·	· · ·	O6.5	V	n((f))	· · ·	W73	2
G077.00 + 01.80_01	193514	· · ·	3151-00549-1	· · ·	· · ·	O7	Ib	(f)	· · ·	W72	2
G077.12 + 03.40_01	192281	· · ·	3155-01633-1	· · ·	· · ·	O5	V	n((f))p	· · ·	W72	2
G077.20 + 00.92_01	194280	· · ·	3152-00729-1	· · ·	· · ·	OC9.7	Iab	· · ·	· · ·	W72	2
G077.25 − 06.23_01	198846	· · ·	2696-03486-1	· · ·	Y Cyg	O9	V	· · ·	O9.5 V	B97	1
G077.40 + 00.93_01	229232	· · ·	3152-00289-1	· · ·	· · ·	O4	V	n((f))	· · ·	W73	2
G077.43 + 06.17_01	189957	· · ·	3158-02034-1	· · ·	· · ·	O9.5	III	· · ·	· · ·	W73	1
G077.87 + 04.25_01	191978	· · ·	3159-00933-1	· · ·	· · ·	O8.5	III	((f))	· · ·	W73	2
G078.10 + 02.78_01	193322	AB	3155-02321-1	20181 + 4044	· · ·	O9	V:	((n))	· · ·	W72	2
G078.44 − 09.54_01	201345	· · ·	2705-00460-1	· · ·	· · ·	ON9	V	· · ·	· · ·	W72	2
G078.53 + 04.66_01	192001	· · ·	3159-00968-1	· · ·	· · ·	O9.5	IV	· · ·	· · ·	W73	2
G078.64 + 05.37_01	191423	· · ·	3158-00703-1	· · ·	· · ·	O9	III:	n	· · ·	W73	2
G078.76 + 02.07_01	229196	· · ·	3156-01600-1	· · ·	· · ·	O6	III	(n)(f)	· · ·	W73	2
G080.12 + 00.91_01	· · ·	· · ·	3161-01401-1	20324 + 4118	Cyg OB2-5	O7	Ia	nfp	sec	W73	2
G080.14 + 00.75_01	· · ·	· · ·	· · ·	· · ·	Cyg OB2-22 A	O3	I	f*	· · ·	W02a	3
G080.14 + 00.75_02	· · ·	· · ·	· · ·	· · ·	Cyg OB2-22 B	O6	V	((f))	· · ·	W02a	1
G080.17 + 00.76_01	· · ·	· · ·	3161-00015-1	· · ·	Cyg OB2-9	O5	I	f+	· · ·	W73	2
G080.22 + 00.79_01	· · ·	· · ·	3161-01325-1	20333 + 4119	Cyg OB2-8 A	O6	Ib	(n)(f)	sec?	W73	2
G080.22 + 01.02_01	· · ·	· · ·	3161-01063-1	· · ·	Cyg OB2-4	O7	III	((f))	· · ·	W73	2
G080.23 + 00.78_01	· · ·	· · ·	3161-01340-1	20333 + 4119	Cyg OB2-8 C	O5	III	(f)	· · ·	W73	2
G080.24 + 00.80_01	· · ·	· · ·	3161-01335-1	· · ·	Cyg OB2-7	O3	I	f*	· · ·	W02a	3
G080.57 + 00.83_01	· · ·	· · ·	3161-00646-1	· · ·	Cyg OB2-11	O5	I	f+	· · ·	W73	2
G080.99 + 10.09_01	188209	· · ·	3561-02131-1	· · ·	· · ·	O9.5	Iab	· · ·	· · ·	W72	2
G081.18 + 06.61_01	191781	· · ·	3559-01356-1	· · ·	· · ·	ON9.7	Iab	· · ·	· · ·	W72	2
G082.36 + 02.96_01	195592	· · ·	3165-00315-1	· · ·	· · ·	O9.7	Ia	· · ·	· · ·	W73	1
G085.70 − 00.30_01	199579	· · ·	3179-00457-1	· · ·	· · ·	O6	V	((f))	· · ·	W73	2
G087.29 − 02.66_01	202124	· · ·	3181-03951-1	· · ·	· · ·	O9.5	Iab	· · ·	· · ·	W73	2
G087.61 − 03.84_01	203064	· · ·	3181-00836-1	· · ·	68 Cyg	O7.5	III:	n((f))	· · ·	W72	2
G096.65 − 16.98_01	214680	· · ·	3201-00094-1	22393 + 3903	10 Lac	O9	V	· · ·	· · ·	W73	1
G099.29 + 03.74_01	206267	· · ·	3975-01822-1	21390 + 5729	· · ·	O6.5	V	((f))	· · ·	W73	2
G099.85 − 03.13_01	210809	· · ·	3618-00639-1	· · ·	· · ·	O9	Iab	· · ·	· · ·	W73	2
G102.01 + 02.18_01	209481	· · ·	3977-02050-1	· · ·	· · ·	O9	V:	· · ·	sec	W73	2
G103.14 + 06.99_01	207198	· · ·	4266-00826-1	21449 + 6228	· · ·	O9	Ib-II	· · ·	· · ·	W72	2
G103.83 + 02.61_01	210839	· · ·	3981-01585-1	· · ·	λ Cep	O6	I	(n)fp	· · ·	W73	1
G104.87 + 05.39_01	209975	· · ·	4267-02757-1	22051 + 6217	19 Cep	O9.5	Ib	· · ·	· · ·	W72	2
G107.07 − 00.90_01	215835	· · ·	3992-00193-1	22469 + 5805	· · ·	O6	V	(n)	· · ·	W73	2
G108.06 − 06.89_01	218915	· · ·	3998-02312-1	· · ·	· · ·	O9.5	Iab	· · ·	· · ·	W72	2
G109.32 − 01.79_01	218195	· · ·	3997-00818-1	23052 + 5815	· · ·	O9	III	· · ·	· · ·	W73	2
G109.65 + 02.68_01	216532	· · ·	4282-00342-1	· · ·	· · ·	O8.5	V	((n))	· · ·	W73	2
G109.93 + 02.39_01	216898	· · ·	4282-00758-1	· · ·	· · ·	O9	IV	· · ·	· · ·	W73	2
G110.22 + 02.72_01	217086	· · ·	4282-00617-1	22568 + 6244	· · ·	O7	V	n	· · ·	W73	2
G112.23 + 00.22_01	· · ·	· · ·	4279-01582-1	· · ·	BD +60 2522	O6.5	· · ·	(n)(f)p	· · ·	W73	2
G117.23 − 01.24_01	225146	· · ·	4014-00340-1	· · ·	· · ·	O9.7	Ib	· · ·	· · ·	W72	2
G117.44 − 00.14_01	225160	· · ·	4018-01788-1	· · ·	· · ·	O8	Ib	(f)	· · ·	W73	2
G117.59 − 11.09_01	001337	· · ·	3259-00394-1	· · ·	· · ·	O9	III:	(n)	sec	W73	2
G117.93 + 01.25_01	000108	· · ·	4018-00457-1	· · ·	· · ·	O6:	· · ·	f?pe	· · ·	W72	2
G123.12 − 06.24_01	005005	A	3663-01231-1	00528 + 5638	· · ·	O6.5	V	((f))	· · ·	W73	2

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G123.12 − 06.24_02	005005	C	3663-01231-2	00528 + 5638	···	O8	V	(n)	···	W73	2
G127.87 − 01.35_01	···	···	4031-01953-1	···	BD +60 261	O7.5	III	(n)((f))	···	W73	2
G128.29 + 01.82_01	010125	···	4039-01050-1	01409 + 6410	···	O9.7	II	···	···	W73	2
G132.91 − 02.57_01	013022	···	3697-02360-1	···	···	O9.5	II-III	((n))	···	W73	2
G132.91 − 05.87_01	012323	···	3689-01783-1	···	···	ON9	V	···	···	W73	2
G133.11 − 03.40_01	012993	···	3693-00648-1	···	···	O6.5	V	···	···	W73	2
G134.21 − 01.32_01	014442	···	3698-01073-1	···	···	O5	···	n(f)p	···	W73	2
G134.53 + 02.46_01	···	···	4051-01794-1	···	BD +62 424	O6	V	((f))	···	W73	2
G134.58 + 01.04_01	···	···	4046-01596-1	···	BD +60 497	O6	V	(n)	sec	W73	2
G134.58 − 04.96_01	013745	···	3690-02070-1	···	···	O9.7	II	((n))	···	W73	2
G134.64 + 01.00_01	···	···	4046-00144-1	···	BD +60 499	O9.5	V	···	···	W73	2
G134.71 + 00.94_01	···	···	4046-00118-1	···	BD +60 501	O7	V	···	···	W73	2
G134.72 + 00.92_01	015558	···	4046-00044-1	02327 + 6127	···	O5	III	(f)	···	W73	1
G134.77 + 00.86_01	015570	···	4046-00606-1	···	···	O4	I	f+	···	W72	2
G134.77 + 01.01_01	015629	···	4046-01192-1	···	···	O5	V	((f))	···	W72	2
G134.90 + 00.92_01	···	···	4046-00228-1	···	BD +60 513	O7	V	n	···	W73	2
G134.99 − 01.74_01	014947	···	3699-02289-1	···	···	O5	I	f+	···	W73	2
G135.08 − 03.82_01	014434	···	3694-02089-1	···	···	O5.5	V	n((f))p	···	W72	2
G135.68 + 01.15_01	016429	···	4047-01157-1	02407 + 6117	···	O9.5	II	((n))	···	W73	2
G137.09 − 04.73_01	015642	···	3691-00907-1	···	···	O9.5	III:	n	···	W73	2
G137.12 + 03.46_01	018409	···	4052-01631-1	···	···	O9.7	Ib	···	···	W73	2
G137.19 + 00.90_01	017505	···	4047-02870-1	02511 + 6025	···	O6.5	V	((f))	···	W72	2
G137.22 + 00.88_01	017520	AB	4047-02680-1	02512 + 6023	···	O8	V	···	sec	W73	2
G137.42 + 01.28_01	···	···	4048-00991-1	02542 + 6039	BD +60 586	O7	V	···	···	W73	2
G137.46 − 07.58_01	015137	···	3687-01024-1	···	···	O9.5	II-III	(n)	···	W73	2
G137.73 − 02.73_01	016691	···	3708-00926-1	···	···	O4	I	f+	···	W73	2
G138.00 − 02.88_01	016832	···	3708-01000-1	···	···	O9.5	II	···	···	W73	2
G138.03 + 01.50_01	018326	···	4048-01817-1	···	···	O7	V	(n)	···	W73	2
G138.77 − 02.08_01	017603	···	3708-01269-1	02518 + 5703	···	O7.5	Ib	(f)	···	W73	2
G140.12 + 01.54_01	019820	···	3714-00240-1	···	···	O8.5	III	((n))	···	W73	2
G140.78 − 18.20_01	014633	···	2839-00087-1	···	···	ON8	V	···	···	W72	2
G143.67 + 07.66_01	025639	···	4068-01651-1	04078 + 6220	SZ Cam	O9.5	V	···	···	M98	1
G144.07 + 14.04_01	030614	···	4091-02094-1	···	α Cam	O9.5	Ia	···	···	W73	1
G147.14 + 02.97_01	237211	···	3726-00793-1	···	···	O9.5	Ib:	p	···	W73	2
G148.84 − 00.71_01	024431	···	3717-00049-1	03556 + 5238	···	O9	III	···	···	W73	2
G160.37 − 13.11_01	024912	···	2369-02273-1	···	ξ Per	O7.5	III	(n)((f))	···	W73	1
G163.08 − 17.14_01	024534	···	2357-02042-1	03554 + 3103	X Per	O9.5	···	pe	···	L68	4
G164.97 + 12.89_01	041161	···	3378-00872-1	06059 + 4815	···	O8	V	n	···	W73	2
G169.11 + 03.60_01	···	···	2914-01036-1	···	BD +39 1328	O8.5	Ib	(f)	···	W73	2
G170.04 + 00.27_01	034656	···	2402-00199-1	05207 + 3726	···	O7	II	(f)	···	W72	2
G172.08 − 02.26_01	034078	···	2398-00894-1	05163 + 3419	AE Aur	O9.5	V	···	···	W73	1
G172.29 + 01.88_01	036483	···	2416-01105-1	05337 + 3628	···	O9	V	(n)	···	W73	2
G172.76 + 00.61_01	035921	···	2411-01859-1	05297 + 3523	···	O9.5	III:	n	···	W73	2
G173.04 − 00.09_01	035619	···	2411-01292-1	05276 + 3445	···	O7	V	···	···	W73	2
G173.46 + 03.24_01	037737	···	2417-01106-1	···	···	O9.5	III	(n)	···	W73	2
G173.47 − 01.66_01	242908	···	2394-01439-1	···	···	O4	V	(n)	···	W73	2
G173.58 − 01.67_01	242935	···	2394-01265-1	05228 + 3325	···	O7	V	···	···	W73	2
G173.65 − 01.74_01	242926	···	2394-01294-1	···	···	O7	V	···	···	W73	2

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G177.63 − 00.11_01	037366	· · ·	2404-00090-1	05394 + 3053	· · ·	O9.5	V	· · ·	· · ·	W73	2
G183.14 + 62.15_01	093521	· · ·	3009-02547-1	· · ·	· · ·	O9	V	p	· · ·	M55	1
G185.22 − 05.89_01	036879	· · ·	1309-00991-1	· · ·	· · ·	O7	V	(n)	· · ·	W73	2
G190.04 + 00.48_01	042088	· · ·	1322-00797-1	· · ·	· · ·	O6.5	V	· · ·	· · ·	W72	2
G192.40 + 03.21_01	044811	· · ·	1336-01468-1	06246 + 1942	· · ·	O7	V	· · ·	· · ·	W73	2
G194.07 − 05.88_01	039680	· · ·	0728-01198-1	05547 + 1351	· · ·	O6	V:	[n]pe var	· · ·	W73	2
G194.15 − 01.98_01	041997	· · ·	1314-00834-1	· · ·	· · ·	O7.5	V	(n)	sec?	W73	2
G195.05 − 12.00_01	036861	A	0705-02400-1	05351 + 0956	λ Ori A	O8	III	((f))	· · ·	W73	1
G196.96 + 01.52_01	045314	· · ·	0744-00087-1	06273 + 1453	· · ·	O9:	· · ·	pe	· · ·	M55	1
G202.51 + 17.52_01	060848	· · ·	1365-02231-1	· · ·	· · ·	O8	V:	pe var	· · ·	M55	1
G202.94 + 02.20_01	047839	· · ·	0750-01880-1	06410 + 0954	15 Mon	O7	V	((f))	· · ·	W73	1
G203.86 − 17.74_01	036486	A	4766-02445-1	05320 − 0018	δ Ori A	O9.5	II	· · ·	sec	W72	2
G205.81 − 00.55_01	046966	· · ·	0158-03030-1	· · ·	· · ·	O8	V	· · ·	· · ·	W72	2
G205.87 − 00.31_01	047129	· · ·	0158-01594-1	· · ·	· · ·	O8	· · ·	p	· · ·	W72	2
G206.21 + 00.80_01	048099	· · ·	0159-03004-1	· · ·	· · ·	O7	V	· · ·	· · ·	W72	2
G206.22 − 02.04_01	046149	· · ·	0154-02396-1	· · ·	· · ·	O8.5	V	· · ·	· · ·	W73	2
G206.31 − 02.00_01	046202	· · ·	0154-01521-1	· · ·	· · ·	O9	V	· · ·	· · ·	W73	2
G206.31 − 02.07_01	046150	· · ·	0154-01683-1	06319 + 0457	· · ·	O5	V	((f))	· · ·	W02a	8
G206.34 − 02.25_01	046056	· · ·	0154-02499-1	06313 + 0450	· · ·	O8	V	(n)	sec	W73	2
G206.44 − 02.07_01	046223	· · ·	0154-00070-1	· · ·	· · ·	O4	V	((f+))	· · ·	W02a	8
G206.45 − 16.59_01	037742	· · ·	4771-01188-1	05407 − 0157	ζ Ori	O9.7	Ib	· · ·	· · ·	W72	2
G206.82 − 17.34_01	037468	ABC	4771-01196-1	05387 − 0236	σ Ori ABC	O9.5	V	· · ·	· · ·	L68	4
G206.90 − 01.84_01	046485	· · ·	0154-01414-1	· · ·	· · ·	O7	V	n(e)	· · ·	W73	2
G208.73 − 02.63_01	046573	· · ·	0150-01508-1	· · ·	· · ·	O7	III	((f))	· · ·	W73	2
G209.01 − 19.38_01	037022	C	4774-00931-1	05353 − 0523	θ^1 Ori C	O4-6	· · ·	p var	· · ·	W81	1
G209.05 − 19.37_01	037041	A	4774-00933-1	05354 − 0525	θ^2 Ori A	O9.5	V	pe	· · ·	L68	4
G209.52 − 19.58_01	037043	A	4778-01401-1	05354 − 0555	ι Ori A	O9	III	· · ·	· · ·	W73	1
G210.03 − 02.11_01	047432	· · ·	0147-02018-1	· · ·	· · ·	O9.7	Ib	· · ·	· · ·	W72	2
G210.41 − 01.17_01	048279	· · ·	0147-00495-1	06427 + 0143	· · ·	O8	V	· · ·	· · ·	W73	2
G216.85 + 00.80_01	052533	· · ·	4818-01721-1	07015 − 0307	· · ·	O9	V	· · ·	· · ·	M55	1
G219.13 − 00.68_01	052266	· · ·	4826-03285-1	· · ·	· · ·	O9	IV	(n)	· · ·	W73	2
G224.17 − 00.78_01	054662	· · ·	5398-03008-1	· · ·	· · ·	O6.5	V	· · ·	· · ·	W72	2
G224.41 + 02.63_01	057682	· · ·	5395-04693-1	· · ·	· · ·	O9	IV	· · ·	· · ·	W72	2
G224.73 + 00.35_01	055879	· · ·	5398-03007-1	· · ·	· · ·	O9.5	II-III	· · ·	· · ·	W72	2
G225.55 − 01.28_01	054879	· · ·	5402-00632-1	· · ·	· · ·	O9.5	V	· · ·	· · ·	M55	1
G225.68 − 02.32_01	053975	· · ·	5389-03015-1	· · ·	· · ·	O7.5	V	· · ·	· · ·	W72	2
G235.64 − 04.02_01	057236	· · ·	5977-00269-1	07195 − 2200	· · ·	O8	V	((f))	· · ·	W82	1
G237.29 − 27.10_01	038666	· · ·	7061-01617-1	· · ·	μ Col	O9.5	V	· · ·	· · ·	W73	2
G237.82 − 05.37_01	057060	· · ·	6541-04202-1	· · ·	CW CMa	O7	Ia:	fp var	· · ·	W73	2
G238.18 − 05.54_01	057061	· · ·	6541-04204-1	07187 − 2457	τ CMa	O9	II	· · ·	· · ·	W72	2
G243.14 + 00.71_01	064568	· · ·	6557-00214-1	· · ·	· · ·	O3	V	((f*))	· · ·	W02a	6
G243.16 + 00.36_01	064315	· · ·	6561-03894-1	· · ·	· · ·	O6	V	n	· · ·	W82	1
G243.82 + 00.14_01	· · ·	· · ·	6561-00960-1	· · ·	CPD -26 2716	O6.5	Ib	(f)	· · ·	W82	1
G245.45 − 00.10_01	· · ·	· · ·	6565-01714-1	· · ·	CPD -28 2561	O6.5	· · ·	fp	· · ·	W73	2
G253.61 − 00.30_01	069464	· · ·	7134-02153-1	· · ·	· · ·	O6.5	Ib	(f)	· · ·	W73	1
G254.47 − 02.02_01	068450	· · ·	7133-04560-1	08110 − 3718	· · ·	O9.7	Ib-II	· · ·	· · ·	W72	2
G255.98 − 04.71_01	066811	· · ·	7663-04093-1	· · ·	ζ Pup	O4	I	(n)f	· · ·	W72	2
G258.29 + 04.18_01	075222	· · ·	7149-01096-1	· · ·	· · ·	O9.7	Iab	· · ·	· · ·	W73	2

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G260.18 + 00.64_01	073882	···	7666-01830-1	08392 − 4025	···	O8.5	V	((n))	···	W73	2
G261.76 − 03.77_01	071304	···	7673-01536-1	08249 − 4418	···	O9.5	Ib	···	···	W73	2
G262.80 + 01.25_01	075759	···	7684-02120-1	···	···	O9	V	n	sec?	W73	2
G263.53 + 01.52_01	076341	···	7684-01524-1	···	···	O9	Ib	···	···	G77	2
G263.96 − 00.47_01	075211	···	7687-00937-1	···	···	O9	Ib	···	···	W73	2
G264.04 − 01.95_01	074194	···	8151-01027-1	···	···	O8.5	Ib	(f)	···	W73	2
G267.58 − 01.63_01	076556	···	8156-01780-1	···	···	O5.5	V	n((f))	···	W73	2
G267.98 − 01.36_01	···	···	8156-02257-1	···	CPD -47 2963	O4	III	(f)	···	W82	1
G270.22 − 03.37_01	076968	···	8164-01720-1	···	···	O9.7	Ib	···	···	W73	2
G274.47 − 00.25_01	298429	···	8179-01988-1	···	···	O8	III	((f))	···	W82	1
G279.69 + 04.45_01	089137	···	8195-00957-1	···	···	O9.5	III	(n)p	···	W76	2
G285.16 − 02.13_01	090087	···	8612-02405-1	···	···	O9	II	n	···	G77	2
G285.52 − 00.05_01	091572	···	8613-02166-1	···	···	O6	V	((f))	···	W72	2
G285.70 + 00.07_01	091824	···	8613-00462-1	···	···	O7	V	((f))	···	W73	1
G285.92 + 00.99_01	092504	···	8609-00398-1	10396 − 5728	···	O8.5	V	((n))	···	W73	2
G286.22 − 00.17_01	092206	AB	8613-01825-1	10374 − 5837	···	O6.5	V	(n)	···	W82	1
G286.22 − 00.18_01	092206	C	8613-00780-1	···	···	O8.5	V	p	···	W82	1
G286.55 − 01.72_01	091651	···	8956-02300-1	···	···	O9	V:	n	···	W73	2
G287.34 + 01.27_01	094024	···	8622-00562-1	···	···	O8	V	((n))	···	W73	2
G287.39 − 00.59_01	···	···	8626-00123-1	···	CPD -58 2611	O6	V	((f))	···	W82	1
G287.40 − 00.58_01	093128	···	···	···	···	O3.5	V	((f+))	···	W02a	7
G287.41 − 00.36_01	093249	···	8626-01930-1	10447 − 5921	···	O9	III	···	···	W73	2
G287.41 − 00.56_01	···	···	8626-02598-1	10440 − 5932	CPD -58 2620	O6.5	V	((f))	···	W73	2
G287.41 − 00.57_01	093129	A	8626-02805-1	10440 − 5933	···	O2	I	f*	···	W02a	3
G287.41 − 00.57_02	093129	B	···	10440 − 5933	···	O3.5	V	((f+))	···	W02a	8
G287.44 − 00.59_01	093160	···	8626-02806-1	10441 − 5935	···	O6	III	(f)	···	W72	2
G287.44 − 00.59_02	093161	AB	8626-02807-1	10441 − 5935	···	O6.5	V	((f))	···	W72	2
G287.48 − 00.54_01	303311	···	8626-02591-1	10446 − 5933	···	O5	V	···	···	W82	1
G287.51 − 00.54_01	093250	···	8626-02075-1	···	···	O3.5	V	((f+))	···	W02a	7
G287.54 − 00.34_01	093403	···	8626-00641-1	···	···	O5	III	(f) var	sec	W73	2
G287.57 − 00.71_01	093204	···	8626-02811-1	···	···	O5	V	((f))	···	W02a	7
G287.57 − 00.71_02	093205	···	8626-02810-1	10446 − 5944	···	O3.5	V	((f+))	O8 V	W02a	7
G287.57 − 00.86_01	093130	···	8626-02169-1	10440 − 5952	···	O6	III	(f)	···	W72	2
G287.59 − 00.61_01	303308	···	8626-02808-1	···	···	O4	V	((f+))	···	W02a	7
G287.59 − 00.69_01	···	···	8626-02309-1	···	CPD -59 2603	O7	V	((f))	sec?	W73	2
G287.60 − 00.74_01	···	···	8626-02392-1	···	CPD -59 2600	O6	V	((f))	···	W73	2
G287.61 − 01.13_01	093027	···	8957-00482-1	···	···	O9.5	V	···	···	W73	1
G287.64 − 00.65_01	···	···	8626-00491-1	···	CPD -59 2641	O5	V	···	sec?	W82	1
G287.64 − 00.67_01	···	···	8626-02018-1	···	CPD -59 2636	O8	V	···	···	W82	1
G287.64 − 00.68_01	093343	···	8626-02147-1	10453 − 5945	···	O7	V	(n)	sec?	W82	1
G287.64 − 00.68_02	···	···	8626-02495-1	···	CPD -59 2635	O7	V	nn	···	W82	1
G287.64 − 01.19_01	093028	···	8957-01017-1	···	···	O9	V	···	···	W72	1
G287.66 − 00.90_01	305523	···	8626-02225-1	···	···	O9	II	···	···	W73	2
G287.67 − 00.94_01	093206	···	8626-02523-1	10444 − 6000	···	O9.7	Ib:	(n)	···	W72	2
G287.67 − 01.05_01	093146	···	8957-03079-1	10440 − 6005	···	O6.5	V	((f))	···	W73	2
G287.74 − 01.02_01	093222	···	8957-00599-1	···	···	O7	III	((f))	···	W73	1
G287.78 − 00.84_01	305532	···	8626-01859-1	···	···	O6	V	((f))	···	W82	1
G287.84 − 00.73_01	···	···	8626-01530-1	···	Feinstein 97	O5	V	n	···	W82	1

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G287.94 − 00.88_01	305539	···	8957-00939-1	···	···	O7	···	p	···	W82	1
G288.01 + 00.63_01	094370	···	8626-00724-1	10524 − 5845	···	O6.5	III	(f)	···	W73	2
G288.03 − 00.87_01	093632	···	8957-01512-1	10472 − 6006	···	O5	III	(f) var	···	W73	2
G288.05 + 00.40_01	303492	···	8626-00604-1	···	···	O9	Ia	···	···	W82	1
G288.22 − 00.96_01	305619	···	8957-01573-1	···	···	O9.7	Ib	···	···	W82	1
G288.24 − 00.90_01	093843	···	8957-03817-1	···	···	O5	III	(f) var	···	W73	2
G289.28 + 03.06_01	096917	···	8624-01504-1	···	···	O8.5	Ib	(f)	···	W73	2
G289.76 − 01.81_01	094963	···	8958-02351-1	···	···	O6.5	III	(f)	···	W73	2
G289.77 − 01.22_01	···	···	8958-04232-1	···	LSS 2063	O5	I	f+	···	W00a	1
G290.09 + 00.57_01	096622	···	8628-01029-1	···	···	O9.5	IV	···	···	W72	2
G290.20 + 00.40_01	096670	···	8628-00003-1	···	···	O8	···	p	···	W72	2
G290.27 + 00.33_01	096715	···	8628-00089-1	···	···	O4	V	((f))	···	W73	1
G290.40 − 00.80_01	096264	···	8958-01499-1	11049 − 6103	···	O9.5	IV	···	···	W73	2
G290.51 − 02.24_01	095589	···	8962-00418-1	···	···	O7.5	III	(n)((f))	···	W82	1
G290.67 + 00.19_01	097166	···	8959-00768-1	···	···	O7.5	III	((f))	···	W73	2
G290.73 − 00.34_01	096946	···	8959-00581-1	···	···	O6	V:	···	···	W73	2
G290.74 + 01.53_01	097848	···	8628-02081-1	···	···	O8	V	···	···	W82	1
G290.79 + 00.09_01	097253	···	8959-00817-1	···	···	O5.5	III	(f)	···	W73	2
G291.04 − 00.15_01	097434	···	8959-01044-1	11118 − 6042	···	O7.5	III	(n)((f))	···	W73	2
G291.62 − 00.52_01	097950	16	···	11151 − 6116	NGC 3603/HST-16	O3	V	···	···	D95	1
G291.62 − 00.52_02	097950	33	···	11151 − 6116	NGC 3603/HST-33	O5	V	···	sec	D95	1
G291.62 − 00.52_03	097950	36	···	11151 − 6116	NGC 3603/HST-36	O6	V	···	···	D95	1
G291.62 − 00.52_04	097950	37	···	11151 − 6116	NGC 3603/HST-37	O6.5	V	···	sec	D95	1
G291.62 − 00.52_05	097950	38	···	11151 − 6116	NGC 3603/HST-38	O3	V	···	···	D95	1
G291.62 − 00.52_06	097950	40	···	11151 − 6116	NGC 3603/HST-40	O3	V	···	···	D95	1
G291.62 − 00.52_07	097950	41	···	11151 − 6116	NGC 3603/HST-41	O4	V	···	···	D95	1
G291.62 − 00.52_08	097950	42	···	11151 − 6116	NGC 3603/HST-42	O2-3	III	(f*)	···	W02a	4
G291.62 − 00.52_09	097950	45	···	11151 − 6116	NGC 3603/HST-45	O8	V-III	···	···	D95	1
G291.62 − 00.52_10	097950	A2	···	11151 − 6116	NGC 3603/HST-A2	O3	V	···	···	D95	1
G291.62 − 00.52_11	097950	A3	···	11151 − 6116	NGC 3603/HST-A3	O2-3	III	(f*)	···	W02a	4
G293.61 − 01.28_01	099897	···	8976-05141-1	···	···	O6	V	((f))	···	W73	2
G294.78 − 01.49_01	101190	···	8976-04933-1	11382 − 6312	···	O6	V	((f))	···	W73	1
G294.78 − 01.62_01	101131	···	8976-04939-1	···	···	O6	V	((f))	sec	W73	2
G294.81 − 01.49_01	101223	···	8976-04981-1	···	···	O8	V	((f))	···	W73	2
G294.81 − 04.14_01	100213	···	8984-01554-1	···	···	O8.5	V	n	···	W82	1
G294.84 − 01.68_01	101191	···	8976-05221-1	···	···	O8	V	((n))	···	W73	2
G294.85 − 01.65_01	101205	···	8976-05393-1	11383 − 6322	···	O7	III	n((f))	···	W73	2
G294.88 − 00.81_01	101545	A	8976-04961-2	11406 − 6234	···	O9.5	Ib-II	···	···	W73	2
G294.94 − 01.69_01	101298	···	8976-05335-1	···	···	O6	V	((f))	···	W73	2
G295.03 − 01.71_01	101413	···	8976-05341-1	11398 − 6329	···	O8	V	···	···	W73	2
G295.04 − 01.71_01	101436	···	8976-05363-1	11398 − 6329	···	O6.5	V	···	···	W73	2
G295.30 + 00.45_01	102415	···	8973-00829-1	···	···	O8.5	V	n(p?)	···	W82	1
G296.51 + 04.02_01	104565	···	8644-00141-1	···	···	OC9.7	Ia	···	···	W82	1
G297.40 − 00.32_01	104649	···	8978-01514-1	···	···	O9.5	V	···	···	G82	1
G298.15 − 00.10_01	105627	···	8978-03554-1	12097 − 6235	···	O9	II-III	···	···	W73	2
G298.95 − 07.06_01	105056	···	9231-00618-1	···	···	ON9.7	Ia	e	···	W72	2
G303.55 + 06.03_01	112244	···	8656-03196-1	12560 − 5650	···	O8.5	Iab	(f)	···	W73	2
G304.67 − 02.49_01	113904	B	8997-02338-1	13081 − 6518	θ Mus B	O9	II	···	···	W73	2

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G304.88 − 16.13_01	116852	···	9434-01988-1	···	···	O9	III	···	···	M55	2
G305.41 − 00.82_01	114737	···	8994-03951-1	···	···	O9	III	···	···	W73	2
G305.52 − 00.83_01	114886	···	8994-04005-1	13147 − 6335	···	O9	II-III	···	···	W73	2
G305.76 + 00.15_01	115071	···	8994-02022-1	···	V961 Cen	O9.5	V	···	B0.2 III	P02	3
G306.06 + 00.22_01	115455	···	8994-02215-1	···	···	O7.5	III	((f))	···	W73	2
G307.01 + 02.80_01	116282	···	8674-01757-1	···	···	O8	III	(n)((f))	···	W82	1
G307.77 − 00.87_01	117856	···	8995-00116-1	13347 − 6320	···	O9.5	III	···	···	G77	2
G307.86 + 00.04_01	117797	···	8995-01160-1	···	···	O8	Ib	(f)	···	W82	1
G307.88 + 01.66_01	117490	···	8991-03985-1	···	···	O9	V	n	···	W82	1
G307.96 − 01.22_01	118198	···	8995-04394-1	···	···	O9.5	II-III	···	···	W73	2
G309.91 − 00.69_01	120678	···	9008-03345-1	···	···	O8	III:	nep	···	G77	2
G310.73 + 03.42_01	120521	···	8676-01950-1	···	···	O8	Ib	(f)	···	W73	2
G311.02 − 02.80_01	123008	···	9013-01059-1	···	···	ON9.7	Iab	···	···	W82	1
G311.95 − 01.00_01	123590	···	9009-00278-1	···	···	O7/8	···	···	···	H99	1
G312.17 + 01.03_01	123056	···	9005-03920-1	···	···	O9.5	V	((n))	···	W73	2
G312.67 − 00.43_01	124314	···	9005-03923-1	14150 − 6142	···	O6	V	(n)((f))	···	W73	2
G313.45 − 00.03_01	125206	···	9006-03932-1	···	···	O9.5	IV:	(n)	···	W73	2
G313.54 + 00.14_01	125241	···	9006-03763-1	···	···	O8.5	Ib	(f)	···	W73	2
G315.37 − 00.08_01	···	···	9007-04501-1	···	CPD -59 5634	O9.7	Ib	···	···	W82	1
G316.40 + 09.08_01	124979	···	8289-01067-1	···	···	O8	···	((f))	···	M76	1
G318.77 + 02.77_01	130298	···	8688-01654-1	···	···	O6.5	III	(n)(f)	···	W82	1
G319.69 − 02.91_01	135240	···	9021-02243-1	15169 − 6057	δ Cir	O7.5	III	((f))	···	W72	2
G320.13 − 02.64_01	135591	···	9021-02242-1	15188 − 6030	···	O7.5	III	((f))	···	W72	2
G327.56 − 00.83_01	···	···	8701-01116-1	15557 − 5439	Muzzio 116	O9.5	IV	···	···	W82	1
G336.37 − 00.22_01	148937	···	8329-03343-1	16339 − 4807	···	O6.5	···	f?p	···	W72	2
G336.71 − 01.57_01	150135	···	8334-01505-1	16413 − 4846	···	O6.5	V	((f))	···	W72	2
G336.71 − 01.57_02	150136	···	8334-01503-1	16413 − 4846	···	O5	III:	n(f)	···	W72	2
G337.47 + 00.03_01	149452	···	8329-00838-1	···	···	O8	V	n((f))	···	W82	1
G338.56 − 01.15_01	150958	···	8330-05309-1	16466 − 4705	···	O6.5	Ia	(n)f+	···	W72	2
G339.00 − 00.20_01	150574	···	8326-03462-1	···	···	ON9	III	(n)	···	W82	1
G339.38 + 02.51_01	149038	···	7866-03007-1	···	μ Nor	O9.7	Iab	···	···	W72	1
G339.51 − 00.41_01	151018	···	8326-01322-1	···	···	O9	Ia	···	···	G77	2
G340.54 + 03.01_01	149404	···	7862-01617-1	···	···	O9	Ia	···	···	W73	1
G341.06 − 04.22_01	154811	···	8332-01548-1	···	···	OC9.7	Iab	···	···	W73	2
G341.11 − 00.94_01	152386	···	7880-00313-1	16551 − 4459	···	O6:	Ia	fpe	···	W73	2
G342.57 − 04.39_01	155756	···	8341-00464-1	···	···	O9.5	Iab	···	···	W82	1
G342.72 + 02.41_01	151003	···	7875-01882-1	···	···	O9	II	···	···	W73	2
G342.81 + 01.70_01	151515	···	7875-02249-1	···	···	O7	II	(f)	···	W72	2
G343.15 + 01.10_01	152147	···	7876-01152-1	···	···	O9.7	Ib	···	···	W73	1
G343.33 + 01.41_01	152003	···	7876-02053-1	···	···	O9.7	Iab	···	···	W73	1
G343.36 + 00.89_01	152424	···	7876-02597-1	···	···	OC9.7	Ia	···	···	W72	3
G343.38 + 07.15_01	148546	···	7854-00040-1	···	···	O9	Ia	···	···	W73	2
G343.39 + 01.18_01	152219	···	7876-02282-1	···	···	O9.5	III	((n))	···	W73	2
G343.45 + 01.16_01	152249	···	7876-02229-1	16542 − 4151	···	OC9.5	Iab	···	···	W73	1
G343.46 + 01.17_01	···	···	7876-02816-1	16542 − 4151	CPD -41 7733	O9	III	···	···	W73	2
G343.46 + 01.18_01	152248	···	7876-02204-1	16542 − 4150	···	O7	Ib:	(n)(f)p	···	W72	2
G343.48 + 01.15_01	···	···	···	16543 − 4150	CPD -41 7742	O9:	IV:	···	···	W73	2
G343.48 + 01.22_01	152233	···	7876-02254-1	16540 − 4148	···	O6	III:	(f)p	···	W72	2

Table 1—Continued

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G343.49 + 01.14_01	326331	···	7876-02319-1	16544 − 4150	···	O7.5	III	n((f))	···	W73	2
G343.52 + 01.14_01	152314	···	7876-01997-1	···	···	O9.5	III-IV	···	···	W73	2
G343.53 + 01.28_01	152218	···	7876-02134-1	···	···	O9.5	IV	(n)	sec	W73	2
G343.61 + 01.30_01	152247	···	7876-02339-1	···	···	O9.5	II-III	···	···	W73	2
G343.62 + 01.94_01	151804	···	7872-02284-1	···	···	O8	Ia	f	···	W73	1
G344.03 + 01.67_01	152246	···	7872-01796-1	···	···	O9	III-IV	((n))	···	W73	2
G344.08 + 01.49_01	152408	···	7872-01609-1	16550 − 4109	···	O8:	Ia	fpe	···	W72	2
G344.56 + 01.89_01	152405	···	7872-01057-1	···	···	O9.7	Ib-II	···	···	W72	2
G344.62 + 01.61_01	152623	···	7872-00879-1	16563 − 4040	···	O7	V	(n)((f))	···	W72	2
G344.81 + 01.61_01	152723	···	7872-02169-1	16569 − 4031	···	O6.5	III	(f)	···	W72	2
G344.84 + 01.83_01	152590	···	7872-01003-1	···	···	O7.5	V	···	···	W72	2
G345.26 + 01.47_01	322417	···	7872-01262-1	···	···	O6	III	(f)	···	W82	1
G345.29 − 02.61_01	155913	···	7878-00392-1	···	···	O5	V	n((f))	···	W73	2
G345.35 − 03.08_01	156292	···	7878-01170-1	···	···	O9.5	III	···	···	W73	2
G347.14 + 02.38_01	153426	···	7869-00892-1	···	···	O9	II-III	···	···	W73	2
G347.75 + 02.17_01	153919	···	7869-02226-1	···	···	O6.5	Ia	f+	···	W73	2
G348.73 − 00.80_01	···	···	7870-00896-1	17190 − 3849	LSS 4067	O4	I	f+	···	W00a	1
G349.97 + 03.22_01	154368	···	7369-00106-1	17065 − 3527	···	O9.5	Iab	···	···	W73	2
G350.54 + 03.19_01	154643	···	7369-01442-1	···	···	O9.5	III	···	···	G77	2
G351.03 + 00.65_01	319703	A	7374-00710-1	···	···	O7.5	III	((f))	···	W82	1
G351.03 + 00.66_01	319703	B	···	···	···	O6.5	V	((f))	···	W82	1
G351.18 + 00.48_01	156738	···	7374-00697-1	···	···	O6.5	III	(f)	···	W82	1
G351.22 + 01.36_01	156154	···	7370-00366-1	···	···	O8	Iab	(f)	···	W73	2
G351.32 + 00.92_01	319699	···	7374-00610-1	···	···	O5	V	((f))	···	W82	1
G351.35 + 00.61_01	319702	···	7374-01011-1	···	···	O8	III	((f))	···	W82	1
G352.50 + 02.67_01	155889	···	7366-01100-1	17158 − 3344	···	O9	IV	···	···	W73	2
G352.59 + 02.87_01	155806	···	7366-01088-1	···	···	O7.5	V	[n]e	···	W73	2
G353.17 + 00.89_01	319718	A	7383-00007-1	17247 − 3412	Pismis 24-1	O3.5	I	f*	···	W02a	3
G353.17 + 00.89_02	319718	B	···	17247 − 3412	Pismis 24-17	O3.5	III	(f*)	···	W02a	4
G355.36 − 06.10_01	163758	···	7390-02617-1	···	···	O6.5	Ia	f	···	W73	2
G355.67 + 00.05_01	159176	···	7380-01077-3	17347 − 3235	···	O7	V	···	O7 V	W73	2
G355.91 + 01.60_01	158186	···	7375-00437-1	···	···	O9.5	V	···	···	G77	2
G357.59 + 05.83_01	156212	···	6820-00171-1	···	···	O9.7	Iab	···	···	W73	2
G358.42 − 01.88_01	161853	···	7377-01107-1	···	···	O8	V	((n))	···	W73	2

References. — B97: Burkholder et al. (1997), D95: Drissen et al. (1995), G77: Garrison et al. (1977), G82: Garmany et al. (1982), H99: Houk & Swift (1999), L68: Lesh (1968), M76: MacConnell & Bidelman (1976), M98: Mason et al. (1998), M55: Morgan et al. (1955), N88: Niemela & Morrison (1988), P02: Penny et al. (2002), W72: Walborn (1972), W73: Walborn (1973), W76: Walborn (1976), W81: Walborn (1981), W82: Walborn (1982), W00a: Walborn & Fitzpatrick (2000), W00b: Walborn & Howarth (2000), W02a: Walborn et al. (2002).

Table 2. Supplement: Names and spectral classifications

GOS ID	HD	comp.	Tycho-2	WDS	other name	SC	LC	qual.	sec.	ref.	tb.
G072.65 + 02.07_01	190918		2682-01564-1	20060 + 3547	WR 133	O9.7	Iab	···	WN4	W74	2
G076.60 + 01.43_01	193576		3151-01250-1	···	V444 Cyg	O6-8	III:	···	WN4	W74	2
G080.93 + 04.18_01	193793		3164-01678-1	20205 + 4351	WR 140	O4-5	···	···	WC7	W90	3
G102.78 − 00.65_01	211853		3986-01670-1	···	GP Cep	O8-B0	III:	···	WN6	W74	2
G262.80 − 07.69_01	068273		8140-06533-1	08095 − 4720	γ^2 Vel	O9:	I:	···	WC8	W80	5
G287.17 − 00.85_01	092740		8626-02024-1	···	WR 22	O8-9.5	III:	···	WN7	S99	···
G304.67 − 02.49_02	113904	A	8997-02337-1	13081 − 6518	θ Mus A	O9.7	Iab	···	WC6	W80	5
G343.49 + 01.16_01	152270		7876-02640-1	16543 − 4149	WR 79	O5-8	···	···	WC7	S90	1

References. — S90: Smith et al. (1990), S99: Schweickhardt et al. (1999), W74: Walborn (1974), W80: Walborn (1980), W90: Williams et al. (1990).

Table 3. Stars with HD numbers in the main catalog and supplement

HD+c.	GOS ID	HD+c.	GOS ID	HD+c.	GOS ID	HD+c.	GOS ID
000108	G117.93 + 01.25_01	041161	G164.97 + 12.89_01	092206 AB	G286.22 − 00.17_01	099897	G293.61 − 01.28_01
001337	G117.59 − 11.09_01	041997	G194.15 − 01.98_01	092206 C	G286.22 − 00.18_01	100213	G294.81 − 04.14_01
005005 A	G123.12 − 06.24_01	042088	G190.04 + 00.48_01	092504	G285.92 + 00.99_01	101131	G294.78 − 01.62_01
005005 C	G123.12 − 06.24_02	044811	G192.40 + 03.21_01	092740	G287.17 − 00.85_01	101190	G294.78 − 01.49_01
010125	G128.29 + 01.82_01	045314	G196.96 + 01.52_01	093027	G287.61 − 01.13_01	101191	G294.84 − 01.68_01
012323	G132.91 − 05.87_01	046056	G206.34 − 02.25_01	093028	G287.64 − 01.19_01	101205	G294.85 − 01.65_01
012993	G133.11 − 03.40_01	046149	G206.22 − 02.04_01	093128	G287.40 − 00.58_01	101223	G294.81 − 01.49_01
013022	G132.91 − 02.57_01	046150	G206.31 − 02.07_01	093129 A	G287.41 − 00.57_01	101298	G294.94 − 01.69_01
013745	G134.58 − 04.96_01	046202	G206.31 − 02.00_01	093129 B	G287.41 − 00.57_02	101413	G295.03 − 01.71_01
014434	G135.08 − 03.82_01	046223	G206.44 − 02.07_01	093130	G287.57 − 00.86_01	101436	G295.04 − 01.71_01
014442	G134.21 − 01.32_01	046485	G206.90 − 01.84_01	093146	G287.67 − 01.05_01	101545 A	G294.88 − 00.81_01
014633	G140.78 − 18.20_01	046573	G208.73 − 02.63_01	093160	G287.44 − 00.59_01	102415	G295.30 + 00.45_01
014947	G134.99 − 01.74_01	046966	G205.81 − 00.55_01	093161 AB	G287.44 − 00.59_02	104565	G296.51 + 04.02_01
015137	G137.46 − 07.58_01	047129	G205.87 − 00.31_01	093204	G287.57 − 00.71_01	104649	G297.40 − 00.32_01
015558	G134.72 + 00.92_01	047432	G210.03 − 02.11_01	093205	G287.57 − 00.71_02	105056	G298.95 − 07.06_01
015570	G134.77 + 00.86_01	047839	G202.94 + 02.20_01	093206	G287.67 − 00.94_01	105627	G298.15 − 00.10_01
015629	G134.77 + 01.01_01	048099	G206.21 + 00.80_01	093222	G287.74 − 01.02_01	112244	G303.55 + 06.03_01
015642	G137.09 − 04.73_01	048279	G210.41 − 01.17_01	093249	G287.41 − 00.36_01	113904 A	G304.67 − 02.49_02
016429	G135.68 + 01.15_01	052266	G219.13 − 00.68_01	093250	G287.51 − 00.54_01	113904 B	G304.67 − 02.49_01
016691	G137.73 − 02.73_01	052533	G216.85 + 00.80_01	093343	G287.64 − 00.68_01	114737	G305.41 − 00.82_01
016832	G138.00 − 02.88_01	053975	G225.68 − 02.32_01	093403	G287.54 − 00.34_01	114886	G305.52 − 00.83_01
017505	G137.19 + 00.90_01	054662	G224.17 − 00.78_01	093521	G183.14 + 62.15_01	115071	G305.76 + 00.15_01
017520 AB	G137.22 + 00.88_01	054879	G225.55 − 01.28_01	093632	G288.03 − 00.87_01	115455	G306.06 + 00.22_01
017603	G138.77 − 02.08_01	055879	G224.73 + 00.35_01	093843	G288.24 − 00.90_01	116282	G307.01 + 02.80_01
018326	G138.03 + 01.50_01	057060	G237.82 − 05.37_01	094024	G287.34 + 01.27_01	116852	G304.88 − 16.13_01
018409	G137.12 + 03.46_01	057061	G238.18 − 05.54_01	094370	G288.01 + 00.63_01	117490	G307.88 + 01.66_01
019820	G140.12 + 01.54_01	057236	G235.64 − 04.02_01	094963	G289.76 − 01.81_01	117797	G307.86 + 00.04_01
024431	G148.84 − 00.71_01	057682	G224.41 + 02.63_01	095589	G290.51 − 02.24_01	117856	G307.77 − 00.87_01
024534	G163.08 − 17.14_01	060848	G202.51 + 17.52_01	096264	G290.40 − 00.80_01	118198	G307.96 − 01.22_01
024912	G160.37 − 13.11_01	064315	G243.16 + 00.36_01	096622	G290.09 + 00.57_01	120521	G310.73 + 03.42_01
025639	G143.67 + 07.66_01	064568	G243.14 + 00.71_01	096670	G290.20 + 00.40_01	120678	G309.91 − 00.69_01
030614	G144.07 + 14.04_01	066811	G255.98 − 04.71_01	096715	G290.27 + 00.33_01	123008	G311.02 − 02.80_01
034078	G172.08 − 02.26_01	068273	G262.80 − 07.69_01	096917	G289.28 + 03.06_01	123056	G312.17 + 01.03_01
034656	G170.04 + 00.27_01	068450	G254.47 − 02.02_01	096946	G290.73 − 00.34_01	123590	G311.95 − 01.00_01
035619	G173.04 − 00.09_01	069464	G253.61 − 00.30_01	097166	G290.67 + 00.19_01	124314	G312.67 − 00.43_01
035921	G172.76 + 00.61_01	071304	G261.76 − 03.77_01	097253	G290.79 + 00.09_01	124979	G316.40 + 09.08_01
036483	G172.29 + 01.88_01	073882	G260.18 + 00.64_01	097434	G291.04 − 00.15_01	125206	G313.45 − 00.03_01
036486 A	G203.86 − 17.74_01	074194	G264.04 − 01.95_01	097848	G290.74 + 01.53_01	125241	G313.54 + 00.14_01
036861 A	G195.05 − 12.00_01	075211	G263.96 − 00.47_01	097950 16	G291.62 − 00.52_01	130298	G318.77 + 02.77_01
036879	G185.22 − 05.89_01	075222	G258.29 + 04.18_01	097950 33	G291.62 − 00.52_02	135240	G319.69 − 02.91_01
037022 C	G209.01 − 19.38_01	075759	G262.80 + 01.25_01	097950 36	G291.62 − 00.52_03	135591	G320.13 − 02.64_01
037041 A	G209.05 − 19.37_01	076341	G263.53 + 01.52_01	097950 37	G291.62 − 00.52_04	148546	G343.38 + 07.15_01
037043 A	G209.52 − 19.58_01	076556	G267.58 − 01.63_01	097950 38	G291.62 − 00.52_05	148937	G336.37 − 00.22_01
037366	G177.63 − 00.11_01	076968	G270.22 − 03.37_01	097950 40	G291.62 − 00.52_06	149038	G339.38 + 02.51_01
037468 ABC	G206.82 − 17.34_01	089137	G279.69 + 04.45_01	097950 41	G291.62 − 00.52_07	149404	G340.54 + 03.01_01
037737	G173.46 + 03.24_01	090087	G285.16 − 02.13_01	097950 42	G291.62 − 00.52_08	149452	G337.47 + 00.03_01
037742	G206.45 − 16.59_01	091572	G285.52 − 00.05_01	097950 45	G291.62 − 00.52_09	149757	G006.28 + 23.59_01
038666	G237.29 − 27.10_01	091651	G286.55 − 01.72_01	097950 A2	G291.62 − 00.52_10	150135	G336.71 − 01.57_01
039680	G194.07 − 05.88_01	091824	G285.70 + 00.07_01	097950 A3	G291.62 − 00.52_11	150136	G336.71 − 01.57_02

Table 3—Continued

HD+c.	GOS ID	HD+c.	GOS ID	HD+c.	GOS ID	HD+c.	GOS ID
150574	G339.00 − 00.20_01	156738	G351.18 + 00.48_01	175876	G015.28 − 10.58_01	215835	G107.07 − 00.90_01
150958	G338.56 − 01.15_01	157857	G012.97 + 13.31_01	186980	G067.39 + 03.66_01	216532	G109.65 + 02.68_01
151003	G342.72 + 02.41_01	158186	G355.91 + 01.60_01	188001	G056.48 − 04.33_01	216898	G109.93 + 02.39_01
151018	G339.51 − 00.41_01	159176	G355.67 + 00.05_01	188209	G080.99 + 10.09_01	217086	G110.22 + 02.72_01
151515	G342.81 + 01.70_01	161853	G358.42 − 01.88_01	189957	G077.43 + 06.17_01	218195	G109.32 − 01.79_01
151804	G343.62 + 01.94_01	162978	G004.54 + 00.30_01	190429 A	G072.59 + 02.61_01	218915	G108.06 − 06.89_01
152003	G343.33 + 01.41_01	163758	G355.36 − 06.10_01	190864	G072.47 + 02.02_01	225146	G117.23 − 01.24_01
152147	G343.15 + 01.10_01	163800	G007.05 + 00.69_01	190918	G072.65 + 02.07_01	225160	G117.44 − 00.14_01
152218	G343.53 + 01.28_01	163892	G007.15 + 00.62_01	191201	G072.75 + 01.78_01	226868	G071.34 + 03.07_01
152219	G343.39 + 01.18_01	164019	G001.91 − 02.62_01	191423	G078.64 + 05.37_01	228766	G075.19 + 00.96_01
152233	G343.48 + 01.22_01	164438	G010.35 + 01.79_01	191612	G072.99 + 01.43_01	228841	G076.60 + 01.68_01
152246	G344.03 + 01.67_01	164492	G007.00 − 00.25_01	191781	G081.18 + 06.61_01	229196	G078.76 + 02.07_01
152247	G343.61 + 01.30_01	164794	G006.01 − 01.20_01	191978	G077.87 + 04.25_01	229232	G077.40 + 00.93_01
152248	G343.46 + 01.18_01	164816	G006.06 − 01.20_01	192001	G078.53 + 04.66_01	237211	G147.14 + 02.97_01
152249	G343.45 + 01.16_01	165052	G006.12 − 01.48_01	192281	G077.12 + 03.40_01	242908	G173.47 − 01.66_01
152270	G343.49 + 01.16_01	165246	G006.40 − 01.56_01	192639	G074.90 + 01.48_01	242926	G173.65 − 01.74_01
152314	G343.52 + 01.14_01	165921	G006.94 − 02.10_01	193322 AB	G078.10 + 02.78_01	242935	G173.58 − 01.67_01
152386	G341.11 − 00.94_01	166546	G010.36 − 00.92_01	193443 AB	G076.15 + 01.28_01	298429	G274.47 − 00.25_01
152405	G344.56 + 01.89_01	166734	G018.92 + 03.63_01	193514	G077.00 + 01.80_01	303308	G287.59 − 00.61_01
152408	G344.08 + 01.49_01	167263	G010.76 − 01.58_01	193576	G076.60 + 01.43_01	303311	G287.48 − 00.54_01
152424	G343.36 + 00.89_01	167264	G010.46 − 01.74_01	193793	G080.93 + 04.18_01	303492	G288.05 + 00.40_01
152590	G344.84 + 01.83_01	167633	G014.34 − 00.07_01	194280	G077.20 + 00.92_01	305523	G287.66 − 00.90_01
152623	G344.62 + 01.61_01	167659	G012.20 − 01.27_01	195592	G082.36 + 02.96_01	305532	G287.78 − 00.84_01
152723	G344.81 + 01.61_01	167771	G012.70 − 01.13_01	198846	G077.25 − 06.23_01	305539	G287.94 − 00.88_01
153426	G347.14 + 02.38_01	167971	G018.25 + 01.68_01	199579	G085.70 − 00.30_01	305619	G288.22 − 00.96_01
153919	G347.75 + 02.17_01	168075	G016.94 + 00.84_01	201345	G078.44 − 09.54_01	313846	G007.36 − 00.85_01
154368	G349.97 + 03.22_01	168076	G016.94 + 00.84_02	202124	G087.29 − 02.66_01	319699	G351.32 + 00.92_01
154643	G350.54 + 03.19_01	168112	G018.44 + 01.62_01	203064	G087.61 − 03.84_01	319702	G351.35 + 00.61_01
154811	G341.06 − 04.22_01	168941	G005.82 − 06.31_01	206267	G099.29 + 03.74_01	319703 A	G351.03 + 00.65_01
155756	G342.57 − 04.39_01	169515	G018.71 − 00.13_01	207198	G103.14 + 06.99_01	319703 B	G351.03 + 00.66_01
155806	G352.59 + 02.87_01	169582	G021.33 + 01.20_01	209481	G102.01 + 02.18_01	319718 A	G353.17 + 00.89_01
155889	G352.50 + 02.67_01	171589	G018.65 − 03.09_01	209975	G104.87 + 05.39_01	319718 B	G353.17 + 00.89_02
155913	G345.29 − 02.61_01	172175	G024.53 − 00.85_01	210809	G099.85 − 03.13_01	322417	G345.26 + 01.47_01
156154	G351.22 + 01.36_01	173010	G023.73 − 02.49_01	210839	G103.83 + 02.61_01	326331	G343.49 + 01.14_01
156212	G357.59 + 05.83_01	173783	G024.18 − 03.34_01	211853	G102.78 − 00.65_01	344784	G059.40 − 00.15_01
156292	G345.35 − 03.08_01	175754	G016.39 − 09.92_01	214680	G096.65 − 16.98_01		

Table 4. Qualifiers for O spectral types

Qualifier	Description
((f))	Weak N III $\lambda\lambda4634-4640-4642$ emission, strong He II $\lambda4686$ absorption
(f)	Medium N III $\lambda\lambda4634-4640-4642$ emission, neutral or weak He II $\lambda4686$ absorption
f	Strong N III $\lambda\lambda4634-4640-4642$ emission, strong He II $\lambda4686$ emission
f?p	C III $\lambda\lambda4647-51$ emission like N III $\lambda\lambda4634-4640-4642$
((f*))	N IV $\lambda4058$ emission $>$ N III $\lambda4640$ emission, strong He II $\lambda4686$ absorption (O2-3)
(f*)	N IV $\lambda4058$ emission $>$ N III $\lambda4640$ emission, weak He II $\lambda4686$ absorption (O2-3)
f*	N IV $\lambda4058$ emission $>$ N III $\lambda4640$ emission, strong He II $\lambda4686$ emission (O2-3)
((f+))	As ((f)) plus Si IV $\lambda\lambda4089-4116$ emission (O4-8)
(f+)	As (f) plus Si IV $\lambda\lambda4089-4116$ emission (O4-8)
f+	As f plus Si IV $\lambda\lambda4089-4116$ emission (O4-8)
(e)	Probable Hβ emission or Hα emission with no blue-violet spectrum
e	H cores in emission
e+	α Cyg shell lines in emission (Lesh 1968 more complex version)
[e]	emission spectrum including forbidden lines
((n))	Broadened lines (Si IV $\lambda4116$ and He I $\lambda4121$ just merged)
(n)	More broadened lines
n	Even more broadened lines
nn	Yet even more broadened lines
[n]	H lines more broadened than He lines
nfp	He II centrally reversed emission, broadened absorption lines (Conti & Leep 1974 Oef)
N	N absorption enhanced, C and O deficient
N str	Moderate case of above (e.g., N III $\lambda4640$ enhanced but not $>$ C III $\lambda4650$)
C	C absorption enhanced, N deficient
N wk	Moderate case of above
var	Variation in line spectrum intensities or content
p	Peculiar spectrum
eq	P-Cyg emission (not used here)
k	Interstellar lines (archaic)

Table 5. Main catalog: positions and parallaxes

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G001.91 − 02.62_01	HD 164019	18 00 19.956	−28 37 14.66	TA	1.909900	−2.616621	1.80	1.57
G004.54 + 00.30_01	HD 162978	17 54 54.042	−24 53 13.55	TA	4.536699	0.301219	−0.40	0.85
G005.82 − 06.31_01	HD 168941	18 23 25.562	−26 57 10.83	TA	5.821025	−6.312851	−1.56	1.50
G005.97 − 01.17_01	Herschel 36	18 03 40.200	−24 22 43.00	Va	5.970494	−1.173288	···	···
G006.01 − 01.20_01	9 Sgr	18 03 52.446	−24 21 38.64	TA	6.008914	−1.204996	0.66	1.01
G006.06 − 01.20_01	HD 164816	18 03 56.843	−24 18 45.11	TA	6.059112	−1.195866	···	···
G006.12 − 01.48_01	HD 165052	18 05 10.551	−24 23 54.85	TA	6.121249	−1.481913	2.27	1.13
G006.28 + 23.59_01	ζ Oph	16 37 09.530	−10 34 01.75	TB	6.281152	23.587730	7.12	0.71
G006.40 − 01.56_01	HD 165246	18 06 04.679	−24 11 43.88	TA	6.398931	−1.562093	···	···
G006.94 − 02.10_01	HD 165921	18 09 17.700	−23 59 18.25	TA	6.936701	−2.103428	1.85	1.05
G007.00 − 00.25_01	HD 164492	18 02 23.553	−23 01 51.06	TA	6.999500	−0.254980	−3.59	2.32
G007.05 + 00.69_01	HD 163800	17 58 57.259	−22 31 03.17	TA	7.051980	0.687806	−0.18	0.97
G007.15 + 00.62_01	HD 163892	17 59 26.312	−22 28 00.87	TA	7.151621	0.616064	0.38	1.02
G007.36 − 00.85_01	HD 313846	18 05 25.737	−23 00 20.35	TA	7.364758	−0.851105	−0.52	1.82
G010.35 + 01.79_01	HD 164438	18 01 52.279	−19 06 22.07	TA	10.352867	1.788631	−0.30	1.17
G010.36 − 00.92_01	HD 166546	18 11 57.099	−20 25 24.16	TA	10.357995	−0.924165	0.05	0.96
G010.46 − 01.74_01	HD 167264	18 15 12.905	−20 43 41.76	TB	10.455740	−1.740753	−0.33	0.93
G010.76 − 01.58_01	HD 167263	18 15 12.970	−20 23 16.69	TB	10.755198	−1.578879	−0.22	0.91
G012.20 − 01.27_01	HD 167659	18 16 58.562	−18 58 05.20	TA	12.201688	−1.268115	···	···
G012.70 − 01.13_01	HD 167771	18 17 28.556	−18 27 48.43	TA	12.702199	−1.132877	0.49	1.00
G012.97 + 13.31_01	HD 157857	17 26 17.332	−10 59 34.79	TA	12.970577	13.310321	2.76	1.15
G014.34 − 00.07_01	HD 167633	18 16 49.656	−16 31 04.30	TA	14.341254	−0.073114	2.21	1.17
G015.28 − 10.58_01	HD 175876	18 58 10.765	−20 25 25.53	TA	15.284472	−10.582461	0.27	0.86
G016.39 − 09.92_01	HD 175754	18 57 35.709	−19 09 11.25	TA	16.392151	−9.915153	−0.13	0.97
G016.94 + 00.84_01	HD 168075	18 18 36.043	−13 47 36.46	TA	16.942781	0.842242	···	···
G016.94 + 00.84_02	HD 168076	18 18 36.421	−13 48 02.38	TA	16.937160	0.837489	···	···
G016.98 + 00.85_01	BD -13 4927	18 18 40.091	−13 45 18.58	TA	16.984278	0.845932	···	···
G018.25 + 01.68_01	HD 167971	18 18 05.895	−12 14 33.30	TA	18.251444	1.683946	1.30	1.07
G018.44 + 01.62_01	HD 168112	18 18 40.868	−12 06 23.38	TA	18.438795	1.622791	−0.60	1.25
G018.65 − 03.09_01	HD 171589	18 36 12.640	−14 06 55.82	TA	18.645662	−3.089725	···	···
G018.71 − 00.13_01	HD 169515	18 25 31.478	−12 41 24.19	TA	18.708652	−0.126452	−0.79	1.45
G018.92 + 03.63_01	HD 166734	18 12 24.656	−10 43 53.03	TA	18.919771	3.627992	−0.25	1.40
G019.08 + 02.14_01	BD -11 4586	18 18 03.344	−11 17 38.83	TA	19.082649	2.141725	···	···
G021.33 + 01.20_01	HD 169582	18 25 43.147	−09 45 11.02	TA	21.328577	1.202118	0.02	1.30
G023.73 − 02.49_01	HD 173010	18 43 29.710	−09 19 12.60	TA	23.732187	−2.488349	···	···
G024.18 − 03.34_01	HD 173783	18 47 24.183	−09 18 29.50	TA	24.181454	−3.341755	1.55	1.29
G024.53 − 00.85_01	HD 172175	18 39 03.776	−07 51 35.44	TA	24.530922	−0.846555	···	···
G056.48 − 04.33_01	9 Sge	19 52 21.765	+18 40 18.75	TA	56.482452	−4.331362	0.23	0.70
G059.40 − 00.15_01	BD +22 3782	19 43 10.970	+23 17 45.38	TA	59.402088	−0.152565	···	···
G067.39 + 03.66_01	HD 186980	19 46 15.902	+32 06 58.16	TA	67.390923	3.658184	−0.01	0.75
G071.34 + 03.07_01	HD 226868	19 58 21.678	+35 12 05.81	TA	71.334999	3.066832	0.58	1.01
G072.47 + 02.02_01	HD 190864	20 05 39.800	+35 36 27.98	TA	72.467255	2.018313	0.67	0.76
G072.59 + 02.61_01	HD 190429 A	20 03 29.399	+36 01 30.01	TA	72.585129	2.613567	0.03	1.02
G072.75 + 01.78_01	HD 191201	20 07 23.692	+35 43 05.92	TA	72.749733	1.781235	1.33	1.17
G072.99 + 01.43_01	HD 191612	20 09 28.608	+35 44 01.31	TA	72.991661	1.434400	0.11	0.74
G074.90 + 01.48_01	HD 192639	20 14 30.429	+37 21 13.83	TA	74.901062	1.479363	1.22	0.64
G075.19 + 00.96_01	HD 228766	20 17 29.703	+37 18 31.13	TA	75.194641	0.961030	···	···
G076.15 + 01.28_01	HD 193443 AB	20 18 51.707	+38 16 46.50	TA	76.149681	1.283329	1.23	0.65

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G076.17 − 00.34_01	BD +36 4063	20 25 40.608	+37 22 27.08	TA	76.174576	−0.338393	···	···
G076.60 + 01.68_01	HD 228841	20 18 29.692	+38 52 39.76	TA	76.603859	1.679255	···	···
G077.00 + 01.80_01	HD 193514	20 19 08.498	+39 16 24.23	TA	77.001732	1.798284	0.41	0.69
G077.12 + 03.40_01	HD 192281	20 12 33.121	+40 16 05.45	TA	77.124657	3.403785	1.85	0.67
G077.20 + 00.92_01	HD 194280	20 23 26.313	+38 56 21.01	TA	77.200699	0.922509	0.12	0.81
G077.25 − 06.23_01	Y Cyg	20 52 03.577	+34 39 27.51	TA	77.250725	−6.225964	1.04	0.82
G077.40 + 00.93_01	HD 229232	20 23 59.183	+39 06 15.27	TA	77.396965	0.930105	···	···
G077.43 + 06.17_01	HD 189957	20 01 00.005	+42 00 30.83	TA	77.434906	6.171887	−0.70	0.60
G077.87 + 04.25_01	HD 191978	20 10 58.281	+41 21 09.91	TA	77.871620	4.246565	−0.23	0.69
G078.10 + 02.78_01	HD 193322 AB	20 18 06.977	+40 43 55.40	TA	78.098579	2.780677	2.10	0.61
G078.44 − 09.54_01	HD 201345	21 07 55.416	+33 23 49.25	TA	78.436302	−9.544363	0.61	0.77
G078.53 + 04.66_01	HD 192001	20 11 01.706	+42 07 36.39	TA	78.529129	4.658284	0.01	0.73
G078.64 + 05.37_01	HD 191423	20 08 07.113	+42 36 21.98	TA	78.643181	5.369436	0.46	0.66
G078.76 + 02.07_01	HD 229196	20 23 10.787	+40 52 29.85	TA	78.759651	2.071915	−0.02	0.85
G080.12 + 00.91_01	Cyg OB2-5	20 32 22.492	+41 18 19.52	TC	80.119301	0.914583	−0.66	2.87
G080.14 + 00.75_01	Cyg OB2-22 A	20 33 08.900	+41 13 15.00	Wa	80.137573	0.747414	···	···
G080.14 + 00.75_02	Cyg OB2-22 B	20 33 08.800	+41 13 14.00	Wa	80.137161	0.747500	···	···
G080.17 + 00.76_01	Cyg OB2-9	20 33 10.734	+41 15 08.25	TA	80.166290	0.761502	2.48	1.75
G080.22 + 00.79_01	Cyg OB2-8 A	20 33 15.078	+41 18 50.51	TA	80.224007	0.787304	−0.94	1.91
G080.22 + 01.02_01	Cyg OB2-4	20 32 13.823	+41 27 11.99	TA	80.222351	1.024102	···	···
G080.23 + 00.78_01	Cyg OB2-8 C	20 33 17.977	+41 18 31.19	TA	80.225090	0.776817	···	···
G080.24 + 00.80_01	Cyg OB2-7	20 33 14.112	+41 20 21.88	TA	80.242607	0.804835	···	···
G080.57 + 00.83_01	Cyg OB2-11	20 34 08.514	+41 36 59.42	TA	80.566360	0.833631	···	···
G080.99 + 10.09_01	HD 188209	19 51 59.068	+47 01 38.44	TA	80.992851	10.091560	0.22	0.48
G081.18 + 06.61_01	HD 191781	20 09 50.581	+45 24 10.44	TA	81.184235	6.607080	1.19	1.05
G082.36 + 02.96_01	HD 195592	20 30 34.970	+44 18 54.87	TA	82.355682	2.957076	0.92	0.62
G085.70 − 00.30_01	HD 199579	20 56 34.779	+44 55 29.01	TA	85.696701	−0.299601	0.83	0.61
G087.29 − 02.66_01	HD 202124	21 12 28.389	+44 31 54.14	TA	87.289902	−2.662918	−0.62	0.74
G087.61 − 03.84_01	68 Cyg	21 18 27.187	+43 56 45.40	TA	87.610069	−3.841076	−0.05	0.55
G096.65 − 16.98_01	10 Lac	22 39 15.679	+39 03 01.01	TB	96.650894	−16.983337	3.08	0.62
G099.29 + 03.74_01	HD 206267	21 38 57.618	+57 29 20.55	TA	99.290390	3.738318	2.78	0.79
G099.85 − 03.13_01	HD 210809	22 11 38.601	+52 25 47.95	TA	99.847122	−3.129441	−0.19	0.66
G102.01 + 02.18_01	HD 209481	22 02 04.576	+58 00 01.33	TB	102.005157	2.183448	0.70	0.46
G103.14 + 06.99_01	HD 207198	21 44 53.278	+62 27 38.05	TA	103.136253	6.994893	1.62	0.48
G103.83 + 02.61_01	λ Cep	22 11 30.584	+59 24 52.25	TB	103.827980	2.610798	1.98	0.46
G104.87 + 05.39_01	19 Cep	22 05 08.791	+62 16 47.35	TB	104.870628	5.390645	0.60	0.49
G107.07 − 00.90_01	HD 215835	22 46 54.111	+58 05 03.55	TA	107.066521	−0.898836	−0.79	1.00
G108.06 − 06.89_01	HD 218915	23 11 06.948	+53 03 29.64	TA	108.062630	−6.892631	0.48	0.75
G109.32 − 01.79_01	HD 218195	23 05 13.050	+58 14 29.49	TC	109.315544	−1.794052	0.00	1.16
G109.65 + 02.68_01	HD 216532	22 52 30.555	+62 26 25.92	TA	109.651955	2.675661	0.22	0.81
G109.93 + 02.39_01	HD 216898	22 55 42.460	+62 18 22.83	TA	109.927277	2.393111	1.25	0.82
G110.22 + 02.72_01	HD 217086	22 56 47.194	+62 43 37.60	TA	110.220566	2.719744	1.20	0.92
G112.23 + 00.22_01	BD +60 2522	23 20 44.519	+61 11 40.53	TA	112.227463	0.222024	···	···
G117.23 − 01.24_01	HD 225146	00 03 57.504	+61 06 13.07	TA	117.226257	−1.241045	−0.56	0.85
G117.44 − 00.14_01	HD 225160	00 04 03.796	+62 13 18.99	TA	117.443024	−0.143868	1.20	0.84
G117.59 − 11.09_01	HD 001337	00 17 43.059	+51 25 59.12	TA	117.587959	−11.088439	0.57	0.69
G117.93 + 01.25_01	HD 000108	00 06 03.386	+63 40 46.75	TA	117.926758	1.249786	0.08	0.65
G123.12 − 06.24_01	HD 005005 A	00 52 49.199	+56 37 39.59	TA	123.123116	−6.243573	−0.81	1.71

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G123.12 − 06.24_02	HD 005005 C	00 52 49.555	+56 37 36.79	TB	123.123940	−6.244347	−0.81	1.71
G127.87 − 01.35_01	BD +60 261	01 32 32.720	+61 07 45.84	TA	127.874855	−1.347218	···	···
G128.29 + 01.82_01	HD 010125	01 40 52.762	+64 10 23.13	TA	128.285568	1.816466	−0.19	1.51
G132.91 − 02.57_01	HD 013022	02 09 30.067	+58 47 01.58	TA	132.912277	−2.567072	1.02	1.15
G132.91 − 05.87_01	HD 012323	02 02 30.126	+55 37 26.38	TA	132.905273	−5.865626	−0.32	1.13
G133.11 − 03.40_01	HD 012993	02 09 02.473	+57 55 55.93	TA	133.107758	−3.398155	1.68	1.19
G134.21 − 01.32_01	HD 014442	02 22 10.701	+59 32 58.92	TA	134.206085	−1.321083	···	···
G134.53 + 02.46_01	BD +62 424	02 36 18.221	+62 56 53.35	TA	134.533112	2.462807	···	···
G134.58 + 01.04_01	BD +60 497	02 31 57.087	+61 36 43.95	TA	134.581543	1.035078	···	···
G134.58 − 04.96_01	HD 013745	02 15 45.938	+55 59 46.73	TA	134.581024	−4.956371	0.63	0.91
G134.64 + 01.00_01	BD +60 499	02 32 16.752	+61 33 15.07	TA	134.639603	0.996136	−0.22	2.28
G134.71 + 00.94_01	BD +60 501	02 32 36.272	+61 28 25.60	TA	134.706039	0.936479	···	···
G134.72 + 00.92_01	HD 015558	02 32 42.536	+61 27 21.56	TA	134.724335	0.924773	2.01	1.34
G134.77 + 00.86_01	HD 015570	02 32 49.422	+61 22 42.07	TA	134.766602	0.858214	1.47	1.10
G134.77 + 01.01_01	HD 015629	02 33 20.586	+61 31 18.18	TA	134.769196	1.014411	2.13	1.06
G134.90 + 00.92_01	BD +60 513	02 34 02.530	+61 23 10.87	TA	134.898315	0.921509	···	···
G134.99 − 01.74_01	HD 014947	02 26 46.992	+58 52 33.11	TA	134.994904	−1.744699	0.34	1.00
G135.08 − 03.82_01	HD 014434	02 21 52.413	+56 54 18.03	TA	135.076645	−3.819037	−0.97	1.13
G135.68 + 01.15_01	HD 016429	02 40 44.951	+61 16 56.04	TA	135.677979	1.145289	−2.97	2.23
G137.09 − 04.73_01	HD 015642	02 32 56.383	+55 19 39.07	TA	137.091721	−4.729011	0.42	1.04
G137.12 + 03.46_01	HD 018409	03 00 29.719	+62 43 19.05	TA	137.119919	3.460831	0.62	0.98
G137.19 + 00.90_01	HD 017505	02 51 08.002	+60 25 03.87	TA	137.190506	0.902699	1.98	1.17
G137.22 + 00.88_01	HD 017520 AB	02 51 14.434	+60 23 09.97	TA	137.216415	0.880234	0.42	1.85
G137.42 + 01.28_01	BD +60 586	02 54 10.672	+60 39 03.59	TA	137.420288	1.279263	···	···
G137.46 − 07.58_01	HD 015137	02 27 59.811	+52 32 57.60	TA	137.461060	−7.577157	0.37	0.87
G137.73 − 02.73_01	HD 016691	02 42 52.028	+56 54 16.45	TA	137.731369	−2.730737	−1.70	1.25
G138.00 − 02.88_01	HD 016832	02 44 12.717	+56 39 27.23	TA	138.002380	−2.877938	···	···
G138.03 + 01.50_01	HD 018326	02 59 23.171	+60 33 59.50	TA	138.025970	1.500243	1.80	1.12
G138.77 − 02.08_01	HD 017603	02 51 47.798	+57 02 54.46	TA	138.767685	−2.076021	···	···
G140.12 + 01.54_01	HD 019820	03 14 05.333	+59 33 48.50	TA	140.116516	1.538203	2.34	0.90
G140.78 − 18.20_01	HD 014633	02 22 54.293	+41 28 47.72	TA	140.777863	−18.200512	1.10	0.85
G143.67 + 07.66_01	SZ Cam	04 07 49.285	+62 19 58.61	TA	143.670425	7.657574	3.03	5.60
G144.07 + 14.04_01	α Cam	04 54 03.011	+66 20 33.58	TB	144.065582	14.042374	0.47	0.60
G147.14 + 02.97_01	HD 237211	04 03 15.652	+56 32 24.85	TA	147.136688	2.968888	···	···
G148.84 − 00.71_01	HD 024431	03 55 38.420	+52 38 28.75	TA	148.838364	−0.708496	0.48	1.04
G160.37 − 13.11_01	ξ Per	03 58 57.900	+35 47 27.72	TA	160.372284	−13.106536	1.84	0.70
G163.08 − 17.14_01	X Per	03 55 23.078	+31 02 45.04	TA	163.081360	−17.136192	1.21	0.94
G164.97 + 12.89_01	HD 041161	06 05 52.456	+48 14 57.41	TA	164.972687	12.893510	0.21	0.86
G169.11 + 03.60_01	BD +39 1328	05 32 13.845	+40 03 57.88	TA	169.108139	3.598561	1.67	1.78
G170.04 + 00.27_01	HD 034656	05 20 43.080	+37 26 19.23	TA	170.037949	0.270641	−0.13	0.86
G172.08 − 02.26_01	AE Aur	05 16 18.149	+34 18 44.34	TA	172.081314	−2.259236	2.24	0.74
G172.29 + 01.88_01	HD 036483	05 33 41.154	+36 27 34.97	TA	172.293991	1.877612	0.82	1.25
G172.76 + 00.61_01	HD 035921	05 29 42.647	+35 22 30.07	TA	172.761292	0.610335	1.78	1.51
G173.04 − 00.09_01	HD 035619	05 27 36.146	+34 45 18.97	TA	173.038315	−0.092141	···	···
G173.46 + 03.24_01	HD 037737	05 42 31.160	+36 12 00.50	TA	173.464249	3.243516	4.11	1.81
G173.47 − 01.66_01	HD 242908	05 22 29.302	+33 30 50.43	TA	173.471649	−1.664651	−0.26	1.53
G173.58 − 01.67_01	HD 242935	05 22 46.539	+33 25 11.28	TA	173.583282	−1.668589	···	···
G173.65 − 01.74_01	HD 242926	05 22 40.099	+33 19 09.37	TA	173.653519	−1.743952	···	···

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G177.63 − 00.11_01	HD 037366	05 39 24.799	+30 53 26.75	TA	177.630188	−0.113650	2.13	1.54
G183.14 + 62.15_01	HD 093521	10 48 23.511	+37 34 13.09	TA	183.140289	62.152023	0.22	0.80
G185.22 − 05.89_01	HD 036879	05 35 40.527	+21 24 11.72	TA	185.219452	−5.886312	0.28	1.06
G190.04 + 00.48_01	HD 042088	06 09 39.574	+20 29 15.46	TA	190.042831	0.484771	2.38	1.13
G192.40 + 03.21_01	HD 044811	06 24 38.354	+19 42 15.83	TA	192.401321	3.209796	1.22	1.70
G194.07 − 05.88_01	HD 039680	05 54 44.731	+13 51 17.06	TA	194.074371	−5.876532	0.37	1.13
G194.15 − 01.98_01	HD 041997	06 08 55.821	+15 42 18.18	TA	194.145020	−1.981100	1.10	1.18
G195.05 − 12.00_01	λ Ori A	05 35 08.277	+09 56 02.96	TA	195.051895	−11.995066	3.09	0.78
G196.96 + 01.52_01	HD 045314	06 27 15.777	+14 53 21.22	TA	196.959274	1.524645	2.19	1.04
G202.51 + 17.52_01	HD 060848	07 37 05.731	+16 54 15.29	TA	202.513489	17.524252	2.01	0.94
G202.94 + 02.20_01	15 Mon	06 40 58.656	+09 53 44.71	TA	202.936310	2.198475	3.19	0.73
G203.86 − 17.74_01	δ Ori A	05 32 00.398	−00 17 56.69	TC	203.855896	−17.739737	3.56	0.83
G205.81 − 00.55_01	HD 046966	06 36 25.887	+06 04 59.47	TA	205.809631	−0.549104	−1.22	0.96
G205.87 − 00.31_01	HD 047129	06 37 24.042	+06 08 07.38	TA	205.873962	−0.311120	−0.74	0.80
G206.21 + 00.80_01	HD 048099	06 41 59.231	+06 20 43.54	TA	206.209595	0.798242	−0.08	0.77
G206.22 − 02.04_01	HD 046149	06 31 52.533	+05 01 59.19	TA	206.219955	−2.038888	−0.15	1.23
G206.31 − 02.00_01	HD 046202	06 32 10.471	+04 57 59.79	TA	206.313354	−2.003483	···	···
G206.31 − 02.07_01	HD 046150	06 31 55.519	+04 56 34.27	TA	206.305817	−2.069511	1.97	0.88
G206.34 − 02.25_01	HD 046056	06 31 20.862	+04 50 03.85	TA	206.335709	−2.247191	···	···
G206.44 − 02.07_01	HD 046223	06 32 09.306	+04 49 24.73	TA	206.438171	−2.073729	0.57	0.95
G206.45 − 16.59_01	ζ Ori	05 40 45.527	−01 56 33.26	TC	206.452179	−16.585165	3.99	0.79
G206.82 − 17.34_01	σ Ori ABC	05 38 44.765	−02 36 00.25	TB	206.816330	−17.336008	2.84	0.91
G206.90 − 01.84_01	HD 046485	06 33 50.957	+04 31 31.61	TA	206.897446	−1.836318	2.15	1.17
G208.73 − 02.63_01	HD 046573	06 34 23.568	+02 32 02.94	TA	208.729721	−2.631058	0.83	1.11
G209.01 − 19.38_01	θ^1 Ori C	05 35 16.463	−05 23 23.18	TA	209.010803	−19.384094	−1.85	2.12
G209.05 − 19.37_01	θ^2 Ori A	05 35 22.900	−05 24 57.79	TA	209.048462	−19.372164	1.72	1.00
G209.52 − 19.58_01	ι Ori A	05 35 25.981	−05 54 35.64	TB	209.522110	−19.583471	2.46	0.77
G210.03 − 02.11_01	HD 047432	06 38 38.187	+01 36 48.66	TA	210.034927	−2.110516	0.96	0.89
G210.41 − 01.17_01	HD 048279	06 42 40.548	+01 42 58.23	TA	210.405273	−1.165846	−0.66	1.32
G216.85 + 00.80_01	HD 052533	07 01 27.048	−03 07 03.28	TA	216.847961	0.802992	0.31	2.19
G219.13 − 00.68_01	HD 052266	07 00 21.077	−05 49 35.95	TA	219.131744	−0.679846	2.06	0.91
G224.17 − 00.78_01	HD 054662	07 09 20.249	−10 20 47.64	TA	224.168457	−0.778434	0.56	0.81
G224.41 + 02.63_01	HD 057682	07 22 02.053	−08 58 45.77	TA	224.414368	2.627410	−0.81	0.84
G224.73 + 00.35_01	HD 055879	07 14 28.253	−10 18 58.50	TA	224.725937	0.354773	1.34	0.71
G225.55 − 01.28_01	HD 054879	07 10 08.149	−11 48 09.86	TA	225.551071	−1.276227	−0.19	0.93
G225.68 − 02.32_01	HD 053975	07 06 35.964	−12 23 38.23	TA	225.678619	−2.315736	0.66	0.77
G235.64 − 04.02_01	HD 057236	07 19 30.102	−22 00 17.29	TA	235.641006	−4.017488	2.11	1.81
G237.29 − 27.10_01	μ Col	05 45 59.895	−32 18 23.18	TA	237.286163	−27.102079	2.52	0.55
G237.82 − 05.37_01	CW CMa	07 18 40.378	−24 33 31.32	TA	237.824387	−5.367885	1.09	0.65
G238.18 − 05.54_01	τ CMa	07 18 42.487	−24 57 15.78	TB	238.180939	−5.542964	1.02	0.71
G243.14 + 00.71_01	HD 064568	07 53 38.206	−26 14 02.62	TA	243.136902	0.713078	1.09	1.56
G243.16 + 00.36_01	HD 064315	07 52 20.284	−26 25 46.69	TA	243.155334	0.362959	2.41	1.52
G243.82 + 00.14_01	CPD -26 2716	07 53 01.007	−27 06 57.75	TA	243.822266	0.140900	···	···
G245.45 − 00.10_01	CPD -28 2561	07 55 52.854	−28 37 46.78	TA	245.445389	−0.098048	1.94	1.65
G253.61 − 00.30_01	HD 069464	08 15 48.565	−35 37 52.88	TA	253.614288	−0.304576	···	···
G254.47 − 02.02_01	HD 068450	08 11 01.683	−37 17 32.55	TA	254.468872	−2.023023	1.33	0.56
G255.98 − 04.71_01	ζ Pup	08 03 35.047	−40 00 11.33	TC	255.975876	−4.705687	2.33	0.51
G258.29 + 04.18_01	HD 075222	08 47 25.137	−36 45 02.68	TA	258.289185	4.176824	1.97	0.70

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G260.18 + 00.64_01	HD 073882	08 39 09.524	−40 25 09.28	TA	260.181610	0.643112	2.00	1.18
G261.76 − 03.77_01	HD 071304	08 24 55.790	−44 18 03.01	TA	261.755402	−3.771846	−0.66	1.75
G262.80 + 01.25_01	HD 075759	08 50 21.017	−42 05 23.27	TA	262.797638	1.252952	1.71	0.53
G263.53 + 01.52_01	HD 076341	08 54 00.615	−42 29 08.75	TA	263.534821	1.520969	0.82	0.62
G263.96 − 00.47_01	HD 075211	08 47 01.592	−44 04 28.85	TA	263.955414	−0.469745	0.90	0.68
G264.04 − 01.95_01	HD 074194	08 40 47.792	−45 03 30.22	TA	264.040558	−1.950132	0.36	0.64
G267.58 − 01.63_01	HD 076556	08 55 07.144	−47 36 27.15	TA	267.578156	−1.629673	···	···
G267.98 − 01.36_01	CPD -47 2963	08 57 54.620	−47 44 15.71	TA	267.982208	−1.356553	···	···
G270.22 − 03.37_01	HD 076968	08 57 28.850	−50 44 58.21	TA	270.224548	−3.370701	−0.07	0.57
G274.47 − 00.25_01	HD 298429	09 30 37.253	−51 39 34.68	TA	274.466736	−0.245274	···	···
G279.69 + 04.45_01	HD 089137	10 15 40.086	−51 15 24.08	TA	279.694061	4.448400	−1.39	0.78
G285.16 − 02.13_01	HD 090087	10 22 20.878	−59 45 19.69	TA	285.158722	−2.131442	···	···
G285.52 − 00.05_01	HD 091572	10 33 12.266	−58 10 13.64	TA	285.524628	−0.049314	···	···
G285.70 + 00.07_01	HD 091824	10 34 46.633	−58 09 22.02	TA	285.696777	0.067272	0.25	0.81
G285.92 + 00.99_01	HD 092504	10 39 36.873	−57 27 40.65	TA	285.915802	0.989140	0.64	0.81
G286.22 − 00.17_01	HD 092206 AB	10 37 22.276	−58 37 22.81	TA	286.223419	−0.169763	···	···
G286.22 − 00.18_01	HD 092206 C	10 37 18.627	−58 37 41.73	TA	286.219086	−0.178230	···	···
G286.55 − 01.72_01	HD 091651	10 33 30.301	−60 07 40.04	TA	286.545441	−1.719930	0.65	0.82
G287.34 + 01.27_01	HD 094024	10 50 01.505	−57 52 26.26	TA	287.339508	1.274540	···	···
G287.39 − 00.59_01	CPD -58 2611	10 43 46.695	−59 32 54.82	TA	287.390045	−0.585331	···	···
G287.40 − 00.58_01	HD 093128	10 43 54.372	−59 32 57.37	NT	287.404663	−0.578333	···	···
G287.41 − 00.36_01	HD 093249	10 44 43.875	−59 21 25.15	TA	287.407135	−0.359342	···	···
G287.41 − 00.56_01	CPD -58 2620	10 43 59.917	−59 32 25.36	TA	287.410828	−0.564980	···	···
G287.41 − 00.57_01	HD 093129 A	10 43 57.462	−59 32 51.27	TA	287.409637	−0.573768	···	···
G287.41 − 00.57_02	HD 093129 B	10 43 57.638	−59 32 53.50	NT	287.410248	−0.574142	···	···
G287.44 − 00.59_01	HD 093160	10 44 07.267	−59 34 30.61	TA	287.440887	−0.588409	···	···
G287.44 − 00.59_02	HD 093161 AB	10 44 08.840	−59 34 34.49	TB	287.444305	−0.587802	···	···
G287.48 − 00.54_01	HD 303311	10 44 37.463	−59 32 55.44	TA	287.484802	−0.535191	···	···
G287.51 − 00.54_01	HD 093250	10 44 45.028	−59 33 54.67	TA	287.506622	−0.542266	0.29	0.59
G287.54 − 00.34_01	HD 093403	10 45 44.122	−59 24 28.15	TA	287.543976	−0.344786	1.13	0.61
G287.57 − 00.71_01	HD 093204	10 44 32.336	−59 44 31.00	TA	287.565674	−0.711000	···	···
G287.57 − 00.71_02	HD 093205	10 44 33.740	−59 44 15.46	TA	287.566254	−0.705805	···	···
G287.57 − 00.86_01	HD 093130	10 44 00.371	−59 52 27.50	TA	287.568573	−0.859315	···	···
G287.59 − 00.61_01	HD 303308	10 45 05.919	−59 40 05.93	TA	287.593689	−0.612923	···	···
G287.59 − 00.69_01	CPD -59 2603	10 44 47.307	−59 43 53.23	TA	287.588531	−0.687024	···	···
G287.60 − 00.74_01	CPD -59 2600	10 44 41.795	−59 46 56.42	TA	287.602112	−0.737417	···	···
G287.61 − 01.13_01	HD 093027	10 43 17.954	−60 08 03.29	TA	287.613068	−1.130233	···	···
G287.64 − 00.65_01	CPD -59 2641	10 45 16.517	−59 43 36.98	TA	287.640717	−0.654418	···	···
G287.64 − 00.67_01	CPD -59 2636	10 45 12.870	−59 44 19.24	TA	287.639404	−0.668372	···	···
G287.64 − 00.68_01	HD 093343	10 45 12.217	−59 45 00.42	TA	287.643524	−0.679133	···	···
G287.64 − 00.68_02	CPD -59 2635	10 45 12.715	−59 44 46.18	TA	287.642609	−0.675146	···	···
G287.64 − 01.19_01	HD 093028	10 43 15.340	−60 12 04.21	TA	287.639893	−1.191783	−0.91	0.78
G287.66 − 00.90_01	HD 305523	10 44 29.479	−59 57 18.11	TA	287.660126	−0.902094	···	···
G287.67 − 00.94_01	HD 093206	10 44 22.910	−59 59 35.95	TA	287.665985	−0.942341	1.23	0.86
G287.67 − 01.05_01	HD 093146	10 44 00.158	−60 05 09.86	TA	287.667694	−1.046462	···	···
G287.74 − 01.02_01	HD 093222	10 44 36.250	−60 05 28.88	TA	287.736420	−1.015970	···	···
G287.78 − 00.84_01	HD 305532	10 45 34.066	−59 57 26.66	TD	287.780426	−0.841353	···	···
G287.84 − 00.73_01	Feinstein 97	10 46 22.461	−59 53 20.46	TA	287.838318	−0.733926	···	···

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G287.94 − 00.88_01	HD 305539	10 46 33.069	−60 04 12.62	TD	287.941589	−0.884412	···	···
G288.01 + 00.63_01	HD 094370	10 52 23.284	−58 44 47.52	TA	288.006409	0.631849	···	···
G288.03 − 00.87_01	HD 093632	10 47 12.631	−60 05 50.80	TA	288.027130	−0.870782	···	···
G288.05 + 00.40_01	HD 303492	10 51 52.753	−58 58 35.31	TA	288.049194	0.396545	···	···
G288.22 − 00.96_01	HD 305619	10 48 15.523	−60 15 56.76	TA	288.220032	−0.960855	···	···
G288.24 − 00.90_01	HD 093843	10 48 37.769	−60 13 25.53	TA	288.241882	−0.902512	···	···
G289.28 + 03.06_01	HD 096917	11 08 42.620	−57 03 56.93	TA	289.284241	3.058774	−0.08	0.70
G289.76 − 01.81_01	HD 094963	10 56 35.786	−61 42 32.27	TA	289.764862	−1.808821	···	···
G289.77 − 01.22_01	LSS 2063	10 58 45.475	−61 10 43.01	TA	289.773956	−1.218984	···	···
G290.09 + 00.57_01	HD 096622	11 06 59.781	−59 40 04.38	TA	290.089661	0.574176	···	···
G290.20 + 00.40_01	HD 096670	11 07 13.933	−59 52 23.17	TA	290.197266	0.396935	0.82	0.73
G290.27 + 00.33_01	HD 096715	11 07 32.817	−59 57 48.68	TA	290.268890	0.329082	···	···
G290.40 − 00.80_01	HD 096264	11 04 55.501	−61 03 05.79	TA	290.401428	−0.798069	0.30	0.72
G290.51 − 02.24_01	HD 095589	11 00 50.448	−62 24 34.25	TA	290.511017	−2.235300	···	···
G290.67 + 00.19_01	HD 097166	11 10 05.991	−60 14 56.90	TA	290.672455	0.188079	···	···
G290.73 − 00.34_01	HD 096946	11 08 51.764	−60 45 33.90	TA	290.727234	−0.341609	···	···
G290.74 + 01.53_01	HD 097848	11 14 31.902	−59 01 28.84	TA	290.735260	1.533032	−0.76	1.05
G290.79 + 00.09_01	HD 097253	11 10 42.046	−60 23 04.15	TA	290.792694	0.091127	···	···
G291.04 − 00.15_01	HD 097434	11 11 49.574	−60 41 58.24	TA	291.039551	−0.148556	···	···
G291.62 − 00.52_01	NGC 3603/HST-16	11 15 07.817	−61 15 37.73	WF	291.618958	−0.522107	···	···
G291.62 − 00.52_02	NGC 3603/HST-33	11 15 07.354	−61 15 39.42	WF	291.618256	−0.522882	···	···
G291.62 − 00.52_03	NGC 3603/HST-36	11 15 07.062	−61 15 37.45	WF	291.617523	−0.522584	···	···
G291.62 − 00.52_04	NGC 3603/HST-37	11 15 06.997	−61 15 37.35	WF	291.617371	−0.522605	···	···
G291.62 − 00.52_05	NGC 3603/HST-38	11 15 06.912	−61 15 36.50	WF	291.617126	−0.522447	···	···
G291.62 − 00.52_06	NGC 3603/HST-40	11 15 07.117	−61 15 38.98	WF	291.617767	−0.522940	···	···
G291.62 − 00.52_07	NGC 3603/HST-41	11 15 07.043	−61 15 38.84	WF	291.617615	−0.522958	···	···
G291.62 − 00.52_08	NGC 3603/HST-42	11 15 07.054	−61 15 39.19	WF	291.617676	−0.523040	···	···
G291.62 − 00.52_09	NGC 3603/HST-45	11 15 06.938	−61 15 38.19	WF	291.617371	−0.522866	···	···
G291.62 − 00.52_10	NGC 3603/HST-A2	11 15 07.307	−61 15 38.68	WF	291.618103	−0.522724	···	···
G291.62 − 00.52_11	NGC 3603/HST-A3	11 15 07.346	−61 15 38.35	WF	291.618134	−0.522610	···	···
G293.61 − 01.28_01	HD 099897	11 28 54.180	−62 39 09.83	TA	293.613342	−1.283755	1.86	0.84
G294.78 − 01.49_01	HD 101190	11 38 09.912	−63 11 48.61	TA	294.781555	−1.490451	−0.19	1.10
G294.78 − 01.62_01	HD 101131	11 37 48.436	−63 19 23.51	TA	294.778351	−1.623033	1.41	0.69
G294.81 − 01.49_01	HD 101223	11 38 22.768	−63 12 02.80	TA	294.805847	−1.487487	···	···
G294.81 − 04.14_01	HD 100213	11 31 10.927	−65 44 32.10	TA	294.807892	−4.144355	−0.53	0.80
G294.84 − 01.68_01	HD 101191	11 38 12.167	−63 23 26.78	TA	294.839874	−1.675461	···	···
G294.85 − 01.65_01	HD 101205	11 38 20.375	−63 22 21.95	TA	294.849579	−1.653888	−1.44	1.42
G294.88 − 00.81_01	HD 101545 A	11 40 36.937	−62 34 05.65	TA	294.877014	−0.809278	1.16	1.12
G294.94 − 01.69_01	HD 101298	11 39 03.277	−63 25 47.07	TA	294.942322	−1.686381	0.44	0.78
G295.03 − 01.71_01	HD 101413	11 39 45.836	−63 28 40.14	TA	295.031799	−1.710787	−0.70	2.86
G295.04 − 01.71_01	HD 101436	11 39 49.961	−63 28 43.56	TA	295.039429	−1.709599	−1.39	2.10
G295.30 + 00.45_01	HD 102415	11 46 54.404	−61 27 46.99	TA	295.303558	0.449253	···	···
G296.51 + 04.02_01	HD 104565	12 02 27.795	−58 14 34.36	TA	296.507568	4.016675	···	···
G297.40 − 00.32_01	HD 104649	12 02 58.465	−62 40 19.25	TA	297.402405	−0.321717	···	···
G298.15 − 00.10_01	HD 105627	12 09 44.579	−62 34 54.61	TA	298.152863	−0.097605	0.03	1.29
G298.95 − 07.06_01	HD 105056	12 05 49.879	−69 34 23.00	TA	298.945435	−7.055068	1.74	0.67
G303.55 + 06.03_01	HD 112244	12 55 57.134	−56 50 08.89	TA	303.552704	6.030505	1.73	0.57
G304.67 − 02.49_01	θ Mus B	13 08 07.048	−65 18 26.98	TC	304.674255	−2.492188	0.03	0.67

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G304.88 − 16.13_01	HD 116852	13 30 23.519	−78 51 20.57	TA	304.882294	−16.131754	1.07	0.79
G305.41 − 00.82_01	HD 114737	13 13 45.528	−63 35 11.75	TA	305.411346	−0.822356	· · ·	· · ·
G305.52 − 00.83_01	HD 114886	13 14 44.393	−63 34 51.68	TA	305.520538	−0.826452	2.60	1.47
G305.76 + 00.15_01	V961 Cen	13 16 04.802	−62 35 01.47	TA	305.764252	0.152414	−0.63	0.91
G306.06 + 00.22_01	HD 115455	13 18 35.360	−62 29 28.39	TA	306.061371	0.215437	· · ·	· · ·
G307.01 + 02.80_01	HD 116282	13 23 56.255	−59 48 34.80	TA	307.012390	2.804350	· · ·	· · ·
G307.77 − 00.87_01	HD 117856	13 34 43.414	−63 20 07.52	TA	307.765686	−0.870639	0.33	1.31
G307.86 + 00.04_01	HD 117797	13 34 11.983	−62 25 01.80	TA	307.859314	0.044777	· · ·	· · ·
G307.88 + 01.66_01	HD 117490	13 32 08.600	−60 48 55.47	TA	307.876343	1.664969	· · ·	· · ·
G307.96 − 01.22_01	HD 118198	13 36 59.493	−63 38 45.70	TA	307.961792	−1.220032	· · ·	· · ·
G309.91 − 00.69_01	HD 120678	13 52 56.414	−62 43 14.24	TA	309.912476	−0.685387	· · ·	· · ·
G310.73 + 03.42_01	HD 120521	13 51 33.984	−58 32 22.29	TA	310.725494	3.419427	1.07	1.21
G311.02 − 02.80_01	HD 123008	14 07 30.650	−64 28 08.82	TA	311.015442	−2.797923	1.95	1.30
G311.95 − 01.00_01	HD 123590	14 10 43.969	−62 28 44.42	TA	311.948822	−1.003603	0.60	0.93
G312.17 + 01.03_01	HD 123056	14 07 25.640	−60 28 14.11	TA	312.165955	1.031629	· · ·	· · ·
G312.67 − 00.43_01	HD 124314	14 15 01.616	−61 42 24.59	TA	312.665741	−0.425004	1.41	0.96
G313.45 − 00.03_01	HD 125206	14 20 09.041	−61 04 54.61	TA	313.449554	−0.034712	1.32	0.94
G313.54 + 00.14_01	HD 125241	14 20 22.788	−60 53 22.26	TA	313.540405	0.137056	0.80	1.09
G315.37 − 00.08_01	CPD -59 5634	14 34 54.430	−60 25 39.77	TA	315.366089	−0.078158	· · ·	· · ·
G316.40 + 09.08_01	HD 124979	14 18 11.937	−51 30 13.85	TA	316.404327	9.084071	1.52	1.06
G318.77 + 02.77_01	HD 130298	14 49 33.762	−56 25 38.44	TA	318.768097	2.768554	0.54	1.64
G319.69 − 02.91_01	δ Cir	15 16 56.894	−60 57 26.12	TA	319.688202	−2.911211	0.51	0.71
G320.13 − 02.64_01	HD 135591	15 18 49.142	−60 29 46.80	TA	320.127380	−2.642284	0.02	0.71
G327.56 − 00.83_01	Muzzio 116	15 55 39.576	−54 38 36.62	TA	327.557526	−0.830434	−0.68	3.89
G336.37 − 00.22_01	HD 148937	16 33 52.387	−48 06 40.47	TA	336.366119	−0.218124	0.61	1.31
G336.71 − 01.57_01	HD 150135	16 41 19.446	−48 45 47.54	TB	336.709747	−1.572420	2.18	8.22
G336.71 − 01.57_02	HD 150136	16 41 20.445	−48 45 46.74	TA	336.711731	−1.574334	−1.86	2.15
G337.47 + 00.03_01	HD 149452	16 37 10.514	−47 07 49.85	TA	337.465393	0.032988	· · ·	· · ·
G338.56 − 01.15_01	HD 150958	16 46 38.866	−47 05 24.65	TA	338.558807	−1.151766	· · ·	· · ·
G339.00 − 00.20_01	HD 150574	16 44 07.209	−46 08 29.85	TA	338.995880	−0.204599	· · ·	· · ·
G339.38 + 02.51_01	μ Nor	16 34 05.023	−44 02 43.14	TA	339.379700	2.512601	0.70	0.73
G339.51 − 00.41_01	HD 151018	16 46 56.117	−45 53 14.33	TA	339.507141	−0.410013	2.22	1.80
G340.54 + 03.01_01	HD 149404	16 36 22.564	−42 51 31.91	TA	340.537537	3.005778	1.07	0.89
G341.06 − 04.22_01	HD 154811	17 09 53.086	−47 01 53.19	TA	341.061615	−4.219083	2.38	0.94
G341.11 − 00.94_01	HD 152386	16 55 06.451	−44 59 21.37	TA	341.113342	−0.940816	· · ·	· · ·
G342.57 − 04.39_01	HD 155756	17 15 50.150	−45 54 38.77	TA	342.574097	−4.394941	· · ·	· · ·
G342.72 + 02.41_01	HD 151003	16 46 34.194	−41 36 38.52	TA	342.722656	2.411245	0.32	0.91
G342.81 + 01.70_01	HD 151515	16 49 48.253	−42 00 06.20	TA	342.811890	1.698360	0.55	0.81
G343.15 + 01.10_01	HD 152147	16 53 28.619	−42 07 17.06	TA	343.153503	1.096364	· · ·	· · ·
G343.33 + 01.41_01	HD 152003	16 52 47.373	−41 47 09.00	TA	343.332458	1.407707	· · ·	· · ·
G343.36 + 00.89_01	HD 152424	16 55 03.331	−42 05 27.00	TA	343.361816	0.888349	−0.15	0.86
G343.38 + 07.15_01	HD 148546	16 30 23.312	−37 58 21.15	TA	343.376373	7.150678	1.67	1.12
G343.39 + 01.18_01	HD 152219	16 53 55.606	−41 52 51.47	TA	343.392731	1.183451	· · ·	· · ·
G343.45 + 01.16_01	HD 152249	16 54 11.641	−41 50 57.27	TA	343.448761	1.164854	· · ·	· · ·
G343.46 + 01.17_01	CPD -41 7733	16 54 13.222	−41 50 32.52	TA	343.457184	1.165377	· · ·	· · ·
G343.46 + 01.18_01	HD 152248	16 54 10.063	−41 49 30.12	TA	343.464447	1.183917	−1.37	1.43
G343.48 + 01.15_01	CPD -41 7742	16 54 19.824	−41 50 09.38	US	343.475098	1.153522	· · ·	· · ·
G343.48 + 01.22_01	HD 152233	16 54 03.591	−41 47 29.91	TA	343.477692	1.220577	· · ·	· · ·

Table 5—Continued

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G343.49 + 01.14_01	HD 326331	16 54 25.958	−41 49 55.89	TA	343.489990	1.141091	···	···
G343.52 + 01.14_01	HD 152314	16 54 32.003	−41 48 18.86	TA	343.522766	1.143486	···	···
G343.53 + 01.28_01	HD 152218	16 53 59.989	−41 42 52.83	TA	343.530365	1.277816	···	···
G343.61 + 01.30_01	HD 152247	16 54 11.517	−41 38 30.96	TA	343.609467	1.295851	···	···
G343.62 + 01.94_01	HD 151804	16 51 33.722	−41 13 49.92	TA	343.615631	1.937853	0.48	0.83
G344.03 + 01.67_01	HD 152246	16 54 05.300	−41 04 46.11	TA	344.033936	1.665560	−0.10	1.02
G344.08 + 01.49_01	HD 152408	16 54 58.505	−41 09 03.08	TA	344.083618	1.490857	0.34	0.73
G344.56 + 01.89_01	HD 152405	16 54 55.371	−40 31 29.38	TA	344.564575	1.891993	−0.02	0.96
G344.62 + 01.61_01	HD 152623	16 56 15.026	−40 39 35.76	TA	344.617340	1.610944	−2.02	1.52
G344.81 + 01.61_01	HD 152723	16 56 54.676	−40 30 44.39	TA	344.811066	1.605185	1.20	1.46
G344.84 + 01.83_01	HD 152590	16 56 05.216	−40 20 57.60	TA	344.840302	1.829507	···	···
G345.26 + 01.47_01	HD 322417	16 58 55.392	−40 14 33.34	TA	345.260681	1.472725	···	···
G345.29 − 02.61_01	HD 155913	17 16 26.336	−42 40 04.13	TA	345.286987	−2.607000	···	···
G345.35 − 03.08_01	HD 156292	17 18 45.814	−42 53 29.92	TA	345.349792	−3.084610	0.69	1.01
G347.14 + 02.38_01	HD 153426	17 01 13.007	−38 12 11.88	TA	347.141357	2.380032	1.00	1.15
G347.75 + 02.17_01	HD 153919	17 03 56.773	−37 50 38.91	TA	347.754425	2.173488	−0.21	0.86
G348.73 − 00.80_01	LSS 4067	17 19 05.564	−38 48 49.95	TA	348.727295	−0.795700	···	···
G349.97 + 03.22_01	HD 154368	17 06 28.371	−35 27 03.76	TA	349.970215	3.215059	2.73	0.96
G350.54 + 03.19_01	HD 154643	17 08 13.983	−35 00 15.68	TA	350.544128	3.194523	···	···
G351.03 + 00.65_01	HD 319703 A	17 19 46.156	−36 05 52.37	TA	351.029419	0.651765	···	···
G351.03 + 00.66_01	HD 319703 B	17 19 45.000	−36 05 47.05	Al	351.028412	0.655793	···	···
G351.18 + 00.48_01	HD 156738	17 20 52.656	−36 04 20.54	TA	351.178345	0.482587	···	···
G351.22 + 01.36_01	HD 156154	17 17 27.009	−35 32 12.00	TA	351.218231	1.359116	···	···
G351.32 + 00.92_01	HD 319699	17 19 30.417	−35 42 36.14	TA	351.316895	0.917500	···	···
G351.35 + 00.61_01	HD 319702	17 20 50.609	−35 51 45.97	TA	351.346588	0.607798	···	···
G352.50 + 02.67_01	HD 155889	17 15 50.752	−33 44 13.21	TA	352.495605	2.669858	0.61	0.74
G352.59 + 02.87_01	HD 155806	17 15 19.247	−33 32 54.30	TA	352.585815	2.868324	0.73	0.77
G353.17 + 00.89_01	Pismis 24-1	17 24 43.500	−34 11 56.96	TA	353.167877	0.894713	···	···
G353.17 + 00.89_02	Pismis 24-17	17 24 44.700	−34 12 02.00	Ma	353.169037	0.890510	···	···
G355.36 − 06.10_01	HD 163758	17 59 28.367	−36 01 15.58	TA	355.360474	−6.104218	···	···
G355.67 + 00.05_01	HD 159176	17 34 42.491	−32 34 53.97	TA	355.666595	0.049319	0.96	1.59
G355.91 + 01.60_01	HD 158186	17 29 12.925	−31 32 03.44	TA	355.906738	1.596461	0.20	0.95
G357.59 + 05.83_01	HD 156212	17 17 27.596	−27 46 00.81	TA	357.589447	5.826498	0.51	1.10
G358.42 − 01.88_01	HD 161853	17 49 16.559	−31 15 18.07	TA	358.424774	−1.876648	···	···

Note. —

Al: Secondary component of a multiple system measured with Aladin.
Ma: Massey et al. (2001).
NT: Measured from archival NTT data.
TA: Main Tycho-2 catalog, columns 5 and 6 (with proper motion).
TB: Main Tycho-2 catalog, columns 28 and 29 (without proper motion).
TC: Tycho-2 supplement 1, precessed to J2000.0 with proper motion.
TD: Tycho-2 supplement 1, precessed to J2000.0 without proper motion.
US: USNO-A2.0 data.
Va: van Altena & Jones (1972).
Wa: Walborn et al. (2002).
WF: WFPC2 data with absolute astrometry corrected using Tycho-2 stars.

Table 6. Supplement: positions and parallaxes

GOS ID	other ID	RA (J2000)	dec. (J2000)	ty	long. (deg.)	lat. (deg.)	π (mas)	σ_π (mas)
G072.65 + 02.07_01	WR 133	20 05 57.324	+35 47 18.16	TA	72.651611	2.065109	−0.96	0.92
G076.60 + 01.43_01	V444 Cyg	20 19 32.423	+38 43 53.97	TA	76.597984	1.428684	2.92	0.81
G080.93 + 04.18_01	WR 140	20 20 27.976	+43 51 16.28	TA	80.930260	4.177109	0.62	0.62
G102.78 − 00.65_01	GP Cep	22 18 45.604	+56 07 33.90	TA	102.782509	−0.653186	1.81	0.95
G262.80 − 07.69_01	γ^2 Vel	08 09 31.950	−47 20 11.72	TC	262.802551	−7.685818	3.88	0.53
G287.17 − 00.85_01	WR 22	10 41 17.518	−59 40 36.88	TA	287.174194	−0.847533	0.61	0.52
G304.67 − 02.49_02	θ Mus A	13 08 07.155	−65 18 21.51	TA	304.674561	−2.490682	0.03	0.67
G343.49 + 01.16_01	WR 79	16 54 19.703	−41 49 11.57	TA	343.487335	1.163930	−0.59	0.91

Note. —

TA: Main Tycho-2 catalog, columns 5 and 6 (with proper motion).

TC: Tycho-2 supplement 1, precessed to J2000.0 with proper motion.

Table 7. Stars with significant Hipparcos distances

GOS ID	other ID	model	d (pc)	σ_{d-} (pc)	σ_{d+} (pc)	DM	σ_{DM-}	σ_{DM+}
G006.28 + 23.59_01	ζ Oph	runaway	146	14	17	5.83	0.22	0.24
G012.97 + 13.31_01	HD 157857	runaway	2349	1147	989	11.85	1.46	0.76
G078.10 + 02.78_01	HD 193322 AB	disk	811	294	731	9.55	0.98	1.40
G096.65 − 16.98_01	10 Lac	disk	345	58	84	7.70	0.41	0.48
G099.29 + 03.74_01	HD 206267	disk	590	206	508	8.86	0.93	1.35
G103.14 + 06.99_01	HD 207198	disk	711	172	285	9.26	0.60	0.73
G160.37 − 13.11_01	ξ Per	runaway	2125	1077	1107	11.64	1.53	0.91
G173.46 + 03.24_01	HD 037737	disk	1257	698	1137	10.50	1.76	1.40
G195.05 − 12.00_01	λ Ori A	disk	385	87	141	7.93	0.56	0.68
G202.51 + 17.52_01	HD 060848	disk	451	111	170	8.28	0.62	0.69
G202.94 + 02.20_01	15 Mon	disk	446	126	349	8.25	0.73	1.25
G203.86 − 17.74_01	δ Ori A	disk	310	61	92	7.46	0.47	0.57
G206.31 − 02.07_01	HD 046150	disk	2358	1176	1748	11.86	1.50	1.20
G206.45 − 16.59_01	ζ Ori	disk	277	49	73	7.22	0.43	0.51
G206.82 − 17.34_01	σ Ori ABC	disk	380	87	136	7.91	0.57	0.66
G209.52 − 19.58_01	ι Ori A	runaway	1108	547	860	10.23	1.48	1.25
G237.29 − 27.10_01	μ Col	runaway	531	134	283	8.63	0.63	0.93
G254.47 − 02.02_01	HD 068450	disk	2225	1035	1683	11.74	1.36	1.22
G255.98 − 04.71_01	ζ Pup	runaway	710	251	3722	9.26	0.95	3.97
G262.80 − 07.69_01	γ^2 Vel	disk	278	37	50	7.23	0.31	0.36
G298.95 − 07.06_01	HD 105056	runaway	4300	2214	1888	13.17	1.57	0.79
G303.55 + 06.03_01	HD 112244	disk	733	206	365	9.33	0.72	0.88
G341.06 − 04.22_01	HD 154811	disk	1014	442	761	10.03	1.24	1.22
G349.97 + 03.22_01	HD 154368	disk	909	433	951	9.80	1.40	1.55

Table 8. Main catalog: Tycho and 2MASS photometry

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G001.91−02.62_01	HD 164019	9.566	0.022	9.368	0.023	8.818	0.025	8.762	0.026	8.813	0.025
G004.54+00.30_01	HD 162978	6.194	0.014	6.188	0.010	5.970	0.021	5.947	0.037	5.971	0.016
G005.82−06.31_01	HD 168941	9.373	0.022	9.371	0.025	9.193	0.025	9.186	0.022	9.234	0.022
G005.97−01.17_01	Herschel 36	···	···	···	···	7.939	0.027	7.432	0.043	6.928	0.022
G006.01−01.20_01	9 Sgr	5.942	0.014	5.960	0.010	5.748	0.027	5.729	0.037	5.748	0.025
G006.06−01.20_01	HD 164816	7.033	0.015	7.076	0.011	7.007	0.022	7.034	0.045	7.089	0.019
G006.12−01.48_01	HD 165052	6.938	0.015	6.874	0.011	6.484	0.022	6.455	0.041	6.492	0.025
G006.28+23.59_01	ζ Oph	2.575	0.014	2.546	0.009	···	···	···	···	···	···
G006.40−01.56_01	HD 165246	7.797	0.016	7.749	0.012	7.307	0.022	7.269	0.043	7.248	0.027
G006.94−02.10_01	HD 165921	7.439	0.015	7.353	0.011	6.820	0.021	6.771	0.019	6.796	0.025
G007.00−00.25_01	HD 164492	7.527	0.016	7.588	0.012	7.399	0.022	7.367	0.043	7.322	0.024
G007.05+00.69_01	HD 163800	7.266	0.015	7.028	0.010	6.330	0.027	6.280	0.037	6.234	0.026
G007.15+00.62_01	HD 163892	7.610	0.015	7.480	0.011	7.077	0.022	7.078	0.032	7.102	0.029
G007.36−00.85_01	HD 313846	10.881	0.053	9.983	0.035	7.666	0.026	7.322	0.039	7.121	0.022
G010.35+01.79_01	HD 164438	7.804	0.016	7.521	0.011	6.728	0.019	6.628	0.021	6.636	0.022
G010.36−00.92_01	HD 166546	7.224	0.015	7.216	0.011	7.126	0.029	7.129	0.045	7.180	0.025
G010.46−01.74_01	HD 167264	5.344	0.014	5.339	0.009	5.210	0.022	5.187	0.018	5.180	0.019
G010.76−01.58_01	HD 167263	5.936	0.014	5.954	0.010	5.873	0.020	5.887	0.048	5.892	0.019
G012.20−01.27_01	HD 167659	7.539	0.016	7.400	0.011	6.771	0.022	6.732	0.034	6.690	0.027
G012.70−01.13_01	HD 167771	6.575	0.015	6.531	0.010	6.192	0.020	6.167	0.030	6.142	0.019
G012.97+13.31_01	HD 157857	7.940	0.016	7.811	0.012	7.309	0.024	7.257	0.034	7.264	0.016
G014.34−00.07_01	HD 167633	8.389	0.018	8.206	0.014	7.449	0.024	7.367	0.037	7.367	0.033
G015.28−10.58_01	HD 175876	6.755	0.015	6.908	0.010	7.129	0.025	7.185	0.032	7.276	0.024
G016.39−09.92_01	HD 175754	6.888	0.015	7.003	0.010	7.099	0.026	7.151	0.037	7.185	0.029
G016.94+00.84_01	HD 168075	9.232	0.021	8.846	0.019	7.534	0.021	7.410	0.032	7.301	0.024
G016.94+00.84_02	HD 168076	8.716	0.018	8.281	0.014	6.886	0.022	6.673	0.030	6.590	0.024
G016.98+00.85_01	BD -13 4927	10.292	0.037	9.556	0.028	7.221	0.022	6.846	0.039	6.722	0.024
G018.25+01.68_01	HD 167971	8.291	0.016	7.573	0.011	5.521	0.024	5.296	0.045	5.155	0.024
G018.44+01.62_01	HD 168112	9.231	0.021	8.619	0.017	6.899	0.026	6.705	0.047	6.649	0.029
G018.65−03.09_01	HD 171589	8.512	0.018	8.257	0.015	7.576	0.034	7.478	0.027	7.490	0.024
G018.71−00.13_01	HD 169515	10.409	0.042	9.315	0.025	6.246	0.019	5.835	0.025	5.480	0.019
G018.92+03.63_01	HD 166734	9.598	0.025	8.556	0.015	5.882	0.021	5.498	0.021	5.333	0.019
G019.08+02.14_01	BD -11 4586	10.509	0.041	9.524	0.026	7.044	0.026	6.717	0.047	6.559	0.026
G021.33+01.20_01	HD 169582	9.267	0.022	8.785	0.018	7.343	0.026	7.204	0.053	7.095	0.019
G023.73−02.49_01	HD 173010	10.015	0.026	9.282	0.020	7.383	0.026	7.160	0.043	7.044	0.024
G024.18−03.34_01	HD 173783	9.837	0.025	9.377	0.022	8.226	0.025	8.087	0.035	8.041	0.021
G024.53−00.85_01	HD 172175	10.094	0.031	9.592	0.028	8.036	0.025	7.901	0.032	7.862	0.022
G056.48−04.33_01	9 Sge	6.188	0.014	6.225	0.009	6.111	0.025	6.147	0.048	6.171	0.017
G059.40−00.15_01	BD +22 3782	9.951	0.026	9.430	0.022	8.032	0.019	7.871	0.018	7.860	0.021
G067.39+03.66_01	HD 186980	7.532	0.015	7.493	0.011	7.238	0.027	7.253	0.021	7.308	0.019
G071.34+03.07_01	HD 226868	9.793	0.022	8.982	0.015	6.873	0.024	6.633	0.019	6.518	0.021
G072.47+02.02_01	HD 190864	7.937	0.016	7.794	0.011	7.259	0.020	7.261	0.022	7.282	0.022
G072.59+02.61_01	HD 190429 A	7.201	0.015	7.088	0.010	6.190	0.020	6.143	0.035	6.167	0.022
G072.75+01.78_01	HD 191201	7.576	0.015	7.449	0.011	6.910	0.020	6.919	0.017	6.966	0.024
G072.99+01.43_01	HD 191612	8.059	0.015	7.851	0.011	7.123	0.025	7.097	0.045	7.051	0.017
G074.90+01.48_01	HD 192639	7.455	0.015	7.167	0.010	6.301	0.019	6.252	0.017	6.234	0.016
G075.19+00.96_01	HD 228766	9.798	0.022	9.233	0.017	7.790	0.024	7.643	0.021	7.570	0.018
G076.15+01.28_01	HD 193443 AB	7.655	0.015	7.301	0.010	6.403	0.024	6.318	0.028	6.357	0.025

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G076.17 − 00.34_01	BD +36 4063	10.855	0.041	9.798	0.024	7.172	0.020	6.831	0.021	6.660	0.019
G076.60 + 01.68_01	HD 228841	9.550	0.020	9.045	0.017	7.909	0.021	7.760	0.017	7.769	0.019
G077.00 + 01.80_01	HD 193514	7.888	0.015	7.469	0.011	6.353	0.020	6.218	0.037	6.197	0.022
G077.12 + 03.40_01	HD 192281	7.908	0.015	7.590	0.011	6.744	0.024	6.706	0.022	6.713	0.017
G077.20 + 00.92_01	HD 194280	9.198	0.018	8.494	0.013	···	···	···	···	···	···
G077.25 − 06.23_01	Y Cyg	7.217	0.015	7.328	0.010	7.417	0.022	7.520	0.017	7.580	0.019
G077.40 + 00.93_01	HD 229232	10.476	0.031	9.637	0.022	7.769	0.019	7.579	0.018	7.519	0.021
G077.43 + 06.17_01	HD 189957	7.779	0.015	7.801	0.011	7.718	0.026	7.695	0.018	7.759	0.021
G077.87 + 04.25_01	HD 191978	8.166	0.016	8.057	0.012	7.759	0.020	7.785	0.019	7.813	0.017
G078.10 + 02.78_01	HD 193322 AB	6.021	0.014	5.964	0.009	5.638	0.026	5.669	0.022	5.738	0.021
G078.44 − 09.54_01	HD 201345	7.572	0.015	7.739	0.010	8.027	0.021	8.152	0.053	8.234	0.022
G078.53 + 04.66_01	HD 192001	8.565	0.017	8.304	0.012	7.684	0.026	7.665	0.027	7.700	0.025
G078.64 + 05.37_01	HD 191423	8.171	0.016	8.065	0.011	7.731	0.020	7.722	0.030	7.789	0.038
G078.76 + 02.07_01	HD 229196	9.463	0.019	8.619	0.014	6.354	0.021	6.060	0.019	5.934	0.018
G080.12 + 00.91_01	Cyg OB2-5	···	···	11.941	0.245	7.583	0.019	7.229	0.017	7.122	0.017
G080.14 + 00.75_01	Cyg OB2-22 A	···	···	···	···	···	···	···	···	···	···
G080.14 + 00.75_02	Cyg OB2-22 B	···	···	···	···	···	···	···	···	···	···
G080.17 + 00.76_01	Cyg OB2-9	12.952	0.245	11.122	0.074	6.469	0.022	5.878	0.017	5.587	0.017
G080.22 + 00.79_01	Cyg OB2-8 A	10.418	0.033	9.232	0.018	6.124	0.021	5.702	0.018	5.520	0.018
G080.22 + 01.02_01	Cyg OB2-4	11.525	0.068	10.301	0.038	5.187	0.018	···	···	4.339	0.016
G080.23 + 00.78_01	Cyg OB2-8 C	11.351	0.062	10.138	0.035	7.166	0.021	6.773	0.021	6.596	0.018
G080.24 + 00.80_01	Cyg OB2-7	12.209	0.145	10.746	0.060	7.249	0.021	6.799	0.021	6.628	0.019
G080.57 + 00.83_01	Cyg OB2-11	11.533	0.068	10.234	0.037	···	···	···	···	···	···
G080.99 + 10.09_01	HD 188209	5.498	0.014	5.613	0.009	5.725	0.026	5.815	0.024	5.832	0.017
G081.18 + 06.61_01	HD 191781	10.178	0.027	9.561	0.022	7.996	0.021	7.737	0.017	7.673	0.018
G082.36 + 02.96_01	HD 195592	8.056	0.015	7.234	0.010	···	···	···	···	4.624	0.033
G085.70 − 00.30_01	HD 199579	5.984	0.014	5.962	0.009	5.797	0.025	5.812	0.051	5.874	0.026
G087.29 − 02.66_01	HD 202124	7.991	0.016	7.777	0.011	7.177	0.024	7.108	0.018	7.103	0.017
G087.61 − 03.84_01	68 Cyg	4.948	0.014	5.023	0.009	5.037	0.021	5.088	0.032	5.131	0.022
G096.65 − 16.98_01	10 Lac	4.599	0.014	4.839	0.009	···	···	5.436	0.016	5.498	0.029
G099.29 + 03.74_01	HD 206267	5.908	0.014	5.730	0.009	···	···	5.254	0.042	5.215	0.017
G099.85 − 03.13_01	HD 210809	7.589	0.015	7.564	0.011	7.370	0.022	7.382	0.043	7.429	0.024
G102.01 + 02.18_01	HD 209481	5.558	0.014	5.543	0.009	5.433	0.019	5.433	0.022	5.502	0.017
G103.14 + 06.99_01	HD 207198	6.240	0.014	5.975	0.009	···	···	5.318	0.026	5.318	0.017
G103.83 + 02.61_01	λ Cep	5.293	0.014	5.099	0.009	···	···	···	···	4.500	0.020
G104.87 + 05.39_01	19 Cep	5.147	0.014	5.109	0.009	···	···	4.915	0.046	4.935	0.023
G107.07 − 00.90_01	HD 215835	8.922	0.017	8.645	0.014	7.742	0.027	7.699	0.055	7.699	0.017
G108.06 − 06.89_01	HD 218915	7.185	0.015	7.219	0.010	7.127	0.024	7.199	0.019	7.213	0.022
G109.32 − 01.79_01	HD 218195	···	···	11.162	0.057	7.755	0.018	7.708	0.018	7.735	0.017
G109.65 + 02.68_01	HD 216532	8.571	0.016	8.070	0.012	6.833	0.020	6.709	0.018	6.698	0.019
G109.93 + 02.39_01	HD 216898	8.577	0.017	8.085	0.012	6.877	0.027	6.737	0.024	6.743	0.019
G110.22 + 02.72_01	HD 217086	8.343	0.016	7.773	0.011	6.229	0.024	6.081	0.017	6.050	0.016
G112.23 + 00.22_01	BD +60 2522	9.111	0.018	8.752	0.014	7.604	0.025	7.452	0.025	7.392	0.019
G117.23 − 01.24_01	HD 225146	8.990	0.017	8.671	0.014	7.781	0.020	7.681	0.030	7.653	0.019
G117.44 − 00.14_01	HD 225160	8.455	0.015	8.245	0.012	7.487	0.024	7.412	0.032	7.353	0.024
G117.59 − 11.09_01	HD 001337	5.914	0.014	6.082	0.009	6.284	0.024	6.367	0.019	6.388	0.024
G117.93 + 01.25_01	HD 000108	7.520	0.015	7.396	0.010	6.893	0.030	6.830	0.035	6.794	0.025
G123.12 − 06.24_01	HD 005005 A	8.589	0.016	8.582	0.013	7.796	0.021	7.793	0.021	···	···

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G123.12 − 06.24_02	HD 005005 C	8.860	0.017	8.895	0.016	···	···	7.920	0.040	8.046	0.031
G127.87 − 01.35_01	BD +60 261	9.001	0.015	8.717	0.011	7.922	0.020	7.926	0.047	7.866	0.025
G128.29 + 01.82_01	HD 010125	8.602	0.016	8.317	0.011	7.550	0.020	7.551	0.030	7.508	0.019
G132.91 − 02.57_01	HD 013022	9.132	0.018	8.849	0.015	8.061	0.024	8.012	0.034	8.043	0.025
G132.91 − 05.87_01	HD 012323	8.863	0.017	8.910	0.015	9.063	0.024	9.144	0.031	9.184	0.025
G133.11 − 03.40_01	HD 012993	9.190	0.018	8.993	0.015	8.598	0.025	8.610	0.030	8.624	0.025
G134.21 − 01.32_01	HD 014442	9.646	0.022	9.313	0.019	8.270	0.061	8.223	0.035	8.196	0.025
G134.53 + 02.46_01	BD +62 424	9.307	0.016	8.892	0.012	7.828	0.027	7.706	0.018	7.684	0.018
G134.58 + 01.04_01	BD +60 497	9.398	0.020	8.851	0.016	7.518	0.019	7.405	0.019	7.370	0.019
G134.58 − 04.96_01	HD 013745	8.017	0.016	7.895	0.011	7.455	0.041	7.432	0.048	7.449	0.019
G134.64 + 01.00_01	BD +60 499	10.909	0.054	10.371	0.046	9.111	0.022	8.986	0.018	8.946	0.018
G134.71 + 00.94_01	BD +60 501	10.013	0.029	9.712	0.030	8.546	0.026	8.414	0.017	8.411	0.020
G134.72 + 00.92_01	HD 015558	8.479	0.016	8.029	0.012	6.728	0.020	6.590	0.019	6.536	0.022
G134.77 + 00.86_01	HD 015570	8.905	0.017	8.270	0.013	6.478	0.019	6.291	0.021	6.175	0.019
G134.77 + 01.01_01	HD 015629	8.875	0.017	8.511	0.014	7.420	0.030	7.303	0.030	7.286	0.022
G134.90 + 00.92_01	BD +60 513	9.891	0.025	9.503	0.022	8.291	0.026	8.138	0.018	8.120	0.024
G134.99 − 01.74_01	HD 014947	8.483	0.015	8.084	0.012	7.038	0.021	6.926	0.022	6.878	0.021
G135.08 − 03.82_01	HD 014434	8.658	0.016	8.535	0.013	8.128	0.027	8.113	0.043	8.141	0.026
G135.68 + 01.15_01	HD 016429	8.500	0.015	7.916	0.011	6.419	0.024	6.227	0.021	6.170	0.018
G137.09 − 04.73_01	HD 015642	8.575	0.016	8.549	0.012	8.362	0.022	8.392	0.047	8.459	0.024
G137.12 + 03.46_01	HD 018409	8.815	0.015	8.433	0.011	7.361	0.020	7.263	0.025	7.254	0.017
G137.19 + 00.90_01	HD 017505	7.727	0.016	7.394	0.010	6.287	0.034	6.158	0.055	6.176	0.021
G137.22 + 00.88_01	HD 017520 AB	8.632	0.017	8.373	0.013	7.457	0.024	7.319	0.043	7.253	0.022
G137.42 + 01.28_01	BD +60 586	8.764	0.017	8.518	0.012	7.750	0.030	7.690	0.030	7.749	0.024
G137.46 − 07.58_01	HD 015137	7.874	0.015	7.884	0.011	7.797	0.019	7.808	0.041	7.855	0.019
G137.73 − 02.73_01	HD 016691	9.169	0.017	8.747	0.013	7.564	0.025	7.425	0.019	7.379	0.025
G138.00 − 02.88_01	HD 016832	9.319	0.017	8.939	0.013	8.011	0.022	7.929	0.035	7.962	0.031
G138.03 + 01.50_01	HD 018326	8.290	0.015	7.981	0.011	7.088	0.021	7.145	0.028	7.066	0.027
G138.77 − 02.08_01	HD 017603	9.131	0.019	8.567	0.014	7.043	0.022	6.845	0.021	6.773	0.022
G140.12 + 01.54_01	HD 019820	7.657	0.015	7.194	0.010	6.074	0.021	5.984	0.034	5.953	0.017
G140.78 − 18.20_01	HD 014633	7.171	0.015	7.420	0.011	7.923	0.022	8.029	0.019	8.138	0.022
G143.67 + 07.66_01	SZ Cam	7.322	0.015	6.936	0.010	6.123	0.019	6.081	0.021	6.080	0.019
G144.07 + 14.04_01	α Cam	4.273	0.014	4.292	0.009	···	···	···	···	···	···
G147.14 + 02.97_01	HD 237211	9.492	0.020	9.060	0.017	7.947	0.019	7.806	0.030	7.791	0.018
G148.84 − 00.71_01	HD 024431	7.160	0.015	6.832	0.010	5.917	0.026	5.826	0.030	5.839	0.017
G160.37 − 13.11_01	ξ Per	4.002	0.014	4.026	0.009	···	···	···	···	···	···
G163.08 − 17.14_01	X Per	6.874	0.014	6.789	0.010	6.150	0.019	6.054	0.025	5.937	0.017
G164.97 + 12.89_01	HD 041161	6.635	0.014	6.747	0.010	6.875	0.020	6.986	0.048	7.034	0.018
G169.11 + 03.60_01	BD +39 1328	10.417	0.040	9.924	0.037	8.595	0.024	8.424	0.017	8.377	0.016
G170.04 + 00.27_01	HD 034656	6.795	0.015	6.798	0.010	6.638	0.025	6.615	0.043	6.693	0.019
G172.08 − 02.26_01	AE Aur	6.237	0.014	6.025	0.009	5.342	0.023	5.355	0.018	···	···
G172.29 + 01.88_01	HD 036483	8.651	0.018	8.277	0.014	7.247	0.027	7.134	0.017	7.151	0.022
G172.76 + 00.61_01	HD 035921	7.076	0.015	6.916	0.011	6.696	0.024	6.648	0.022	6.671	0.019
G173.04 − 00.09_01	HD 035619	8.861	0.019	8.712	0.017	7.935	0.022	7.861	0.021	7.909	0.025
G173.46 + 03.24_01	HD 037737	8.394	0.018	8.100	0.014	7.325	0.022	7.304	0.032	7.271	0.016
G173.47 − 01.66_01	HD 242908	9.327	0.021	9.110	0.021	8.283	0.021	8.230	0.027	8.202	0.018
G173.58 − 01.67_01	HD 242935	9.905	0.028	9.824	0.032	8.912	0.024	8.866	0.023	8.864	0.019
G173.65 − 01.74_01	HD 242926	9.720	0.025	9.388	0.023	8.509	0.021	8.398	0.021	8.391	0.020

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G177.63 − 00.11_01	HD 037366	7.710	0.015	7.653	0.011	7.376	0.022	7.371	0.021	7.454	0.017
G183.14 + 62.15_01	HD 093521	6.712	0.014	6.985	0.010	7.500	0.021	7.628	0.017	7.713	0.025
G185.22 − 05.89_01	HD 036879	7.732	0.016	7.598	0.011	7.107	0.021	7.071	0.021	7.110	0.022
G190.04 + 00.48_01	HD 042088	7.581	0.016	7.555	0.011	7.313	0.020	7.347	0.019	7.411	0.031
G192.40 + 03.21_01	HD 044811	8.568	0.019	8.487	0.017	8.201	0.030	8.162	0.045	8.265	0.033
G194.07 − 05.88_01	HD 039680	7.902	0.016	7.892	0.012	7.687	0.022	7.592	0.025	7.449	0.026
G194.15 − 01.98_01	HD 041997	8.865	0.018	8.506	0.014	7.540	0.025	7.441	0.053	7.429	0.026
G195.05 − 12.00_01	λ Ori A	3.306	0.014	3.509	0.009	···	···	···	···	···	···
G196.96 + 01.52_01	HD 045314	6.700	0.015	6.598	0.010	5.907	0.024	5.742	0.022	5.551	0.018
G202.51 + 17.52_01	HD 060848	6.654	0.014	6.891	0.010	7.045	0.032	7.052	0.028	6.982	0.022
G202.94 + 02.20_01	15 Mon	4.374	0.014	4.642	0.009	5.203	0.024	5.303	0.022	5.357	0.022
G203.86 − 17.74_01	δ Ori A	···	···	2.411	0.006	···	···	···	···	···	···
G205.81 − 00.55_01	HD 046966	6.770	0.015	6.841	0.011	6.919	0.020	6.951	0.037	7.035	0.018
G205.87 − 00.31_01	HD 047129	6.071	0.014	6.071	0.010	5.828	0.019	5.787	0.037	5.731	0.017
G206.21 + 00.80_01	HD 048099	6.254	0.014	6.341	0.010	6.445	0.021	6.490	0.048	6.529	0.019
G206.22 − 02.04_01	HD 046149	7.731	0.017	7.636	0.014	7.245	0.022	7.232	0.035	7.268	0.018
G206.31 − 02.00_01	HD 046202	8.354	0.019	8.278	0.017	7.784	0.022	7.760	0.048	7.737	0.026
G206.31 − 02.07_01	HD 046150	6.873	0.015	6.792	0.011	6.446	0.022	6.451	0.027	6.453	0.019
G206.34 − 02.25_01	HD 046056	8.440	0.019	8.262	0.017	7.837	0.029	7.816	0.057	7.837	0.022
G206.44 − 02.07_01	HD 046223	7.484	0.017	7.324	0.013	6.742	0.019	6.684	0.018	6.693	0.022
G206.45 − 16.59_01	ζ Ori	1.767	0.006	1.884	0.004	···	···	···	···	···	···
G206.82 − 17.34_01	σ Ori ABC	3.521	0.014	3.763	0.009	···	···	···	···	4.490	0.016
G206.90 − 01.84_01	HD 046485	8.604	0.020	8.352	0.016	7.565	0.020	7.492	0.063	7.463	0.033
G208.73 − 02.63_01	HD 046573	8.291	0.018	7.988	0.014	7.197	0.020	7.148	0.049	7.145	0.021
G209.01 − 19.38_01	θ^1 Ori C	5.017	0.014	5.061	0.009	···	···	···	···	···	···
G209.05 − 19.37_01	θ^2 Ori A	4.913	0.014	5.027	0.009	···	···	4.923	0.063	4.837	0.021
G209.52 − 19.58_01	ι Ori A	2.485	0.014	2.715	0.009	···	···	···	···	···	···
G210.03 − 02.11_01	HD 047432	6.329	0.014	6.241	0.010	5.931	0.021	5.930	0.028	5.882	0.019
G210.41 − 01.17_01	HD 048279	8.039	0.016	7.965	0.012	7.650	0.019	7.681	0.017	7.710	0.025
G216.85 + 00.80_01	HD 052533	7.578	0.016	7.683	0.012	7.831	0.021	7.901	0.039	7.953	0.026
G219.13 − 00.68_01	HD 052266	7.148	0.016	7.197	0.011	7.202	0.022	7.218	0.034	7.282	0.017
G224.17 − 00.78_01	HD 054662	6.203	0.014	6.224	0.010	6.136	0.024	6.153	0.034	6.223	0.025
G224.41 + 02.63_01	HD 057682	6.162	0.015	6.372	0.010	6.812	0.029	6.947	0.065	6.956	0.025
G224.73 + 00.35_01	HD 055879	5.782	0.014	5.968	0.010	6.357	0.025	6.433	0.041	6.519	0.026
G225.55 − 01.28_01	HD 054879	7.591	0.016	7.633	0.011	7.649	0.026	7.666	0.039	7.744	0.025
G225.68 − 02.32_01	HD 053975	6.320	0.014	6.461	0.010	6.703	0.025	6.795	0.057	6.836	0.017
G235.64 − 04.02_01	HD 057236	8.920	0.018	8.784	0.015	8.289	0.022	8.231	0.047	8.218	0.027
G237.29 − 27.10_01	μ Col	4.814	0.014	5.114	0.009	5.736	0.024	5.870	0.027	6.006	0.022
G237.82 − 05.37_01	CW CMa	4.757	0.014	4.927	0.009	···	···	5.190	0.029	5.146	0.018
G238.18 − 05.54_01	τ CMa	4.193	0.014	4.383	0.009	···	···	···	···	4.786	0.024
G243.14 + 00.71_01	HD 064568	9.506	0.020	9.460	0.021	9.127	0.022	9.106	0.024	9.135	0.020
G243.16 + 00.36_01	HD 064315	9.431	0.019	9.260	0.018	8.606	0.022	8.526	0.047	8.507	0.025
G243.82 + 00.14_01	CPD -26 2716	10.062	0.020	9.708	0.018	8.754	0.041	8.606	0.055	8.564	0.022
G245.45 − 00.10_01	CPD -28 2561	10.097	0.023	9.981	0.024	9.529	0.024	9.499	0.027	9.462	0.024
G253.61 − 00.30_01	HD 069464	9.134	0.017	8.870	0.015	7.936	0.022	7.854	0.028	7.786	0.024
G254.47 − 02.02_01	HD 068450	6.387	0.014	6.438	0.010	6.432	0.026	6.425	0.035	6.491	0.029
G255.98 − 04.71_01	ζ Pup	1.957	0.003	2.189	0.003	···	···	···	···	···	···
G258.29 + 04.18_01	HD 075222	7.830	0.015	7.485	0.010	6.526	0.025	6.474	0.045	6.420	0.018

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G260.18 + 00.64_01	HD 073882	7.685	0.015	7.319	0.010	6.108	0.020	6.001	0.019	5.934	0.017
G261.76 − 03.77_01	HD 071304	8.846	0.017	8.341	0.012	7.135	0.029	7.002	0.039	6.944	0.019
G262.80 + 01.25_01	HD 075759	5.845	0.014	5.967	0.009	6.201	0.025	6.236	0.039	6.305	0.024
G263.53 + 01.52_01	HD 076341	7.444	0.015	7.192	0.010	6.437	0.026	6.387	0.032	6.334	0.026
G263.96 − 00.47_01	HD 075211	7.920	0.015	7.580	0.010	6.581	0.022	6.516	0.039	6.419	0.021
G264.04 − 01.95_01	HD 074194	7.769	0.015	7.576	0.011	6.936	0.024	6.868	0.032	6.825	0.024
G267.58 − 01.63_01	HD 076556	8.630	0.017	8.249	0.012	7.225	0.025	7.122	0.028	7.070	0.022
G267.98 − 01.36_01	CPD -47 2963	9.415	0.019	8.535	0.013	6.326	0.025	6.041	0.041	5.918	0.021
G270.22 − 03.37_01	HD 076968	7.205	0.015	7.104	0.010	6.750	0.025	6.738	0.051	6.681	0.025
G274.47 − 00.25_01	HD 298429	10.333	0.030	9.795	0.026	8.300	0.021	8.200	0.041	8.117	0.024
G279.69 + 04.45_01	HD 089137	7.897	0.015	7.986	0.011	8.073	0.025	8.111	0.027	8.134	0.021
G285.16 − 02.13_01	HD 090087	7.752	0.015	7.771	0.011	7.720	0.024	7.723	0.048	7.779	0.025
G285.52 − 00.05_01	HD 091572	8.260	0.016	8.252	0.014	7.963	0.021	7.966	0.043	8.002	0.019
G285.70 + 00.07_01	HD 091824	8.059	0.016	8.144	0.013	8.214	0.026	8.278	0.059	8.370	0.024
G285.92 + 00.99_01	HD 092504	8.356	0.016	8.449	0.013	8.566	0.022	8.598	0.035	8.695	0.025
G286.22 − 00.17_01	HD 092206 AB	8.347	0.018	8.233	0.015	7.564	0.034	7.569	0.073	7.496	0.025
G286.22 − 00.18_01	HD 092206 C	9.121	0.020	8.983	0.019	8.475	0.019	8.387	0.041	8.407	0.038
G286.55 − 01.72_01	HD 091651	8.843	0.017	8.850	0.016	8.760	0.022	8.795	0.023	8.823	0.024
G287.34 + 01.27_01	HD 094024	8.855	0.016	8.787	0.014	8.451	0.022	8.468	0.030	8.494	0.034
G287.39 − 00.59_01	CPD -58 2611	9.764	0.027	9.558	0.031	8.662	0.022	8.499	0.025	8.515	0.022
G287.40 − 00.58_01	HD 093128	···	···	···	···	7.908	0.025	7.837	0.039	7.811	0.027
G287.41 − 00.36_01	HD 093249	8.480	0.016	8.409	0.014	8.020	0.022	8.041	0.048	8.002	0.022
G287.41 − 00.56_01	CPD -58 2620	9.365	0.023	9.377	0.027	···	···	8.621	0.070	8.570	0.045
G287.41 − 00.57_01	HD 093129 A	7.521	0.015	7.333	0.011	···	···	···	···	···	···
G287.41 − 00.57_02	HD 093129 B	···	···	···	···	···	···	···	···	···	···
G287.44 − 00.59_01	HD 093160	7.987	0.017	7.885	0.013	7.177	0.022	7.123	0.022	7.092	0.022
G287.44 − 00.59_02	HD 093161 AB	8.634	0.017	8.586	0.015	7.076	0.019	7.005	0.021	6.976	0.021
G287.48 − 00.54_01	HD 303311	9.064	0.019	8.988	0.019	8.595	0.029	8.574	0.030	8.580	0.021
G287.51 − 00.54_01	HD 093250	7.541	0.016	7.408	0.011	6.784	0.022	6.701	0.018	6.723	0.027
G287.54 − 00.34_01	HD 093403	7.512	0.015	7.325	0.010	6.644	0.024	6.588	0.045	6.557	0.022
G287.57 − 00.71_01	HD 093204	8.493	0.017	8.567	0.017	8.027	0.027	7.968	0.039	7.987	0.033
G287.57 − 00.71_02	HD 093205	7.764	0.016	7.758	0.012	7.390	0.020	7.367	0.032	7.359	0.033
G287.57 − 00.86_01	HD 093130	8.295	0.017	8.106	0.013	7.297	0.026	7.238	0.027	7.165	0.024
G287.59 − 00.61_01	HD 303308	8.240	0.017	8.143	0.015	7.708	0.022	7.695	0.037	7.642	0.047
G287.59 − 00.69_01	CPD -59 2603	8.925	0.019	8.858	0.019	8.344	0.022	8.325	0.027	8.303	0.022
G287.60 − 00.74_01	CPD -59 2600	8.806	0.019	8.669	0.017	7.799	0.024	7.716	0.039	7.656	0.029
G287.61 − 01.13_01	HD 093027	8.641	0.017	8.719	0.015	8.671	0.022	8.698	0.028	8.687	0.025
G287.64 − 00.65_01	CPD -59 2641	9.507	0.025	9.245	0.026	8.148	0.019	7.974	0.027	7.901	0.036
G287.64 − 00.67_01	CPD -59 2636	9.606	0.029	9.300	0.028	8.077	0.025	7.875	0.035	7.773	0.024
G287.64 − 00.68_01	HD 093343	9.743	0.030	9.642	0.038	8.682	0.020	8.524	0.025	8.451	0.022
G287.64 − 00.68_02	CPD -59 2635	9.591	0.028	9.485	0.032	8.331	0.021	8.161	0.037	8.108	0.024
G287.64 − 01.19_01	HD 093028	8.253	0.016	8.409	0.014	8.473	0.021	8.508	0.039	8.624	0.024
G287.66 − 00.90_01	HD 305523	8.620	0.018	8.492	0.016	7.782	0.026	7.667	0.063	7.647	0.022
G287.67 − 00.94_01	HD 093206	6.427	0.015	6.325	0.010	5.552	0.020	5.374	0.039	5.269	0.022
G287.67 − 01.05_01	HD 093146	8.447	0.017	8.469	0.015	8.113	0.029	8.094	0.061	8.041	0.031
G287.74 − 01.02_01	HD 093222	8.135	0.016	8.114	0.013	7.593	0.024	7.480	0.035	7.453	0.022
G287.78 − 00.84_01	HD 305532	10.386	0.087	10.060	0.104	8.873	0.022	8.641	0.045	8.559	0.022
G287.84 − 00.73_01	Feinstein 97	10.876	0.061	10.507	0.062	8.771	0.024	8.544	0.043	8.441	0.024

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G287.94 − 00.88_01	HD 305539	10.317	0.064	10.304	0.102	9.007	0.024	···	···	8.921	0.033
G288.01 + 00.63_01	HD 094370	8.169	0.017	8.119	0.013	7.727	0.025	7.737	0.035	7.704	0.033
G288.03 − 00.87_01	HD 093632	8.635	0.017	8.402	0.014	7.195	0.025	7.039	0.047	6.871	0.019
G288.05 + 00.40_01	HD 303492	9.439	0.022	8.885	0.018	7.307	0.022	7.088	0.034	6.962	0.031
G288.22 − 00.96_01	HD 305619	9.966	0.027	9.513	0.025	7.963	0.020	7.752	0.043	7.640	0.026
G288.24 − 00.90_01	HD 093843	7.257	0.015	7.327	0.010	7.227	0.029	7.248	0.048	7.251	0.029
G289.28 + 03.06_01	HD 096917	7.158	0.015	7.109	0.010	6.821	0.026	6.802	0.041	6.789	0.022
G289.76 − 01.81_01	HD 094963	7.022	0.015	7.133	0.010	7.259	0.025	7.330	0.045	7.347	0.022
G289.77 − 01.22_01	LSS 2063	11.661	0.090	11.102	0.094	8.306	0.025	7.891	0.039	7.673	0.024
G290.09 + 00.57_01	HD 096622	9.107	0.019	8.980	0.017	8.484	0.034	8.510	0.051	8.513	0.024
G290.20 + 00.40_01	HD 096670	7.560	0.016	7.435	0.011	7.057	0.025	7.050	0.049	7.021	0.025
G290.27 + 00.33_01	HD 096715	8.322	0.017	8.277	0.014	7.955	0.019	7.958	0.053	7.977	0.024
G290.40 − 00.80_01	HD 096264	7.491	0.015	7.595	0.011	7.694	0.024	7.765	0.027	7.807	0.031
G290.51 − 02.24_01	HD 095589	9.897	0.024	9.675	0.025	9.062	0.024	8.949	0.023	8.977	0.026
G290.67 + 00.19_01	HD 097166	7.951	0.016	7.920	0.012	7.663	0.026	7.676	0.041	7.707	0.029
G290.73 − 00.34_01	HD 096946	8.687	0.017	8.547	0.013	7.948	0.018	7.886	0.047	7.933	0.029
G290.74 + 01.53_01	HD 097848	8.620	0.017	8.642	0.014	8.614	0.026	8.609	0.045	8.670	0.029
G290.79 + 00.09_01	HD 097253	7.242	0.015	7.134	0.010	6.695	0.019	6.693	0.035	6.715	0.033
G291.04 − 00.15_01	HD 097434	8.245	0.016	8.117	0.012	7.660	0.030	7.633	0.037	7.635	0.027
G291.62 − 00.52_01	NGC 3603/HST-16	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_02	NGC 3603/HST-33	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_03	NGC 3603/HST-36	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_04	NGC 3603/HST-37	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_05	NGC 3603/HST-38	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_06	NGC 3603/HST-40	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_07	NGC 3603/HST-41	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_08	NGC 3603/HST-42	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_09	NGC 3603/HST-45	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_10	NGC 3603/HST-A2	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_11	NGC 3603/HST-A3	···	···	···	···	···	···	···	···	···	···
G293.61 − 01.28_01	HD 099897	8.494	0.015	8.370	0.012	7.841	0.022	7.830	0.043	7.838	0.025
G294.78 − 01.49_01	HD 101190	7.339	0.015	7.332	0.010	7.123	0.025	7.156	0.045	7.174	0.025
G294.78 − 01.62_01	HD 101131	7.120	0.015	7.144	0.010	6.967	0.020	6.988	0.037	7.014	0.025
G294.81 − 01.49_01	HD 101223	8.861	0.017	8.727	0.015	8.243	0.025	8.200	0.084	8.251	0.029
G294.81 − 04.14_01	HD 100213	8.444	0.016	8.402	0.013	8.143	0.021	8.147	0.051	8.192	0.017
G294.84 − 01.68_01	HD 101191	8.498	0.016	8.506	0.014	8.293	0.029	8.297	0.047	8.358	0.027
G294.85 − 01.65_01	HD 101205	6.532	0.014	6.538	0.010	6.268	0.021	6.277	0.039	6.234	0.024
G294.88 − 00.81_01	HD 101545 A	6.825	0.015	6.869	0.010	6.287	0.024	6.297	0.037	6.331	0.026
G294.94 − 01.69_01	HD 101298	8.122	0.016	8.094	0.012	7.758	0.025	7.733	0.048	7.790	0.027
G295.03 − 01.71_01	HD 101413	8.354	0.017	8.323	0.013	8.109	0.024	8.113	0.053	8.115	0.033
G295.04 − 01.71_01	HD 101436	7.630	0.015	7.607	0.011	7.362	0.024	7.400	0.061	7.383	0.025
G295.30 + 00.45_01	HD 102415	9.330	0.019	9.250	0.018	8.805	0.021	8.757	0.045	8.778	0.020
G296.51 + 04.02_01	HD 104565	9.553	0.020	9.272	0.017	8.361	0.025	8.271	0.032	8.217	0.031
G297.40 − 00.32_01	HD 104649	8.087	0.015	8.092	0.012	7.889	0.030	7.888	0.027	7.806	0.024
G298.15 − 00.10_01	HD 105627	8.181	0.016	8.178	0.012	7.985	0.019	8.030	0.034	8.069	0.026
G298.95 − 07.06_01	HD 105056	7.405	0.015	7.380	0.010	7.160	0.026	7.117	0.057	7.068	0.021
G303.55 + 06.03_01	HD 112244	5.343	0.014	5.366	0.009	5.298	0.025	5.263	0.019	5.234	0.025
G304.67 − 02.49_01	θ Mus B	7.488	0.010	7.546	0.015	7.207	0.101	···	···	···	···

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G304.88 − 16.13_01	HD 116852	8.331	0.016	8.469	0.013	8.720	0.032	8.789	0.055	8.795	0.024
G305.41 − 00.82_01	HD 114737	8.186	0.016	8.025	0.011	7.499	0.022	7.468	0.051	7.454	0.022
G305.52 − 00.83_01	HD 114886	7.116	0.015	7.040	0.010	6.532	0.021	6.534	0.027	6.555	0.019
G305.76 + 00.15_01	V961 Cen	8.180	0.016	7.994	0.011	7.333	0.026	7.280	0.041	7.297	0.034
G306.06 + 00.22_01	HD 115455	8.181	0.016	8.019	0.010	7.469	0.026	7.442	0.034	7.454	0.022
G307.01 + 02.80_01	HD 116282	10.092	0.023	9.800	0.022	8.933	0.030	8.831	0.061	8.829	0.020
G307.77 − 00.87_01	HD 117856	7.613	0.015	7.459	0.010	6.850	0.024	6.787	0.030	6.756	0.033
G307.86 + 00.04_01	HD 117797	9.685	0.019	9.270	0.015	7.873	0.025	7.670	0.041	7.594	0.018
G307.88 + 01.66_01	HD 117490	8.942	0.015	8.918	0.012	8.776	0.022	8.816	0.026	8.846	0.024
G307.96 − 01.22_01	HD 118198	8.666	0.015	8.569	0.012	7.903	0.020	· · ·	· · ·	· · ·	· · ·
G309.91 − 00.69_01	HD 120678	8.061	0.014	7.996	0.010	7.218	0.027	7.110	0.041	6.947	0.027
G310.73 + 03.42_01	HD 120521	8.771	0.017	8.573	0.013	7.979	0.029	7.916	0.039	7.875	0.021
G311.02 − 02.80_01	HD 123008	9.224	0.016	8.873	0.012	7.910	0.025	7.822	0.032	7.723	0.025
G311.95 − 01.00_01	HD 123590	7.758	0.015	7.649	0.010	7.213	0.030	7.206	0.053	7.231	0.024
G312.17 + 01.03_01	HD 123056	8.313	0.016	8.209	0.012	7.812	0.027	7.771	0.032	7.856	0.018
G312.67 − 00.43_01	HD 124314	7.026	0.015	6.876	0.010	6.177	0.029	6.099	0.030	6.103	0.017
G313.45 − 00.03_01	HD 125206	8.182	0.017	7.973	0.012	7.337	0.027	7.295	0.043	7.288	0.019
G313.54 + 00.14_01	HD 125241	8.814	0.018	8.361	0.013	7.103	0.025	6.969	0.051	6.879	0.024
G315.37 − 00.08_01	CPD -59 5634	10.403	0.031	9.638	0.022	7.920	0.020	7.746	0.041	7.639	0.019
G316.40 + 09.08_01	HD 124979	8.591	0.016	8.566	0.013	8.349	0.021	8.329	0.041	8.385	0.021
G318.77 + 02.77_01	HD 130298	9.748	0.024	9.302	0.022	8.268	0.019	8.170	0.039	8.131	0.022
G319.69 − 02.91_01	δ Cir	4.956	0.014	5.072	0.009	· · ·	· · ·	5.216	0.017	5.185	0.016
G320.13 − 02.64_01	HD 135591	5.297	0.014	5.418	0.009	5.554	0.022	5.566	0.039	5.616	0.025
G327.56 − 00.83_01	Muzzio 116	11.509	0.082	11.004	0.082	9.035	0.024	8.844	0.039	8.765	0.025
G336.37 − 00.22_01	HD 148937	7.079	0.016	6.806	0.011	5.875	0.022	5.725	0.035	5.653	0.021
G336.71 − 01.57_01	HD 150135	6.889	0.015	6.764	0.012	6.320	0.025	6.283	0.034	6.255	0.024
G336.71 − 01.57_02	HD 150136	5.825	0.014	5.711	0.010	· · ·	· · ·	5.090	0.018	4.991	0.018
G337.47 + 00.03_01	HD 149452	9.777	0.035	9.181	0.029	7.597	0.032	7.458	0.022	7.354	0.033
G338.56 − 01.15_01	HD 150958	7.692	0.016	7.368	0.012	6.354	0.019	6.248	0.027	6.167	0.024
G339.00 − 00.20_01	HD 150574	8.696	0.020	8.541	0.018	7.936	0.019	7.869	0.021	7.877	0.024
G339.38 + 02.51_01	μ Nor	4.955	0.014	4.910	0.009	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·
G339.51 − 00.41_01	HD 151018	9.401	0.030	8.810	0.024	7.278	0.019	7.147	0.039	7.033	0.022
G340.54 + 03.01_01	HD 149404	5.868	0.014	5.516	0.010	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·
G341.06 − 04.22_01	HD 154811	7.313	0.015	6.977	0.011	5.950	0.020	5.832	0.035	5.805	0.022
G341.11 − 00.94_01	HD 152386	8.714	0.017	8.213	0.013	6.765	0.019	6.598	0.028	6.492	0.024
G342.57 − 04.39_01	HD 155756	9.857	0.028	9.320	0.023	8.139	0.024	8.015	0.034	7.938	0.033
G342.72 + 02.41_01	HD 151003	7.223	0.015	7.086	0.011	6.538	0.019	6.490	0.028	6.503	0.021
G342.81 + 01.70_01	HD 151515	7.313	0.016	7.179	0.011	6.713	0.025	6.694	0.045	6.670	0.031
G343.15 + 01.10_01	HD 152147	7.681	0.016	7.312	0.012	6.348	0.026	6.235	0.043	6.187	0.026
G343.33 + 01.41_01	HD 152003	7.342	0.016	7.011	0.012	6.099	0.027	5.996	0.045	5.931	0.024
G343.36 + 00.89_01	HD 152424	6.711	0.015	6.350	0.010	· · ·	· · ·	5.220	0.047	5.059	0.018
G343.38 + 07.15_01	HD 148546	8.014	0.015	7.776	0.010	6.964	0.027	6.882	0.043	6.828	0.027
G343.39 + 01.18_01	HD 152219	7.698	0.017	7.557	0.013	7.182	0.021	7.152	0.047	7.129	0.021
G343.45 + 01.16_01	HD 152249	6.562	0.015	6.389	0.010	5.902	0.025	5.820	0.045	5.771	0.019
G343.46 + 01.17_01	CPD -41 7733	7.879	0.017	7.743	0.015	7.415	0.020	7.441	0.048	7.415	0.027
G343.46 + 01.18_01	HD 152248	6.186	0.015	6.069	0.010	5.648	0.030	5.564	0.039	5.519	0.027
G343.48 + 01.15_01	CPD -41 7742	· · ·	· · ·	· · ·	· · ·	7.679	0.020	7.637	0.048	7.676	0.027
G343.48 + 01.22_01	HD 152233	6.673	0.015	6.556	0.011	6.171	0.022	6.126	0.043	6.115	0.022

Table 8—Continued

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G343.49 + 01.14_01	HD 326331	7.574	0.016	7.440	0.012	6.976	0.029	6.908	0.043	6.925	0.022
G343.52 + 01.14_01	HD 152314	7.904	0.017	7.759	0.013	7.295	0.034	7.224	0.047	7.149	0.017
G343.53 + 01.28_01	HD 152218	7.719	0.017	7.581	0.013	7.098	0.021	7.082	0.059	7.091	0.026
G343.61 + 01.30_01	HD 152247	7.367	0.016	7.214	0.012	6.647	0.029	6.595	0.035	6.609	0.031
G343.62 + 01.94_01	HD 151804	5.290	0.014	5.249	0.009	···	···	4.953	0.073	4.795	0.016
G344.03 + 01.67_01	HD 152246	7.478	0.016	7.360	0.012	6.858	0.024	6.817	0.045	6.835	0.027
G344.08 + 01.49_01	HD 152408	5.967	0.015	5.825	0.010	5.149	0.034	5.071	0.037	4.921	0.019
G344.56 + 01.89_01	HD 152405	7.314	0.016	7.207	0.011	6.831	0.019	6.838	0.035	6.818	0.018
G344.62 + 01.61_01	HD 152623	6.771	0.015	6.735	0.011	6.343	0.025	6.317	0.039	6.315	0.022
G344.81 + 01.61_01	HD 152723	7.381	0.016	7.271	0.013	6.802	0.024	6.794	0.045	6.775	0.024
G344.84 + 01.83_01	HD 152590	8.582	0.020	8.483	0.018	7.982	0.022	7.877	0.037	7.941	0.026
G345.26 + 01.47_01	HD 322417	11.139	0.087	10.257	0.060	7.696	0.024	7.354	0.037	7.177	0.027
G345.29 − 02.61_01	HD 155913	8.808	0.020	8.342	0.015	7.152	0.022	6.984	0.045	6.929	0.021
G345.35 − 03.08_01	HD 156292	7.771	0.016	7.551	0.012	6.944	0.020	6.886	0.032	6.855	0.021
G347.14 + 02.38_01	HD 153426	7.592	0.016	7.490	0.012	7.057	0.026	7.056	0.049	7.027	0.021
G347.75 + 02.17_01	HD 153919	6.776	0.015	6.563	0.010	5.745	0.022	5.620	0.039	5.513	0.024
G348.73 − 00.80_01	LSS 4067	12.808	0.315	11.824	0.202	7.638	0.021	7.188	0.017	6.914	0.019
G349.97 + 03.22_01	HD 154368	6.673	0.014	6.212	0.010	···	···	···	···	4.754	0.021
G350.54 + 03.19_01	HD 154643	7.420	0.015	7.197	0.010	6.573	0.021	6.519	0.034	6.550	0.022
G351.03 + 00.65_01	HD 319703 A	11.931	0.111	11.015	0.081	7.671	0.021	7.275	0.022	7.045	0.021
G351.03 + 00.66_01	HD 319703 B	···	···	···	···	8.150	0.021	···	···	···	···
G351.18 + 00.48_01	HD 156738	10.351	0.032	9.472	0.022	7.177	0.024	6.897	0.030	6.773	0.022
G351.22 + 01.36_01	HD 156154	8.710	0.017	8.133	0.013	6.599	0.026	6.425	0.037	6.373	0.026
G351.32 + 00.92_01	HD 319699	10.476	0.036	9.705	0.027	7.664	0.022	7.426	0.048	7.312	0.025
G351.35 + 00.61_01	HD 319702	11.251	0.065	10.292	0.042	7.869	0.022	7.542	0.025	7.409	0.031
G352.50 + 02.67_01	HD 155889	6.493	0.014	6.555	0.010	6.544	0.019	6.562	0.041	6.608	0.029
G352.59 + 02.87_01	HD 155806	5.546	0.014	5.608	0.009	5.656	0.022	5.664	0.028	5.608	0.019
G353.17 + 00.89_01	Pismis 24-1	12.064	0.159	10.777	0.079	6.727	0.030	6.156	0.037	5.909	0.022
G353.17 + 00.89_02	Pismis 24-17	···	···	···	···	7.817	0.035	7.262	0.034	6.992	0.019
G355.36 − 06.10_01	HD 163758	7.313	0.015	7.303	0.010	7.195	0.026	7.144	0.028	7.174	0.018
G355.67 + 00.05_01	HD 159176	5.712	0.014	5.730	0.009	5.531	0.021	5.501	0.021	5.555	0.017
G355.91 + 01.60_01	HD 158186	6.983	0.015	6.996	0.010	6.859	0.026	6.869	0.047	6.929	0.034
G357.59 + 05.83_01	HD 156212	8.474	0.016	8.007	0.012	6.709	0.024	6.554	0.028	6.515	0.019
G358.42 − 01.88_01	HD 161853	8.114	0.017	7.966	0.014	7.298	0.019	7.255	0.019	7.262	0.031

Table 9. Supplement: Tycho and 2MASS photometry

GOS ID	other ID	B_T	σ_{B_T}	V_T	σ_{V_T}	J	σ_J	H	σ_H	K_s	σ_{K_s}
G072.65 + 02.07_01	WR 133	6.892	0.014	6.784	0.010	6.320	0.021	6.296	0.019	6.264	0.022
G076.60 + 01.43_01	V444 Cyg	8.573	0.017	8.070	0.012	6.698	0.026	6.501	0.039	6.344	0.021
G080.93 + 04.18_01	WR 140	7.379	0.015	6.926	0.010	5.548	0.019	5.410	0.024	5.054	0.017
G102.78 − 00.65_01	GP Cep	9.444	0.019	9.064	0.017	7.782	0.021	7.580	0.039	7.430	0.022
G262.80 − 07.69_01	γ^2 Vel	1.627	0.007	1.793	0.005	···	···	···	···	···	···
G287.17 − 00.85_01	WR 22	6.472	0.014	6.401	0.010	5.706	0.029	5.559	0.039	5.406	0.019
G304.67 − 02.49_02	θ Mus A	5.610	0.014	5.655	0.009	5.572	0.024	5.547	0.048	5.451	0.019
G343.49 + 01.16_01	WR 79	6.833	0.015	6.625	0.011	5.964	0.020	5.789	0.045	5.406	0.025

Table 10. Main catalog: UBV and Strömgen photometry

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G001.91 − 02.62_01	HD 164019	9.278	0.028	0.237	0.021	−0.713	0.015	···	···	···	···	···	···	N
G004.54 + 00.30_01	HD 162978	6.194	0.016	0.035	0.015	−0.877	0.017	0.096	0.004	0.016	0.006	−0.127	0.013	N
G005.82 − 06.31_01	HD 168941	9.356	0.018	0.045	0.017	−0.835	0.039	0.111	0.010	0.008	0.010	−0.109	0.010	N
G005.97 − 01.17_01	Herschel 36	···	···	···	···	···	···	···	···	···	···	···	···	···
G006.01 − 01.20_01	9 Sgr	5.966	0.011	0.018	0.012	−0.906	0.026	0.092	0.008	0.003	0.003	−0.128	0.008	N
G006.06 − 01.20_01	HD 164816	7.089	0.013	0.003	0.010	−0.873	0.022	···	···	···	···	···	···	N
G006.12 − 01.48_01	HD 165052	6.872	0.010	0.098	0.012	−0.838	0.016	0.150	0.010	−0.009	0.010	−0.103	0.010	N
G006.28 + 23.59_01	ζ Oph	2.566	0.010	0.018	0.010	−0.860	0.010	0.086	0.003	0.015	0.005	−0.066	0.008	C
G006.40 − 01.56_01	HD 165246	7.717	0.010	0.088	0.010	−0.806	0.022	0.134	0.010	−0.003	0.010	−0.066	0.010	N
G006.94 − 02.10_01	HD 165921	7.324	0.064	0.140	0.016	−0.802	0.022	···	···	···	···	···	···	N
G007.00 − 00.25_01	HD 164492	7.399	0.215	−0.018	0.052	−0.870	0.046	0.073	0.017	0.003	0.016	−0.110	0.028	N
G007.05 + 00.69_01	HD 163800	6.993	0.033	0.284	0.023	−0.691	0.037	0.264	0.003	−0.029	0.008	−0.092	0.004	N
G007.15 + 00.62_01	HD 163892	7.443	0.010	0.145	0.037	−0.788	0.013	0.188	0.010	−0.029	0.010	−0.073	0.010	N
G007.36 − 00.85_01	HD 313846	···	···	···	···	···	···	···	···	···	···	···	···	···
G010.35 + 01.79_01	HD 164438	7.483	0.010	0.332	0.013	−0.658	0.011	0.321	0.010	−0.069	0.010	−0.051	0.010	N
G010.36 − 00.92_01	HD 166546	7.237	0.014	0.043	0.010	−0.870	0.026	0.103	0.010	0.010	0.010	−0.092	0.010	N
G010.46 − 01.74_01	HD 167264	5.356	0.023	0.052	0.018	−0.853	0.035	0.104	0.005	0.002	0.003	−0.099	0.017	N
G010.76 − 01.58_01	HD 167263	5.964	0.016	0.027	0.018	−0.873	0.025	0.090	0.003	0.002	0.006	−0.104	0.013	N
G012.20 − 01.27_01	HD 167659	7.386	0.010	0.213	0.010	−0.738	0.011	0.216	0.006	−0.010	0.006	−0.099	0.028	N
G012.70 − 01.13_01	HD 167771	6.534	0.015	0.098	0.025	−0.853	0.023	0.145	0.008	−0.024	0.006	−0.093	0.013	N
G012.97 + 13.31_01	HD 157857	7.780	0.020	0.170	0.020	−0.790	0.020	0.209	0.010	−0.037	0.010	−0.089	0.010	N
G014.34 − 00.07_01	HD 167633	8.140	0.020	0.270	0.020	−0.720	0.020	0.259	0.010	−0.047	0.010	−0.108	0.010	N
G015.28 − 10.58_01	HD 175876	6.938	0.013	−0.112	0.010	−0.993	0.022	−0.010	0.004	0.035	0.007	−0.151	0.003	N
G016.39 − 09.92_01	HD 175754	7.016	0.014	−0.080	0.010	−0.972	0.010	0.010	0.010	0.045	0.010	−0.156	0.010	N
G016.94 + 00.84_01	HD 168075	8.755	0.020	0.449	0.011	−0.631	0.056	0.409	0.016	−0.057	0.004	−0.101	0.003	N
G016.94 + 00.84_02	HD 168076	8.204	0.034	0.463	0.013	−0.646	0.059	0.404	0.008	−0.071	0.007	−0.113	0.012	N
G016.98 + 00.85_01	BD -13 4927	9.550	0.039	0.860	0.022	−0.276	0.059	0.670	0.010	−0.100	0.010	−0.040	0.010	N
G018.25 + 01.68_01	HD 167971	7.480	0.034	0.761	0.010	−0.343	0.025	0.615	0.019	−0.116	0.021	−0.076	0.020	N
G018.44 + 01.62_01	HD 168112	8.523	0.010	0.690	0.010	−0.403	0.010	0.563	0.023	−0.122	0.029	−0.052	0.009	N
G018.65 − 03.09_01	HD 171589	8.292	0.053	0.290	0.026	−0.693	0.010	0.269	0.007	−0.026	0.008	−0.086	0.013	N
G018.71 − 00.13_01	HD 169515	9.191	0.068	1.087	0.023	−0.087	0.012	0.856	0.010	−0.193	0.010	−0.129	0.010	N
G018.92 + 03.63_01	HD 166734	8.420	0.010	1.070	0.028	−0.138	0.029	0.822	0.010	−0.164	0.010	−0.038	0.010	N
G019.08 + 02.14_01	BD -11 4586	9.400	0.010	1.000	0.010	−0.140	0.010	0.844	0.010	−0.255	0.010	−0.009	0.010	N
G021.33 + 01.20_01	HD 169582	8.701	0.010	0.550	0.010	−0.493	0.010	0.433	0.008	−0.037	0.003	−0.085	0.003	C
G023.73 − 02.49_01	HD 173010	9.188	0.088	0.823	0.012	−0.250	0.017	···	···	···	···	···	···	N
G024.18 − 03.34_01	HD 173783	9.315	0.010	0.515	0.010	−0.520	0.020	···	···	···	···	···	···	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G024.53 − 00.85_01	HD 172175	9.437	0.010	0.635	0.010	−0.435	0.010	...	...	...	...	...	...	N
G056.48 − 04.33_01	9 Sge	6.230	0.017	0.010	0.010	−0.923	0.010	0.064	0.010	0.039	0.012	−0.144	0.009	N
G059.40 − 00.15_01	BD +22 3782	9.341	0.045	0.561	0.012	−0.537	0.036	...	...	...	...	...	...	N
G067.39 + 03.66_01	HD 186980	7.472	0.030	0.070	0.014	−0.848	0.013	0.138	0.010	−0.004	0.005	−0.104	0.005	N
G071.34 + 03.07_01	HD 226868	8.890	0.020	0.823	0.023	−0.273	0.031	0.684	0.010	0.001	0.010	0.030	0.010	N
G072.47 + 02.02_01	HD 190864	7.763	0.031	0.194	0.021	−0.760	0.024	0.200	0.009	−0.004	0.006	−0.112	0.003	N
G072.59 + 02.61_01	HD 190429 A	6.616	0.031	0.150	0.033	−0.755	0.064	0.179	0.020	0.021	0.049	−0.103	0.018	M
G072.75 + 01.78_01	HD 191201	7.255	0.045	0.132	0.013	−0.775	0.021	...	...	...	...	...	...	M
G072.99 + 01.43_01	HD 191612	7.778	0.078	0.263	0.040	−0.695	0.035	0.234	0.010	0.017	0.010	−0.109	0.010	N
G074.90 + 01.48_01	HD 192639	7.117	0.012	0.337	0.015	−0.623	0.012	0.303	0.003	−0.021	0.004	−0.065	0.009	N
G075.19 + 00.96_01	HD 228766	9.140	0.010	0.623	0.032	−0.377	0.010	...	...	...	...	...	...	N
G076.15 + 01.28_01	HD 193443 AB	...	...	...	...	...	...	0.363	0.007	−0.065	0.006	0.007	0.003	N
G076.17 − 00.34_01	BD +36 4063	9.710	0.010	1.140	0.010	0.080	0.010	0.925	0.010	−0.274	0.010	0.150	0.010	N
G076.60 + 01.68_01	HD 228841	8.940	0.010	0.560	0.010	−0.420	0.010	...	...	...	...	...	...	N
G077.00 + 01.80_01	HD 193514	7.407	0.020	0.437	0.020	−0.525	0.030	0.373	0.010	−0.017	0.010	−0.032	0.010	N
G077.12 + 03.40_01	HD 192281	7.550	0.010	0.380	0.010	−0.610	0.010	0.335	0.006	−0.045	0.004	−0.066	0.019	N
G077.20 + 00.92_01	HD 194280	8.390	0.020	0.760	0.020	−0.210	0.020	...	...	...	...	...	...	N
G077.25 − 06.23_01	Y Cyg	7.296	0.010	−0.063	0.010	−0.943	0.021	...	...	...	...	...	...	M
G077.40 + 00.93_01	HD 229232	9.525	0.010	0.820	0.010	−0.170	0.010	...	...	...	...	...	...	N
G077.43 + 06.17_01	HD 189957	7.807	0.010	0.013	0.012	−0.857	0.021	0.083	0.010	0.017	0.010	−0.098	0.010	N
G077.87 + 04.25_01	HD 191978	8.020	0.010	0.140	0.010	−0.780	0.010	...	...	...	...	...	...	N
G078.10 + 02.78_01	HD 193322 AB	5.829	0.015	0.106	0.011	−0.775	0.010	0.143	0.009	−0.003	0.019	−0.029	0.013	M
G078.44 − 09.54_01	HD 201345	7.660	0.020	−0.130	0.020	−0.950	0.020	−0.013	0.010	0.034	0.010	−0.106	0.010	M
G078.53 + 04.66_01	HD 192001	8.250	0.020	0.320	0.020	−0.600	0.020	...	...	...	...	...	...	N
G078.64 + 05.37_01	HD 191423	8.030	0.010	0.160	0.010	−0.765	0.010	...	...	...	...	...	...	N
G078.76 + 02.07_01	HD 229196	8.516	0.033	0.904	0.010	−0.180	0.032	0.715	0.006	−0.156	0.005	0.022	0.003	N
G080.12 + 00.91_01	Cyg OB2-5	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.14 + 00.75_01	Cyg OB2-22 A	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.14 + 00.75_02	Cyg OB2-22 B	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.17 + 00.76_01	Cyg OB2-9	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.22 + 00.79_01	Cyg OB2-8 A	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.22 + 01.02_01	Cyg OB2-4	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.23 + 00.78_01	Cyg OB2-8 C	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.24 + 00.80_01	Cyg OB2-7	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.57 + 00.83_01	Cyg OB2-11	...	...	...	...	...	...	...	...	...	...	...	...	...
G080.99 + 10.09_01	HD 188209	5.626	0.019	−0.073	0.033	−0.943	0.056	0.013	0.009	0.034	0.003	−0.111	0.010	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G081.18 + 06.61_01	HD 191781	9.533	0.012	0.637	0.010	−0.410	0.010	0.539	0.010	−0.115	0.010	−0.048	0.010	N
G082.36 + 02.96_01	HD 195592	7.080	0.010	0.870	0.010	−0.193	0.010	0.701	0.004	−0.148	0.014	0.009	0.008	M
G085.70 − 00.30_01	HD 199579	5.958	0.010	0.045	0.010	−0.850	0.010	0.106	0.003	0.009	0.005	−0.081	0.004	N
G087.29 − 02.66_01	HD 202124	7.813	0.023	0.230	0.017	−0.670	0.035	0.237	0.010	0.007	0.010	−0.058	0.010	N
G087.61 − 03.84_01	68 Cyg	4.994	0.021	−0.017	0.018	−0.975	0.035	0.057	0.006	0.015	0.006	−0.122	0.018	N
G096.65 − 16.98_01	10 Lac	4.874	0.030	−0.198	0.010	−1.034	0.017	−0.067	0.005	0.036	0.013	−0.115	0.010	N
G099.29 + 03.74_01	HD 206267	5.770	0.079	0.203	0.015	−0.697	0.084	0.222	0.006	−0.031	0.004	−0.062	0.004	N
G099.85 − 03.13_01	HD 210809	7.550	0.017	0.047	0.010	−0.883	0.012	0.104	0.004	0.014	0.003	−0.117	0.008	N
G102.01 + 02.18_01	HD 209481	5.550	0.034	0.062	0.012	−0.860	0.014	0.134	0.016	−0.027	0.019	−0.094	0.023	N
G103.14 + 06.99_01	HD 207198	5.943	0.010	0.311	0.010	−0.639	0.010	0.280	0.003	−0.014	0.004	−0.046	0.003	N
G103.83 + 02.61_01	λ Cep	5.043	0.018	0.243	0.017	−0.741	0.011	0.235	0.003	−0.015	0.008	−0.097	0.004	N
G104.87 + 05.39_01	19 Cep	5.101	0.017	0.082	0.010	−0.848	0.025	0.130	0.004	0.002	0.006	−0.091	0.011	N
G107.07 − 00.90_01	HD 215835	8.583	0.010	0.327	0.010	−0.653	0.010	0.299	0.007	−0.033	0.014	−0.071	0.011	N
G108.06 − 06.89_01	HD 218915	7.200	0.010	0.020	0.010	−0.900	0.010	0.083	0.010	0.016	0.010	−0.104	0.010	N
G109.32 − 01.79_01	HD 218195	8.357	0.029	0.293	0.040	−0.700	0.010	···	···	···	···	···	···	···
G109.65 + 02.68_01	HD 216532	8.007	0.015	0.543	0.010	−0.468	0.010	0.480	0.003	−0.141	0.004	0.026	0.007	N
G109.93 + 02.39_01	HD 216898	8.010	0.017	0.534	0.010	−0.482	0.010	0.462	0.007	−0.120	0.003	0.006	0.014	N
G110.22 + 02.72_01	HD 217086	7.646	0.010	0.628	0.010	−0.432	0.010	0.533	0.004	−0.153	0.006	−0.000	0.014	M
G112.23 + 00.22_01	BD +60 2522	8.658	0.031	0.397	0.037	−0.603	0.029	0.348	0.010	−0.036	0.010	−0.137	0.010	N
G117.23 − 01.24_01	HD 225146	8.593	0.010	0.360	0.035	−0.640	0.010	···	···	···	···	···	···	N
G117.44 − 00.14_01	HD 225160	8.196	0.010	0.262	0.018	−0.725	0.010	···	···	···	···	···	···	N
G117.59 − 11.09_01	HD 001337	5.900	0.010	−0.023	0.092	−1.000	0.017	−0.023	0.005	0.041	0.005	−0.114	0.008	M
G117.93 + 01.25_01	HD 000108	7.383	0.029	0.167	0.023	−0.790	0.010	0.176	0.010	0.000	0.010	−0.120	0.010	N
G123.12 − 06.24_01	HD 005005 A	7.760	0.020	···	···	···	···	0.131	0.003	0.005	0.003	−0.046	0.064	N
G123.12 − 06.24_02	HD 005005 C	8.260	0.020	···	···	···	···	0.133	0.010	−0.068	0.010	−0.246	0.010	C
G127.87 − 01.35_01	BD +60 261	8.630	0.010	0.310	0.010	−0.670	0.010	···	···	···	···	···	···	M
G128.29 + 01.82_01	HD 010125	8.220	0.010	0.310	0.010	−0.650	0.010	···	···	···	···	···	···	M
G132.91 − 02.57_01	HD 013022	8.760	0.020	0.320	0.020	···	···	0.345	0.010	−0.138	0.010	0.011	0.010	N
G132.91 − 05.87_01	HD 012323	8.900	0.010	−0.093	0.091	−0.930	0.010	0.048	0.010	0.011	0.010	−0.086	0.010	N
G133.11 − 03.40_01	HD 012993	8.965	0.025	0.197	0.010	−0.796	0.010	0.221	0.011	−0.058	0.012	−0.088	0.016	N
G134.21 − 01.32_01	HD 014442	9.215	0.014	0.410	0.010	−0.620	0.013	0.358	0.013	−0.045	0.018	−0.108	0.043	N
G134.53 + 02.46_01	BD +62 424	8.830	0.010	0.450	0.010	−0.570	0.010	···	···	···	···	···	···	N
G134.58 + 01.04_01	BD +60 497	8.785	0.016	0.570	0.010	−0.497	0.012	···	···	···	···	···	···	N
G134.58 − 04.96_01	HD 013745	7.860	0.024	0.170	0.010	−0.777	0.010	0.211	0.003	−0.061	0.005	−0.053	0.007	N
G134.64 + 01.00_01	BD +60 499	10.270	0.048	0.530	0.022	−0.505	0.010	···	···	···	···	···	···	N
G134.71 + 00.94_01	BD +60 501	9.581	0.030	0.454	0.010	−0.595	0.019	0.420	0.010	−0.137	0.010	−0.040	0.010	C

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G134.72 + 00.92_01	HD 015558	7.855	0.042	0.509	0.020	−0.560	0.010	0.426	0.010	−0.096	0.010	−0.070	0.010	N
G134.77 + 00.86_01	HD 015570	8.110	0.014	0.686	0.017	−0.405	0.010	0.556	0.011	−0.090	0.006	−0.071	0.005	M
G134.77 + 01.01_01	HD 015629	8.417	0.021	0.421	0.010	−0.625	0.014	0.404	0.018	−0.115	0.007	−0.062	0.010	N
G134.90 + 00.92_01	BD +60 513	9.403	0.013	0.496	0.010	−0.536	0.023	0.435	0.010	−0.113	0.010	−0.032	0.010	N
G134.99 − 01.74_01	HD 014947	7.998	0.027	0.454	0.010	−0.602	0.010	0.358	0.006	−0.020	0.003	−0.096	0.020	C
G135.08 − 03.82_01	HD 014434	8.491	0.012	0.167	0.019	−0.783	0.011	0.187	0.009	−0.020	0.003	−0.088	0.005	N
G135.68 + 01.15_01	HD 016429	7.670	0.010	0.620	0.010	−0.380	0.010	0.543	0.010	−0.174	0.010	−0.050	0.010	M
G137.09 − 04.73_01	HD 015642	8.530	0.014	0.075	0.010	−0.840	0.010	···	···	···	···	···	···	N
G137.12 + 03.46_01	HD 018409	8.367	0.012	0.420	0.010	−0.587	0.010	···	···	···	···	···	···	N
G137.19 + 00.90_01	HD 017505	7.068	0.018	0.398	0.010	−0.636	0.010	0.360	0.009	−0.089	0.024	−0.060	0.022	M
G137.22 + 00.88_01	HD 017520 AB	8.250	0.038	0.316	0.010	−0.671	0.025	0.319	0.011	−0.103	0.008	−0.023	0.010	N
G137.42 + 01.28_01	BD +60 586	8.476	0.010	0.300	0.010	−0.668	0.010	0.304	0.013	−0.074	0.010	−0.035	0.009	N
G137.46 − 07.58_01	HD 015137	7.870	0.014	0.030	0.028	−0.885	0.010	0.119	0.003	−0.018	0.011	−0.068	0.011	N
G137.73 − 02.73_01	HD 016691	8.702	0.010	0.480	0.010	−0.562	0.018	0.407	0.017	−0.021	0.079	−0.070	0.017	N
G138.00 − 02.88_01	HD 016832	8.850	0.020	0.400	0.020	−0.580	0.020	···	···	···	···	···	···	N
G138.03 + 01.50_01	HD 018326	7.860	0.045	0.362	0.022	−0.622	0.055	0.342	0.003	−0.098	0.009	−0.035	0.009	N
G138.77 − 02.08_01	HD 017603	8.452	0.010	0.642	0.010	−0.418	0.010	0.544	0.013	−0.134	0.003	−0.004	0.004	N
G140.12 + 01.54_01	HD 019820	7.107	0.018	0.500	0.016	−0.506	0.022	0.458	0.012	−0.139	0.014	0.025	0.008	N
G140.78 − 18.20_01	HD 014633	7.458	0.018	−0.212	0.018	−1.060	0.035	−0.084	0.010	0.058	0.010	−0.133	0.006	N
G143.67 + 07.66_01	SZ Cam	6.955	0.021	0.465	0.029	−0.517	0.017	0.431	0.037	−0.125	0.033	0.055	0.019	M
G144.07 + 14.04_01	α Cam	4.292	0.013	0.038	0.032	−0.877	0.021	0.087	0.009	0.011	0.005	−0.107	0.004	N
G147.14 + 02.97_01	HD 237211	8.987	0.012	0.490	0.010	−0.507	0.010	···	···	···	···	···	···	N
G148.84 − 00.71_01	HD 024431	6.745	0.034	0.372	0.020	−0.610	0.010	0.362	0.010	−0.097	0.010	−0.004	0.010	N
G160.37 − 13.11_01	ξ Per	4.040	0.024	0.013	0.019	−0.907	0.049	0.072	0.009	0.023	0.011	−0.123	0.005	N
G163.08 − 17.14_01	X Per	6.299	0.310	0.245	0.085	−0.803	0.068	0.254	0.010	−0.074	0.010	−0.277	0.010	C
G164.97 + 12.89_01	HD 041161	6.765	0.010	−0.095	0.021	−0.975	0.035	0.028	0.010	0.008	0.010	−0.110	0.010	N
G169.11 + 03.60_01	BD +39 1328	9.845	0.010	0.570	0.010	−0.460	0.010	···	···	···	···	···	···	N
G170.04 + 00.27_01	HD 034656	6.777	0.023	0.003	0.029	−0.900	0.010	0.091	0.004	0.019	0.003	−0.124	0.003	N
G172.08 − 02.26_01	AE Aur	5.955	0.021	0.225	0.010	−0.705	0.021	0.247	0.010	−0.078	0.010	−0.011	0.010	N
G172.29 + 01.88_01	HD 036483	8.180	0.010	0.430	0.010	−0.550	0.010	···	···	···	···	···	···	N
G172.76 + 00.61_01	HD 035921	6.773	0.064	0.193	0.012	−0.777	0.010	0.220	0.007	−0.038	0.006	−0.080	0.004	N
G173.04 − 00.09_01	HD 035619	8.576	0.021	0.235	0.010	−0.695	0.013	0.255	0.010	−0.033	0.010	−0.058	0.010	M
G173.46 + 03.24_01	HD 037737	8.057	0.051	0.337	0.031	−0.635	0.021	0.313	0.010	−0.078	0.010	−0.009	0.010	N
G173.47 − 01.66_01	HD 242908	9.057	0.023	0.292	0.018	−0.703	0.036	0.267	0.003	−0.030	0.003	−0.115	0.007	N
G173.58 − 01.67_01	HD 242935	9.427	0.010	0.200	0.010	−0.730	0.010	0.218	0.004	−0.019	0.003	−0.067	0.019	M
G173.65 − 01.74_01	HD 242926	9.362	0.016	0.345	0.018	−0.642	0.021	0.313	0.004	−0.049	0.015	−0.089	0.023	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G177.63 − 00.11_01	HD 037366	7.610	0.042	0.095	0.010	−0.750	0.020	0.157	0.010	−0.045	0.010	−0.025	0.010	N
G183.14 + 62.15_01	HD 093521	7.040	0.020	−0.280	0.020	−1.090	0.020	−0.099	0.010	0.059	0.010	−0.136	0.010	N
G185.22 − 05.89_01	HD 036879	7.570	0.010	0.200	0.020	−0.797	0.010	0.211	0.003	−0.031	0.003	−0.091	0.003	N
G190.04 + 00.48_01	HD 042088	7.551	0.012	0.056	0.010	−0.887	0.013	0.123	0.003	−0.016	0.009	−0.117	0.006	N
G192.40 + 03.21_01	HD 044811	8.420	0.010	0.133	0.010	−0.810	0.017	0.186	0.010	−0.033	0.010	−0.048	0.010	N
G194.07 − 05.88_01	HD 039680	7.943	0.081	0.033	0.023	−0.963	0.010	···	···	···	···	···	···	N
G194.15 − 01.98_01	HD 041997	8.410	0.014	0.385	0.010	−0.620	0.014	0.365	0.010	−0.078	0.010	−0.078	0.010	N
G195.05 − 12.00_01	λ Ori A	3.405	0.045	−0.187	0.013	−1.022	0.012	−0.040	0.010	0.052	0.010	−0.068	0.010	N
G196.96 + 01.52_01	HD 045314	6.633	0.012	0.153	0.010	−0.880	0.010	0.195	0.010	−0.056	0.010	−0.211	0.010	M
G202.51 + 17.52_01	HD 060848	6.850	0.020	−0.210	0.020	−1.130	0.020	−0.064	0.010	0.044	0.010	−0.182	0.010	M
G202.94 + 02.20_01	15 Mon	4.649	0.016	−0.247	0.015	−1.057	0.017	−0.096	0.011	0.054	0.014	−0.122	0.012	N
G203.86 − 17.74_01	δ Ori A	2.218	0.030	−0.219	0.010	−1.036	0.040	−0.080	0.004	0.060	0.005	−0.126	0.007	N
G205.81 − 00.55_01	HD 046966	6.877	0.015	−0.050	0.017	−0.917	0.015	0.047	0.005	0.012	0.003	−0.080	0.006	N
G205.87 − 00.31_01	HD 047129	6.062	0.016	0.042	0.035	−0.877	0.027	0.101	0.003	0.022	0.007	−0.118	0.006	N
G206.21 + 00.80_01	HD 048099	6.366	0.014	−0.043	0.011	−0.936	0.031	0.040	0.003	0.019	0.007	−0.116	0.004	N
G206.22 − 02.04_01	HD 046149	7.602	0.038	0.172	0.015	−0.792	0.017	0.204	0.003	−0.041	0.005	−0.079	0.003	N
G206.31 − 02.00_01	HD 046202	8.183	0.018	0.177	0.013	−0.737	0.019	0.207	0.003	−0.022	0.003	−0.037	0.007	M
G206.31 − 02.07_01	HD 046150	6.745	0.022	0.130	0.011	−0.832	0.014	0.163	0.006	−0.007	0.008	−0.117	0.004	N
G206.34 − 02.25_01	HD 046056	8.245	0.021	0.200	0.014	−0.740	0.028	0.210	0.010	−0.035	0.010	−0.079	0.010	N
G206.44 − 02.07_01	HD 046223	7.266	0.019	0.218	0.011	−0.772	0.018	0.233	0.003	−0.033	0.005	−0.110	0.006	N
G206.45 − 16.59_01	ζ Ori	1.756	0.022	−0.208	0.010	−1.058	0.010	−0.061	0.010	0.033	0.010	−0.121	0.010	M
G206.82 − 17.34_01	σ Ori ABC	3.779	0.036	−0.246	0.021	−1.028	0.018	−0.086	0.003	0.054	0.003	−0.084	0.003	N
G206.90 − 01.84_01	HD 046485	8.243	0.038	0.320	0.010	−0.687	0.012	0.303	0.011	−0.055	0.010	−0.086	0.013	N
G208.73 − 02.63_01	HD 046573	7.933	0.015	0.340	0.010	−0.660	0.010	0.317	0.010	−0.053	0.005	−0.080	0.003	N
G209.01 − 19.38_01	θ^1 Ori C	5.135	0.010	0.021	0.034	−0.954	0.010	0.064	0.010	0.037	0.010	−0.161	0.010	M
G209.05 − 19.37_01	θ^2 Ori A	5.075	0.041	−0.091	0.030	−0.939	0.019	0.018	0.003	0.022	0.012	−0.096	0.010	N
G209.52 − 19.58_01	ι Ori A	2.761	0.015	−0.245	0.010	−1.067	0.019	−0.094	0.003	0.058	0.012	−0.116	0.018	N
G210.03 − 02.11_01	HD 047432	6.220	0.022	0.140	0.012	−0.817	0.025	0.184	0.005	−0.044	0.011	−0.087	0.014	N
G210.41 − 01.17_01	HD 048279	7.910	0.056	0.137	0.031	−0.793	0.021	0.173	0.010	−0.004	0.010	−0.095	0.010	N
G216.85 + 00.80_01	HD 052533	7.702	0.014	−0.085	0.010	−0.940	0.019	0.002	0.004	0.011	0.017	−0.029	0.044	N
G219.13 − 00.68_01	HD 052266	7.213	0.029	−0.027	0.029	−0.903	0.010	0.078	0.010	0.000	0.010	−0.093	0.010	N
G224.17 − 00.78_01	HD 054662	6.212	0.010	0.031	0.010	−0.896	0.016	0.097	0.004	−0.005	0.015	−0.108	0.014	N
G224.41 + 02.63_01	HD 057682	6.418	0.016	−0.192	0.019	−1.024	0.015	−0.055	0.003	0.042	0.004	−0.112	0.003	N
G224.73 + 00.35_01	HD 055879	6.018	0.016	−0.174	0.010	−0.977	0.015	−0.043	0.004	0.046	0.004	−0.102	0.004	N
G225.55 − 01.28_01	HD 054879	7.645	0.021	−0.005	0.010	−0.865	0.010	0.074	0.010	0.020	0.010	−0.064	0.010	N
G225.68 − 02.32_01	HD 053975	6.473	0.019	−0.098	0.010	−0.969	0.027	−0.004	0.005	0.039	0.008	−0.133	0.014	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G235.64 − 04.02_01	HD 057236	8.746	0.010	0.193	0.010	−0.720	0.017	0.220	0.010	−0.037	0.010	−0.067	0.010	N
G237.29 − 27.10_01	μ Col	5.168	0.010	−0.273	0.015	−1.083	0.032	−0.117	0.003	0.059	0.003	−0.110	0.003	N
G237.82 − 05.37_01	CW CMa	4.967	0.029	−0.150	0.010	−1.000	0.010	−0.058	0.004	0.101	0.005	−0.178	0.006	C
G238.18 − 05.54_01	τ CMa	4.391	0.031	−0.155	0.010	−0.991	0.010	−0.045	0.007	0.056	0.014	−0.132	0.010	N
G243.14 + 00.71_01	HD 064568	9.395	0.030	0.074	0.032	−0.879	0.031	0.133	0.010	−0.003	0.010	−0.140	0.010	N
G243.16 + 00.36_01	HD 064315	9.223	0.031	0.229	0.018	−0.740	0.024	0.223	0.010	−0.012	0.010	−0.103	0.010	N
G243.82 + 00.14_01	CPD -26 2716	···	···	···	···	···	···	···	···	···	···	···	···	···
G245.45 − 00.10_01	CPD -28 2561	···	···	···	···	···	···	···	···	···	···	···	···	···
G253.61 − 00.30_01	HD 069464	8.805	0.025	0.305	0.013	−0.645	0.037	0.291	0.010	0.000	0.010	−0.052	0.010	N
G254.47 − 02.02_01	HD 068450	6.443	0.013	−0.014	0.010	−0.868	0.022	0.074	0.003	0.008	0.014	−0.089	0.003	N
G255.98 − 04.71_01	ζ Pup	2.256	0.019	−0.276	0.012	−1.108	0.013	−0.146	0.010	0.115	0.010	−0.198	0.010	C
G258.29 + 04.18_01	HD 075222	7.416	0.019	0.380	0.010	−0.583	0.045	0.368	0.010	−0.083	0.010	−0.047	0.010	N
G260.18 + 00.64_01	HD 073882	7.212	0.015	0.392	0.016	−0.520	0.037	0.341	0.010	−0.021	0.010	−0.013	0.010	M
G261.76 − 03.77_01	HD 071304	8.267	0.041	0.530	0.012	−0.466	0.045	0.469	0.010	−0.124	0.010	−0.045	0.010	N
G262.80 + 01.25_01	HD 075759	5.991	0.010	−0.099	0.010	−0.937	0.015	−0.008	0.003	0.053	0.015	−0.111	0.016	N
G263.53 + 01.52_01	HD 076341	7.159	0.020	0.302	0.010	−0.635	0.032	0.296	0.010	−0.045	0.010	−0.036	0.010	N
G263.96 − 00.47_01	HD 075211	7.509	0.012	0.397	0.010	−0.583	0.049	0.365	0.010	−0.069	0.010	−0.046	0.010	N
G264.04 − 01.95_01	HD 074194	7.550	0.017	0.225	0.010	−0.738	0.037	0.228	0.010	−0.009	0.010	−0.110	0.010	N
G267.58 − 01.63_01	HD 076556	8.198	0.021	0.403	0.014	−0.594	0.038	0.353	0.010	−0.047	0.010	−0.077	0.010	N
G267.98 − 01.36_01	CPD -47 2963	8.388	0.020	···	···	···	···	0.721	0.010	−0.129	0.010	−0.040	0.010	N
G270.22 − 03.37_01	HD 076968	7.085	0.017	0.133	0.021	−0.800	0.030	0.152	0.010	0.016	0.010	−0.134	0.010	N
G274.47 − 00.25_01	HD 298429	9.671	0.022	0.562	0.015	−0.483	0.055	···	···	···	···	···	···	N
G279.69 + 04.45_01	HD 089137	7.975	0.010	−0.045	0.019	−0.928	0.028	0.050	0.010	0.015	0.010	−0.101	0.010	N
G285.16 − 02.13_01	HD 090087	7.780	0.020	−0.003	0.015	−0.890	0.026	0.074	0.010	0.029	0.010	−0.132	0.010	N
G285.52 − 00.05_01	HD 091572	8.222	0.023	0.036	0.011	−0.867	0.035	0.111	0.006	0.011	0.009	−0.095	0.006	N
G285.70 + 00.07_01	HD 091824	8.173	0.034	−0.055	0.010	−0.953	0.040	0.033	0.010	0.030	0.010	−0.122	0.010	N
G285.92 + 00.99_01	HD 092504	8.418	0.013	−0.053	0.013	−0.928	0.017	0.050	0.010	0.014	0.010	−0.113	0.010	N
G286.22 − 00.17_01	HD 092206 AB	7.818	0.048	0.148	0.013	−0.810	0.031	···	···	···	···	···	···	M
G286.22 − 00.18_01	HD 092206 C	···	···	···	···	···	···	···	···	···	···	···	···	···
G286.55 − 01.72_01	HD 091651	8.850	0.010	−0.010	0.010	−0.893	0.025	···	···	···	···	···	···	N
G287.34 + 01.27_01	HD 094024	8.716	0.010	0.130	0.020	−0.817	0.023	0.187	0.010	−0.017	0.010	−0.136	0.010	M
G287.39 − 00.59_01	CPD -58 2611	9.618	0.010	0.305	0.030	−0.725	0.010	···	···	···	···	···	···	N
G287.40 − 00.58_01	HD 093128	8.783	0.051	0.240	0.010	−0.755	0.021	···	···	···	···	···	···	···
G287.41 − 00.36_01	HD 093249	8.365	0.010	0.135	0.010	−0.775	0.035	0.179	0.010	0.025	0.010	−0.119	0.010	N
G287.41 − 00.56_01	CPD -58 2620	9.335	0.092	0.175	0.010	−0.750	0.020	···	···	···	···	···	···	C
G287.41 − 00.57_01	HD 093129 A	7.010	0.035	0.207	0.042	−0.777	0.015	0.237	0.008	−0.004	0.003	−0.146	0.025	M

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G287.41 − 00.57_02	HD 093129 B	...	...	...	...	...	...	...	...	...	...	...	...	...
G287.44 − 00.59_01	HD 093160	7.815	0.010	0.170	0.010	−0.770	0.020	0.216	0.010	−0.001	0.010	−0.119	0.010	M
G287.44 − 00.59_02	HD 093161 AB	7.830	0.014	0.215	0.010	−0.700	0.020	0.246	0.010	−0.029	0.010	−0.100	0.010	M
G287.48 − 00.54_01	HD 303311	9.030	0.028	0.140	0.014	−0.860	0.020	0.173	0.010	−0.016	0.010	−0.140	0.010	N
G287.51 − 00.54_01	HD 093250	7.366	0.010	0.166	0.013	−0.830	0.043	0.200	0.006	−0.011	0.006	−0.159	0.003	N
G287.54 − 00.34_01	HD 093403	7.272	0.022	0.212	0.013	−0.747	0.061	0.227	0.003	0.010	0.007	−0.148	0.003	N
G287.57 − 00.71_01	HD 093204	8.443	0.021	0.095	0.013	−0.880	0.010	0.145	0.010	0.004	0.010	−0.161	0.010	M
G287.57 − 00.71_02	HD 093205	7.747	0.010	0.060	0.017	−0.907	0.010	0.117	0.015	0.013	0.016	−0.163	0.003	N
G287.57 − 00.86_01	HD 093130	8.068	0.037	0.230	0.025	−0.728	0.039	...	...	...	...	...	...	N
G287.59 − 00.61_01	HD 303308	8.160	0.013	0.136	0.014	−0.833	0.067	0.195	0.010	−0.020	0.010	−0.132	0.010	N
G287.59 − 00.69_01	CPD -59 2603	8.765	0.010	0.140	0.010	−0.795	0.010	0.187	0.010	−0.007	0.010	−0.113	0.010	M
G287.60 − 00.74_01	CPD -59 2600	8.620	0.027	0.210	0.022	−0.747	0.058	0.241	0.010	−0.029	0.010	−0.134	0.010	N
G287.61 − 01.13_01	HD 093027	8.720	0.010	−0.020	0.028	−0.880	0.028	...	...	...	...	...	...	N
G287.64 − 00.65_01	CPD -59 2641	9.265	0.035	0.325	0.010	−0.705	0.021	0.314	0.010	−0.060	0.010	−0.105	0.010	N
G287.64 − 00.67_01	CPD -59 2636	9.285	0.035	0.335	0.035	−0.675	0.021	0.345	0.010	−0.075	0.010	−0.075	0.010	N
G287.64 − 00.68_01	HD 093343	9.520	0.071	0.275	0.021	−0.770	0.020	0.274	0.010	−0.069	0.010	−0.091	0.010	N
G287.64 − 00.68_02	CPD -59 2635	9.270	0.036	0.247	0.015	−0.757	0.012	0.270	0.010	−0.048	0.010	−0.100	0.010	M
G287.64 − 01.19_01	HD 093028	8.362	0.021	−0.072	0.015	−0.914	0.059	0.008	0.010	0.059	0.010	−0.137	0.010	N
G287.66 − 00.90_01	HD 305523	8.493	0.010	0.153	0.019	−0.785	0.041	...	...	...	...	...	...	N
G287.67 − 00.94_01	HD 093206	6.306	0.069	0.130	0.013	−0.808	0.036	0.173	0.004	−0.013	0.015	−0.133	0.020	N
G287.67 − 01.05_01	HD 093146	8.433	0.021	0.017	0.015	−0.910	0.010	...	...	...	...	...	...	N
G287.74 − 01.02_01	HD 093222	8.102	0.017	0.045	0.033	−0.862	0.045	...	...	...	...	...	...	N
G287.78 − 00.84_01	HD 305532	10.197	0.010	0.350	0.010	−0.717	0.021	...	...	...	...	...	...	N
G287.84 − 00.73_01	Feinstein 97	...	...	...	...	...	...	...	...	...	...	...	...	...
G287.94 − 00.88_01	HD 305539	9.900	0.010	0.300	0.042	−0.710	0.042	...	...	...	...	...	...	M
G288.01 + 00.63_01	HD 094370	7.943	0.015	0.077	0.012	−0.823	0.015	0.134	0.006	0.000	0.017	−0.090	0.005	M
G288.03 − 00.87_01	HD 093632	8.357	0.038	0.292	0.032	−0.735	0.023	0.285	0.010	−0.056	0.010	0.170	0.010	N
G288.05 + 00.40_01	HD 303492	8.851	0.016	0.562	0.026	−0.480	0.041	0.472	0.010	−0.068	0.010	−0.160	0.010	N
G288.22 − 00.96_01	HD 305619	9.422	0.013	0.437	0.023	−0.553	0.050	...	...	...	...	...	...	N
G288.24 − 00.90_01	HD 093843	7.319	0.022	−0.030	0.024	−0.936	0.043	0.033	0.010	0.058	0.010	−0.168	0.010	N
G289.28 + 03.06_01	HD 096917	7.079	0.026	0.079	0.010	−0.827	0.047	0.106	0.010	0.060	0.010	−0.160	0.010	N
G289.76 − 01.81_01	HD 094963	7.165	0.045	−0.087	0.010	−0.940	0.054	0.016	0.010	0.053	0.010	−0.147	0.010	N
G289.77 − 01.22_01	LSS 2063	...	...	...	...	...	...	...	...	...	...	...	...	...
G290.09 + 00.57_01	HD 096622	8.907	0.029	0.153	0.038	−0.780	0.094	0.201	0.011	−0.040	0.045	−0.085	0.034	N
G290.20 + 00.40_01	HD 096670	7.446	0.042	0.129	0.056	−0.763	0.052	0.173	0.010	0.023	0.010	−0.143	0.010	N
G290.27 + 00.33_01	HD 096715	8.256	0.013	0.097	0.021	−0.852	0.050	0.157	0.010	−0.003	0.010	−0.136	0.010	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G290.40 − 00.80_01	HD 096264	7.607	0.024	−0.063	0.014	−0.942	0.021	0.041	0.012	0.023	0.011	−0.095	0.016	N
G290.51 − 02.24_01	HD 095589	9.647	0.016	0.257	0.019	−0.688	0.043	0.272	0.010	−0.045	0.010	−0.106	0.010	N
G290.67 + 00.19_01	HD 097166	7.888	0.024	0.065	0.013	−0.832	0.067	0.130	0.006	0.002	0.016	−0.122	0.003	N
G290.73 − 00.34_01	HD 096946	8.444	0.025	0.210	0.010	−0.717	0.031	0.238	0.007	−0.042	0.018	−0.110	0.015	N
G290.74 + 01.53_01	HD 097848	8.677	0.017	−0.010	0.010	−0.900	0.030	0.075	0.010	0.015	0.010	−0.111	0.010	N
G290.79 + 00.09_01	HD 097253	7.110	0.014	0.160	0.024	−0.802	0.035	0.180	0.003	−0.026	0.008	−0.099	0.003	N
G291.04 − 00.15_01	HD 097434	8.073	0.011	0.161	0.016	−0.788	0.024	0.197	0.011	−0.019	0.026	−0.118	0.033	N
G291.62 − 00.52_01	NGC 3603/HST-16	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_02	NGC 3603/HST-33	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_03	NGC 3603/HST-36	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_04	NGC 3603/HST-37	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_05	NGC 3603/HST-38	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_06	NGC 3603/HST-40	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_07	NGC 3603/HST-41	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_08	NGC 3603/HST-42	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_09	NGC 3603/HST-45	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_10	NGC 3603/HST-A2	···	···	···	···	···	···	···	···	···	···	···	···	···
G291.62 − 00.52_11	NGC 3603/HST-A3	···	···	···	···	···	···	···	···	···	···	···	···	···
G293.61 − 01.28_01	HD 099897	8.354	0.024	0.156	0.018	−0.785	0.029	0.182	0.008	−0.002	0.008	−0.141	0.007	N
G294.78 − 01.49_01	HD 101190	7.313	0.032	0.050	0.019	−0.852	0.037	0.101	0.007	0.027	0.010	−0.136	0.024	N
G294.78 − 01.62_01	HD 101131	7.142	0.025	0.024	0.017	−0.895	0.019	0.097	0.005	0.006	0.013	−0.113	0.018	N
G294.81 − 01.49_01	HD 101223	8.692	0.015	0.160	0.014	−0.740	0.018	0.187	0.006	−0.000	0.013	−0.080	0.016	N
G294.81 − 04.14_01	HD 100213	8.307	0.078	0.047	0.015	−0.860	0.030	0.117	0.010	−0.007	0.010	−0.135	0.010	N
G294.84 − 01.68_01	HD 101191	8.491	0.014	0.048	0.026	−0.857	0.023	0.119	0.007	0.002	0.013	−0.108	0.013	N
G294.85 − 01.65_01	HD 101205	6.460	0.026	0.045	0.024	−0.863	0.025	0.109	0.006	0.011	0.009	−0.108	0.015	N
G294.88 − 00.81_01	HD 101545 A	6.367	0.042	0.019	0.012	−0.864	0.032	0.095	0.004	0.004	0.019	−0.106	0.022	M
G294.94 − 01.69_01	HD 101298	8.069	0.012	0.072	0.017	−0.827	0.018	0.128	0.006	0.002	0.019	−0.127	0.017	N
G295.03 − 01.71_01	HD 101413	8.350	0.010	0.072	0.012	−0.792	0.030	0.127	0.007	−0.000	0.020	−0.064	0.023	N
G295.04 − 01.71_01	HD 101436	7.595	0.041	0.066	0.026	−0.824	0.036	0.120	0.004	0.003	0.015	−0.113	0.018	N
G295.30 + 00.45_01	HD 102415	9.147	0.021	0.120	0.017	−0.777	0.021	···	···	···	···	···	···	M
G296.51 + 04.02_01	HD 104565	9.265	0.045	0.362	0.015	−0.612	0.036	0.340	0.010	−0.083	0.010	−0.085	0.010	N
G297.40 − 00.32_01	HD 104649	7.945	0.205	0.015	0.010	−0.815	0.106	0.093	0.004	0.013	0.003	0.093	0.006	N
G298.15 − 00.10_01	HD 105627	8.140	0.029	0.042	0.017	−0.870	0.028	0.116	0.010	−0.007	0.010	−0.113	0.010	N
G298.95 − 07.06_01	HD 105056	7.438	0.078	0.068	0.010	−0.850	0.041	0.117	0.010	0.019	0.010	−0.144	0.010	N
G303.55 + 06.03_01	HD 112244	5.384	0.038	0.018	0.016	−0.847	0.051	0.081	0.003	0.017	0.010	−0.136	0.006	N
G304.67 − 02.49_01	θ Mus B	···	···	···	···	···	···	···	···	···	···	···	···	···

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G304.88 − 16.13_01	HD 116852	8.470	0.020	−0.090	0.020	−0.090	0.020	···	···	···	···	···	···	N
G305.41 − 00.82_01	HD 114737	7.995	0.023	0.172	0.013	−0.755	0.029	0.224	0.010	−0.049	0.010	−0.077	0.010	N
G305.52 − 00.83_01	HD 114886	6.859	0.028	0.110	0.014	−0.803	0.026	0.169	0.005	−0.022	0.016	−0.089	0.022	M
G305.76 + 00.15_01	V961 Cen	7.961	0.027	0.230	0.016	−0.706	0.031	0.258	0.003	−0.060	0.007	−0.034	0.005	N
G306.06 + 00.22_01	HD 115455	···	···	···	···	···	···	···	···	···	···	···	···	···
G307.01 + 02.80_01	HD 116282	9.666	0.018	0.387	0.010	−0.603	0.038	···	···	···	···	···	···	M
G307.77 − 00.87_01	HD 117856	7.379	0.039	0.212	0.010	−0.678	0.039	···	···	···	···	···	···	N
G307.86 + 00.04_01	HD 117797	9.195	0.010	0.485	0.021	−0.545	0.021	···	···	···	···	···	···	N
G307.88 + 01.66_01	HD 117490	8.903	0.028	0.032	0.010	−0.835	0.045	···	···	···	···	···	···	N
G307.96 − 01.22_01	HD 118198	8.472	0.018	0.180	0.014	−0.735	0.021	···	···	···	···	···	···	M
G309.91 − 00.69_01	HD 120678	7.872	0.193	0.130	0.072	−0.916	0.030	···	···	···	···	···	···	N
G310.73 + 03.42_01	HD 120521	8.573	0.066	0.228	0.021	−0.697	0.038	···	···	···	···	···	···	N
G311.02 − 02.80_01	HD 123008	8.838	0.040	0.370	0.020	−0.613	0.048	0.400	0.010	−0.176	0.010	−0.068	0.010	C
G311.95 − 01.00_01	HD 123590	7.620	0.020	0.140	0.020	−0.830	0.020	0.203	0.010	−0.058	0.010	−0.109	0.010	N
G312.17 + 01.03_01	HD 123056	8.143	0.033	0.140	0.014	−0.745	0.021	0.195	0.010	−0.074	0.010	−0.028	0.010	N
G312.67 − 00.43_01	HD 124314	6.640	0.020	0.210	0.020	···	···	···	···	···	···	···	···	M
G313.45 − 00.03_01	HD 125206	7.920	0.020	0.260	0.020	−0.710	0.020	0.262	0.010	−0.074	0.010	−0.028	0.010	N
G313.54 + 00.14_01	HD 125241	8.276	0.025	0.490	0.018	−0.538	0.041	···	···	···	···	···	···	N
G315.37 − 00.08_01	CPD -59 5634	9.508	0.014	0.747	0.010	−0.277	0.031	···	···	···	···	···	···	N
G316.40 + 09.08_01	HD 124979	8.515	0.021	0.105	0.021	−0.800	0.071	0.128	0.010	−0.005	0.010	−0.118	0.010	N
G318.77 + 02.77_01	HD 130298	9.254	0.020	0.430	0.020	−0.568	0.039	0.394	0.010	−0.134	0.010	−0.057	0.010	N
G319.69 − 02.91_01	δ Cir	5.076	0.012	−0.066	0.010	−0.923	0.015	0.017	0.003	0.027	0.003	−0.110	0.008	N
G320.13 − 02.64_01	HD 135591	5.457	0.028	−0.085	0.013	−0.930	0.042	0.009	0.003	0.030	0.003	−0.123	0.010	N
G327.56 − 00.83_01	Muzzio 116	···	···	···	···	···	···	···	···	···	···	···	···	···
G336.37 − 00.22_01	HD 148937	6.728	0.013	0.343	0.027	−0.661	0.018	0.318	0.010	−0.031	0.010	−0.124	0.010	N
G336.71 − 01.57_01	HD 150135	6.882	0.013	0.156	0.032	−0.792	0.033	0.209	0.010	−0.056	0.010	−0.085	0.010	M
G336.71 − 01.57_02	HD 150136	5.540	0.136	0.160	0.022	−0.788	0.027	0.196	0.005	−0.032	0.016	−0.115	0.003	N
G337.47 + 00.03_01	HD 149452	9.062	0.010	0.567	0.032	−0.415	0.024	···	···	···	···	···	···	N
G338.56 − 01.15_01	HD 150958	7.294	0.013	0.341	0.020	−0.630	0.027	0.306	0.014	0.013	0.011	−0.132	0.009	N
G339.00 − 00.20_01	HD 150574	8.497	0.027	0.230	0.010	−0.713	0.015	0.247	0.010	−0.018	0.010	−0.121	0.010	N
G339.38 + 02.51_01	μ Nor	4.910	0.038	0.078	0.041	−0.862	0.069	0.131	0.003	−0.018	0.009	−0.082	0.012	N
G339.51 − 00.41_01	HD 151018	8.717	0.031	0.623	0.010	−0.410	0.025	0.534	0.003	−0.107	0.004	−0.073	0.003	N
G340.54 + 03.01_01	HD 149404	5.476	0.015	0.393	0.018	−0.617	0.040	0.343	0.011	−0.038	0.031	−0.109	0.006	N
G341.06 − 04.22_01	HD 154811	6.921	0.011	0.394	0.011	−0.602	0.017	···	···	···	···	···	···	N
G341.11 − 00.94_01	HD 152386	8.127	0.010	0.512	0.017	−0.488	0.020	···	···	···	···	···	···	N
G342.57 − 04.39_01	HD 155756	9.287	0.016	0.530	0.010	−0.460	0.017	···	···	···	···	···	···	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G342.72 + 02.41_01	HD 151003	7.070	0.021	0.180	0.014	−0.763	0.020	···	···	···	···	···	···	N
G342.81 + 01.70_01	HD 151515	7.169	0.019	0.158	0.022	−0.765	0.031	0.178	0.003	−0.005	0.004	−0.104	0.013	N
G343.15 + 01.10_01	HD 152147	7.278	0.032	0.396	0.028	−0.580	0.035	0.367	0.006	−0.063	0.003	−0.058	0.018	N
G343.33 + 01.41_01	HD 152003	7.031	0.034	0.374	0.022	−0.592	0.035	0.368	0.005	−0.086	0.010	−0.052	0.003	N
G343.36 + 00.89_01	HD 152424	6.312	0.024	0.400	0.034	−0.577	0.033	0.369	0.010	−0.064	0.010	−0.068	0.010	N
G343.38 + 07.15_01	HD 148546	7.718	0.019	0.290	0.015	−0.693	0.023	···	···	···	···	···	···	N
G343.39 + 01.18_01	HD 152219	7.648	0.047	0.158	0.019	−0.752	0.032	0.195	0.010	−0.026	0.010	−0.066	0.010	N
G343.45 + 01.16_01	HD 152249	6.463	0.024	0.193	0.038	−0.754	0.050	0.221	0.006	−0.023	0.010	−0.100	0.007	M
G343.46 + 01.17_01	CPD -41 7733	···	···	···	···	···	···	···	···	···	···	···	···	···
G343.46 + 01.18_01	HD 152248	6.132	0.038	0.140	0.011	−0.797	0.014	0.159	0.006	0.013	0.008	−0.119	0.009	N
G343.48 + 01.15_01	CPD -41 7742	···	···	···	···	···	···	···	···	···	···	···	···	···
G343.48 + 01.22_01	HD 152233	6.557	0.075	0.133	0.012	−0.795	0.010	···	···	···	···	···	···	N
G343.49 + 01.14_01	HD 326331	7.465	0.064	0.170	0.026	−0.743	0.012	0.203	0.010	−0.007	0.010	−0.102	0.010	N
G343.52 + 01.14_01	HD 152314	7.889	0.062	0.185	0.015	−0.700	0.024	0.218	0.004	−0.032	0.006	−0.036	0.013	N
G343.53 + 01.28_01	HD 152218	7.606	0.026	0.172	0.015	−0.750	0.016	0.207	0.010	−0.032	0.010	−0.063	0.010	N
G343.61 + 01.30_01	HD 152247	7.172	0.015	0.185	0.017	−0.728	0.019	0.231	0.005	−0.047	0.010	−0.065	0.003	N
G343.62 + 01.94_01	HD 151804	5.232	0.014	0.066	0.013	−0.838	0.039	0.098	0.008	0.052	0.019	−0.146	0.019	N
G344.03 + 01.67_01	HD 152246	7.316	0.023	0.163	0.019	−0.761	0.020	0.205	0.010	−0.046	0.010	−0.084	0.010	N
G344.08 + 01.49_01	HD 152408	5.792	0.017	0.157	0.011	−0.764	0.024	0.137	0.014	0.093	0.026	−0.155	0.021	C
G344.56 + 01.89_01	HD 152405	7.201	0.019	0.122	0.014	−0.783	0.029	0.178	0.010	−0.025	0.010	−0.089	0.010	N
G344.62 + 01.61_01	HD 152623	···	···	···	···	···	···	0.152	0.010	−0.018	0.010	−0.104	0.010	N
G344.81 + 01.61_01	HD 152723	7.208	0.080	0.129	0.020	−0.808	0.018	0.176	0.010	−0.041	0.010	−0.117	0.010	N
G344.84 + 01.83_01	HD 152590	8.444	0.042	0.133	0.015	−0.807	0.027	0.185	0.007	−0.039	0.006	−0.095	0.004	N
G345.26 + 01.47_01	HD 322417	10.155	0.078	0.842	0.038	−0.330	0.042	0.688	0.010	−0.150	0.010	−0.082	0.010	N
G345.29 − 02.61_01	HD 155913	8.257	0.012	0.477	0.010	−0.547	0.015	···	···	···	···	···	···	N
G345.35 − 03.08_01	HD 156292	7.509	0.015	0.264	0.011	−0.672	0.025	0.279	0.010	−0.087	0.010	0.001	0.010	N
G347.14 + 02.38_01	HD 153426	7.470	0.020	0.140	0.020	−0.820	0.020	···	···	···	···	···	···	N
G347.75 + 02.17_01	HD 153919	6.547	0.031	0.262	0.010	−0.722	0.022	···	···	···	···	···	···	N
G348.73 − 00.80_01	LSS 4067	···	···	···	···	···	···	···	···	···	···	···	···	···
G349.97 + 03.22_01	HD 154368	6.133	0.028	0.498	0.059	−0.502	0.086	0.453	0.008	−0.109	0.003	−0.044	0.042	N
G350.54 + 03.19_01	HD 154643	7.165	0.024	0.278	0.010	−0.668	0.022	···	···	···	···	···	···	N
G351.03 + 00.65_01	HD 319703 A	10.682	0.039	1.162	0.027	0.030	0.031	···	···	···	···	···	···	N
G351.03 + 00.66_01	HD 319703 B	11.137	0.050	1.217	0.066	0.105	0.059	···	···	···	···	···	···	···
G351.18 + 00.48_01	HD 156738	9.363	0.010	0.894	0.022	−0.168	0.031	···	···	···	···	···	···	N
G351.22 + 01.36_01	HD 156154	8.051	0.015	0.601	0.016	−0.444	0.030	0.497	0.010	−0.066	0.010	−0.095	0.010	N
G351.32 + 00.92_01	HD 319699	9.623	0.010	0.792	0.017	−0.255	0.024	···	···	···	···	···	···	N

Table 10—Continued

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G351.35 + 00.61_01	HD 319702	10.118	0.053	0.930	0.024	−0.140	0.027	···	···	···	···	···	···	N
G352.50 + 02.67_01	HD 155889	6.553	0.010	−0.016	0.010	−0.880	0.021	···	···	···	···	···	···	N
G352.59 + 02.87_01	HD 155806	5.527	0.010	0.002	0.010	−0.954	0.029	0.082	0.005	−0.020	0.006	−0.148	0.018	M
G353.17 + 00.89_01	Pismis 24-1	10.372	0.063	1.496	0.051	0.391	0.047	···	···	···	···	···	···	N
G353.17 + 00.89_02	Pismis 24-17	14.500	0.020	0.840	0.020	0.100	0.020	···	···	···	···	···	···	···
G355.36 − 06.10_01	HD 163758	7.325	0.018	0.027	0.013	−0.887	0.022	···	···	···	···	···	···	N
G355.67 + 00.05_01	HD 159176	5.694	0.035	0.041	0.015	−0.868	0.019	0.098	0.009	−0.007	0.012	−0.104	0.032	N
G355.91 + 01.60_01	HD 158186	7.003	0.019	0.024	0.010	−0.853	0.019	···	···	···	···	···	···	N
G357.59 + 05.83_01	HD 156212	7.913	0.019	0.510	0.021	−0.530	0.037	···	···	···	···	···	···	N
G358.42 − 01.88_01	HD 161853	7.923	0.027	0.225	0.010	−0.688	0.033	···	···	···	···	···	···	N

Table 11. Supplement: UBV and Strömgen photometry

GOS ID	other ID	V	σ_V	$B-V$	σ_{B-V}	$U-B$	σ_{U-B}	$b-y$	σ_{b-y}	m_1	σ_{m_1}	c_1	σ_{c_1}	D
G072.65 + 02.07_01	WR 133	6.793	0.057	0.134	0.026	−0.767	0.018	0.086	0.008	0.160	0.071	−0.211	0.028	W
G076.60 + 01.43_01	V444 Cyg	8.000	0.010	0.515	0.021	−0.385	0.010	···	···	···	···	···	···	W
G080.93 + 04.18_01	WR 140	6.875	0.021	0.395	0.035	−0.325	0.049	···	···	···	···	···	···	W
G102.78 − 00.65_01	GP Cep	9.027	0.012	0.390	0.010	−0.550	0.010	···	···	···	···	···	···	W
G262.80 − 07.69_01	γ^2 Vel	1.798	0.020	−0.240	0.020	−0.970	0.020	−0.431	0.010	0.671	0.010	−0.457	0.010	W
G287.17 − 00.85_01	WR 22	6.420	0.022	0.078	0.010	−0.830	0.010	−0.007	0.012	0.287	0.018	−0.229	0.026	W
G304.67 − 02.49_02	θ Mus A	5.525	0.058	−0.027	0.018	−0.854	0.029	−0.117	0.006	0.390	0.008	−0.321	0.022	W
G343.49 + 01.16_01	WR 79	6.615	0.091	0.170	0.054	−0.527	0.033	−0.697	0.066	1.700	0.033	−0.810	0.033	W

Table 12. Main catalog: Other information

GOS ID	other ID	d_1 (″)	d_2 (″)	SB	mult.	$d_{\rm min}$ (″)	$d_{\rm max}$ (″)	group	runaway	ref.
G001.91 − 02.62_01	HD 164019	49.3	> 100	···	···	···	···	Field:	no:	M04
G004.54 + 00.30_01	HD 162978	> 100	> 100	C	1	···	···	Sgr OB1	no	M98
G005.82 − 06.31_01	HD 168941	> 100	> 100	···	···	···	···	Field:	no:	M04
G005.97 − 01.17_01	Herschel 36	···	> 100	···	···	···	···	NGC 6530,Sgr OB1	no	H64,W82
G006.01 − 01.20_01	9 Sgr	> 100	> 100	SB2?	1	···	···	Sgr OB1	no	M98
G006.06 − 01.20_01	HD 164816	> 100	> 100	SB2?	1	···	···	Sgr OB1	no	M98
G006.12 − 01.48_01	HD 165052	> 100	> 100	SB2O	1	···	···	Sgr OB1	no	M98
G006.28 + 23.59_01	ζ Oph	> 100	> 100	C	1	···	···	Sco OB2	yes	H01
G006.40 − 01.56_01	HD 165246	> 100	> 100	U	2	1.9	1.9	Sgr OB1	no	M98
G006.94 − 02.10_01	HD 165921	> 100	> 100	SB2OE	1	···	···	Sgr OB1	no	M98
G007.00 − 00.25_01	HD 164492	6.2	> 100	SB1?	7	2.3	29.6	Sgr OB1	no	M98
G007.05 + 00.69_01	HD 163800	61.7	> 100	U	1	···	···	Sgr OB1	no	M98
G007.15 + 00.62_01	HD 163892	> 100	> 100	SB1?	1	···	···	Sgr OB1	no	M98
G007.36 − 00.85_01	HD 313846	35.2	> 100	···	···	···	···	Sgr OB1:	no	M04
G010.35 + 01.79_01	HD 164438	> 100	> 100	U	1	···	···	Sgr OB1	no	M98
G010.36 − 00.92_01	HD 166546	> 100	> 100	C	1	···	···	Sgr OB1	no	M98
G010.46 − 01.74_01	HD 167264	> 100	> 100	C	1	···	···	Sgr OB7	no	M98
G010.76 − 01.58_01	HD 167263	> 100	> 100	SB1?	3	0.05	6.0	Sgr OB7	no	M98
G012.20 − 01.27_01	HD 167659	> 100	> 100	C	2	0.08	0.08	Sgr OB4	no	M98
G012.70 − 01.13_01	HD 167771	97.9	> 100	SB2O	2	8.4	8.4	Sgr OB4	no	M98
G012.97 + 13.31_01	HD 157857	> 100	> 100	C	1	···	···	Field:	yes	M98
G014.34 − 00.07_01	HD 167633	> 100	> 100	SB1?	1	···	···	Sgr OB1	no	M98
G015.28 − 10.58_01	HD 175876	> 100	> 100	C	2	17.0	17.0	Field	no	M98
G016.39 − 09.92_01	HD 175754	> 100	> 100	C	1	···	···	Field	no	M98
G016.94 + 00.84_01	HD 168075	26.5	26.5	···	···	···	···	NGC 6611,Ser OB1	no	H64,H93
G016.94 + 00.84_02	HD 168076	26.5	26.5	···	···	···	···	NGC 6611,Ser OB1	no	H64,H93
G016.98 + 00.85_01	BD -13 4927	17.0	> 100	···	···	···	···	NGC 6611,Ser OB1	no	H64,W82
G018.25 + 01.68_01	HD 167971	30.2	> 100	SBE	1	···	···	NGC 6604,Ser OB2	no	H64,M98
G018.44 + 01.62_01	HD 168112	> 100	> 100	···	···	···	···	Ser OB2	no	H64
G018.65 − 03.09_01	HD 171589	> 100	> 100	···	···	···	···	Field:	no:	M04
G018.71 − 00.13_01	HD 169515	> 100	> 100	SB2OE	1	···	···	Field	no	M98
G018.92 + 03.63_01	HD 166734	> 100	> 100	···	···	···	···	Field:	no:	M04
G019.08 + 02.14_01	BD -11 4586	> 100	> 100	···	···	···	···	Ser OB2	no	H64
G021.33 + 01.20_01	HD 169582	> 100	> 100	···	···	···	···	Field:	no:	M04
G023.73 − 02.49_01	HD 173010	> 100	> 100	···	···	···	···	Field:	no:	M04
G024.18 − 03.34_01	HD 173783	> 100	> 100	···	···	···	···	Field:	no:	M04
G024.53 − 00.85_01	HD 172175	95.0	> 100	···	···	···	···	Field:	no:	M04
G056.48 − 04.33_01	9 Sge	> 100	> 100	SB1?	1	···	···	Field:	yes	M98
G059.40 − 00.15_01	BD +22 3782	53.3	> 100	···	···	···	···	NGC 6823,Vul OB1	no	H64,G92
G067.39 + 03.66_01	HD 186980	> 100	> 100	C	1	···	···	Cyg OB5:	no	H64
G071.34 + 03.07_01	HD 226868	55.0	> 100	SB1OE	1	···	···	Cyg OB3	no	M98
G072.47 + 02.02_01	HD 190864	69.5	> 100	SB1?	4	10.3	69.5	NGC 6871,Cyg OB3	no	H64,M98
G072.59 + 02.61_01	HD 190429 A	2.0	> 100	C	5	0.09	42.5	Cyg OB3	no	G92,M98
G072.75 + 01.78_01	HD 191201	1.0	> 100	SB2O	3	0.98	5.4	NGC 6871,Cyg OB3	no	H64,M98
G072.99 + 01.43_01	HD 191612	> 100	> 100	C	1	···	···	Cyg OB3	no	M98
G074.90 + 01.48_01	HD 192639	> 100	> 100	C	1	···	···	Cyg OB1	no	M98
G075.19 + 00.96_01	HD 228766	> 100	> 100	···	···	···	···	Cyg OB1:	no	M04
G076.15 + 01.28_01	HD 193443 AB	> 100	> 100	SB1?	3	0.15	8.8	Cyg OB1	no	M98

Table 12—Continued

GOS ID	other ID	d_1 (″)	d_2 (″)	SB	mult.	$d_{\rm min}$ (″)	$d_{\rm max}$ (″)	group	runaway	ref.
G076.17 − 00.34_01	BD +36 4063	> 100	> 100	···	···	···	···	Cyg OB1	no	G92
G076.60 + 01.68_01	HD 228841	66.7	> 100	···	···	···	···	Cyg OB1	no	G92
G077.00 + 01.80_01	HD 193514	> 100	> 100	C	1	···	···	Cyg OB1	no	M98
G077.12 + 03.40_01	HD 192281	> 100	> 100	C	1	···	···	Cyg OB8	yes	H01,M98
G077.20 + 00.92_01	HD 194280	> 100	> 100	···	···	···	···	Cyg OB1	no	G92
G077.25 − 06.23_01	Y Cyg	83.3	> 100	SB2OE	1	···	···	Field:	yes	M98
G077.40 + 00.93_01	HD 229232	37.2	> 100	···	···	···	···	Cyb OB1	no	M04
G077.43 + 06.17_01	HD 189957	> 100	> 100	C	1	···	···	Field:	yes	M98
G077.87 + 04.25_01	HD 191978	> 100	> 100	···	···	···	···	Cyg OB8	no	H64
G078.10 + 02.78_01	HD 193322 AB	2.7	> 100	SB1O	5	0.04	49.6	Cyg OB9	no	M98
G078.44 − 09.54_01	HD 201345	> 100	> 100	C	1	···	···	Field	no	M98
G078.53 + 04.66_01	HD 192001	> 100	> 100	···	···	···	···	Cyg OB8:	no	M04
G078.64 + 05.37_01	HD 191423	> 100	> 100	···	···	···	···	Cyg OB8	no	H64
G078.76 + 02.07_01	HD 229196	83.7	> 100	···	···	···	···	Cyg OB9	no	G92
G080.12 + 00.91_01	Cyg OB2-5	1.0	> 100	···	···	···	···	Cyg OB2	no	W73
G080.14 + 00.75_01	Cyg OB2-22 A	···	1.5	···	···	···	···	Cyg OB2	no	W02a
G080.14 + 00.75_02	Cyg OB2-22 B	···	1.5	···	···	···	···	Cyg OB2	no	W02a
G080.17 + 00.76_01	Cyg OB2-9	> 100	> 100	···	···	···	···	Cyg OB2	no	W73
G080.22 + 00.79_01	Cyg OB2-8 A	9.5	38.0	···	···	···	···	Cyg OB2	no	W73
G080.22 + 01.02_01	Cyg OB2-4	> 100	> 100	···	···	···	···	Cyg OB2	no	W73
G080.23 + 00.78_01	Cyg OB2-8 C	37.8	38.0	···	···	···	···	Cyg OB2	no	W73
G080.24 + 00.80_01	Cyg OB2-7	87.1	92.0	···	···	···	···	Cyg OB2	no	W02a
G080.57 + 00.83_01	Cyg OB2-11	67.3	> 100	···	···	···	···	Cyg OB2	no	W73
G080.99 + 10.09_01	HD 188209	> 100	> 100	C	1	···	···	Field	no	M98
G081.18 + 06.61_01	HD 191781	> 100	> 100	···	···	···	···	Field:	no:	M04
G082.36 + 02.96_01	HD 195592	> 100	> 100	SB1?	1	···	···	Field	no	M98
G085.70 − 00.30_01	HD 199579	> 100	> 100	SB1O	1	···	···	Cyg OB7	no	M98
G087.29 − 02.66_01	HD 202124	> 100	> 100	C	1	···	···	Field	no	M98
G087.61 − 03.84_01	68 Cyg	> 100	> 100	C	1	···	···	Field:	yes	M98
G096.65 − 16.98_01	10 Lac	62.4	> 100	C	2	62.3	62.3	Lac OB1	no	M98
G099.29 + 03.74_01	HD 206267	11.8	> 100	SB2O	6	0.09	53.3	Tr 37,Cep OB2	no	M98,D99
G099.85 − 03.13_01	HD 210809	> 100	> 100	C	1	···	···	Cep OB1	no	M98
G102.01 + 02.18_01	HD 209481	> 100	> 100	SB2OE	1	···	···	Cep OB2	no	M98
G103.14 + 06.99_01	HD 207198	> 100	> 100	C	2	18.3	18.3	Cep OB2	no	M98
G103.83 + 02.61_01	λ Cep	> 100	> 100	C	1	···	···	Cep OB2	yes	H01,M98
G104.87 + 05.39_01	19 Cep	> 100	> 100	C	3	19.8	60.4	Cep OB2	no	M98
G107.07 − 00.90_01	HD 215835	> 100	> 100	SB2OE	1	···	···	NGC 7380,Cep OB1	no	H64,M98
G108.06 − 06.89_01	HD 218915	38.9	> 100	C	1	···	···	Field:	yes	M98
G109.32 − 01.79_01	HD 218195	0.9	> 100	···	···	···	···	Cep OB1	no	G92
G109.65 + 02.68_01	HD 216532	77.4	> 100	···	···	···	···	Cep OB3	no	G92
G109.93 + 02.39_01	HD 216898	> 100	> 100	···	···	···	···	Cep OB3	no	G92
G110.22 + 02.72_01	HD 217086	2.8	> 100	C	2	2.81	2.81	Cep OB3	no	M98
G112.23 + 00.22_01	BD +60 2522	69.8	> 100	···	···	···	···	Cas OB2	no	G92
G117.23 − 01.24_01	HD 225146	> 100	> 100	···	···	···	···	Cas OB5	no	G92
G117.44 − 00.14_01	HD 225160	> 100	> 100	···	···	···	···	Cas OB5	no	M04
G117.59 − 11.09_01	HD 001337	> 100	> 100	SB2OE	1	···	···	Field	no	M98
G117.93 + 01.25_01	HD 000108	> 100	> 100	C	1	···	···	Cas OB5	no	M98
G123.12 − 06.24_01	HD 005005 A	1.6	4.1	C	5	1.5	16.8	IC 1590	no	M98

Table 12—Continued

GOS ID	other ID	d_1 (″)	d_2 (″)	SB	mult.	$d_{\min}$ (″)	$d_{\max}$ (″)	group	runaway	ref.
G123.12 − 06.24_02	HD 005005 C	3.2	4.1	···	···	···	···	IC 1590	no	M98
G127.87 − 01.35_01	BD +60 261	89.6	> 100	···	···	···	···	Cas OB8	no	G92
G128.29 + 01.82_01	HD 010125	44.0	> 100	···	···	···	···	Field:	no:	M04
G132.91 − 02.57_01	HD 013022	> 100	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G132.91 − 05.87_01	HD 012323	46.0	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G133.11 − 03.40_01	HD 012993	> 100	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G134.21 − 01.32_01	HD 014442	93.2	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G134.53 + 02.46_01	BD +62 424	> 100	> 100	···	···	···	···	Cas OB6	no	G92
G134.58 + 01.04_01	BD +60 497	> 100	> 100	···	···	···	···	IC 1805,Cas OB6	no	G92
G134.58 − 04.96_01	HD 013745	> 100	> 100	SB2?	1	···	···	more dist. than Per OB1	no	W02b
G134.64 + 01.00_01	BD +60 499	42.7	> 100	···	···	···	···	IC 1805,Cas OB6	no	G92
G134.71 + 00.94_01	BD +60 501	41.7	78.2	···	···	···	···	IC 1805,Cas OB6	no	G92
G134.72 + 00.92_01	HD 015558	9.8	78.2	SB1O	2	9.89	9.89	IC 1805,Cas OB6	no	M98
G134.77 + 00.86_01	HD 015570	> 100	> 100	···	···	···	···	IC 1805,Cas OB6	no	G92
G134.77 + 01.01_01	HD 015629	54.9	> 100	···	···	···	···	IC 1805,Cas OB6	no	G92
G134.90 + 00.92_01	BD +60 513	38.4	> 100	···	···	···	···	IC 1805,Cas OB6	no	G92
G134.99 − 01.74_01	HD 014947	> 100	> 100	C	1	···	···	more dist. than Per OB1	no	W02b
G135.08 − 03.82_01	HD 014434	> 100	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G135.68 + 01.15_01	HD 016429	6.7	> 100	SB1?	4	0.30	53.1	Cas OB6	no	M98
G137.09 − 04.73_01	HD 015642	75.5	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G137.12 + 03.46_01	HD 018409	> 100	> 100	···	···	···	···	Cas OB6	no	G92
G137.19 + 00.90_01	HD 017505	2.2	> 100	SB2?	8	2.15	123.7	Cas OB6	no	M98
G137.22 + 00.88_01	HD 017520 AB	> 100	> 100	···	···	···	···	Cas OB6	no	G92
G137.42 + 01.28_01	BD +60 586	> 100	> 100	···	···	···	···	Cas OB6	no	G92
G137.46 − 07.58_01	HD 015137	> 100	> 100	SB2?	1	···	···	Field	no	M98
G137.73 − 02.73_01	HD 016691	> 100	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G138.00 − 02.88_01	HD 016832	92.5	> 100	···	···	···	···	more dist. than Per OB1	no	W02b
G138.03 + 01.50_01	HD 018326	34.7	> 100	SB1?	1	···	···	Cam OB1	no	M98
G138.77 − 02.08_01	HD 017603	31.0	> 100	···	···	···	···	more dist. than Per OB1	no	M04
G140.12 + 01.54_01	HD 019820	> 100	> 100	SB2OE	1	···	···	Cam OB1	no	M98
G140.78 − 18.20_01	HD 014633	> 100	> 100	SB1?	1	···	···	Field:	yes	M98
G143.67 + 07.66_01	SZ Cam	17.9	> 100	···	···	···	···	NGC 1502:	no	M98
G144.07 + 14.04_01	α Cam	> 100	> 100	C	1	···	···	Field:	yes	M98
G147.14 + 02.97_01	HD 237211	> 100	> 100	···	···	···	···	Cam OB3	no	H64
G148.84 − 00.71_01	HD 024431	> 100	> 100	C	2	0.73	0.73	Cam OB1	no	M98
G160.37 − 13.11_01	ξ Per	> 100	> 100	C	1	···	···	Per OB2	yes	H01
G163.08 − 17.14_01	X Per	> 100	> 100	···	···	···	···	Per OB2	yes	H01
G164.97 + 12.89_01	HD 041161	60.0	> 100	C	2	9.8	9.8	Field	no	M98
G169.11 + 03.60_01	BD +39 1328	> 100	> 100	···	···	···	···	Aur OB1	no	M04
G170.04 + 00.27_01	HD 034656	> 100	> 100	C	2	25.6	25.6	Aur OB1	no	M98
G172.08 − 02.26_01	AE Aur	> 100	> 100	C	2	8.4	8.4	Trapezium,Ori OB1	yes	H01
G172.29 + 01.88_01	HD 036483	> 100	> 100	···	···	···	···	Aur OB2:	no	M04
G172.76 + 00.61_01	HD 035921	> 100	> 100	SB2OE	2	0.61	0.61	Aur OB1	no	M98
G173.04 − 00.09_01	HD 035619	61.5	> 100	···	···	···	···	Aur OB2	no	H64
G173.46 + 03.24_01	HD 037737	> 100	> 100	···	···	···	···	Aur OB2:	no	M04
G173.47 − 01.66_01	HD 242908	> 100	> 100	···	···	···	···	NGC 1893,Aur OB2	no	H64,M95
G173.58 − 01.67_01	HD 242935	1.2	> 100	···	···	···	···	NGC 1893,Aur OB2	no	H64,M95
G173.65 − 01.74_01	HD 242926	93.9	> 100	···	···	···	···	NGC 1893,Aur OB2	no	H64,M95

Table 12—Continued

GOS ID	other ID	d_1 ($''$)	d_2 ($''$)	SB	mult.	$d_{\rm min}$ ($''$)	$d_{\rm max}$ ($''$)	group	runaway	ref.
G177.63 − 00.11_01	HD 037366	60.4	> 100	SB2?	2	0.58	0.58	Aur OB1	no	M98
G183.14 + 62.15_01	HD 093521	> 100	> 100	C	1	· · ·	· · ·	Field:	yes	M98
G185.22 − 05.89_01	HD 036879	> 100	> 100	C	1	· · ·	· · ·	Field	no	M98
G190.04 + 00.48_01	HD 042088	> 100	> 100	C	1	· · ·	· · ·	Gem OB1	no	M98
G192.40 + 03.21_01	HD 044811	6.2	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G194.07 − 05.88_01	HD 039680	45.9	> 100	C	2	45.7	45.7	Field	no	M98
G194.15 − 01.98_01	HD 041997	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G195.05 − 12.00_01	λ Ori A	4.3	> 100	C	5	4.34	151.8	Ori OB1	no	M98
G196.96 + 01.52_01	HD 045314	> 100	> 100	U	2	0.05	0.05	Mon OB1	no	M98
G202.51 + 17.52_01	HD 060848	> 100	> 100	U	1	· · ·	· · ·	Field	no	M98
G202.94 + 02.20_01	15 Mon	2.9	> 100	SB1O	13	0.04	178.3	NGC 2264,Mon OB1	no	W72,M98
G203.86 − 17.74_01	δ Ori A	0.3	> 100	SB1OE	4	0.27	52.5	Ori OB1	no	M98
G205.81 − 00.55_01	HD 046966	> 100	> 100	C	1	· · ·	· · ·	Mon OB2	no	M98
G205.87 − 00.31_01	HD 047129	> 100	> 100	SB2O	1	· · ·	· · ·	Mon OB2	no	M98
G206.21 + 00.80_01	HD 048099	> 100	> 100	SB2O	1	· · ·	· · ·	Mon OB2	no	M98
G206.22 − 02.04_01	HD 046149	> 100	> 100	SB1?	1	· · ·	· · ·	NGC 2244,Mon OB2	no	M98,H77
G206.31 − 02.00_01	HD 046202	49.7	> 100	· · ·	· · ·	· · ·	· · ·	NGC 2244,Mon OB2	no	M95,H77
G206.31 − 02.07_01	HD 046150	64.3	> 100	SB2?	11	3.2	74.8	NGC 2244,Mon OB2	no	M98,W02a
G206.34 − 02.25_01	HD 046056	> 100	> 100	· · ·	· · ·	· · ·	· · ·	NGC 2244,Mon OB2	no	M95,H77
G206.44 − 02.07_01	HD 046223	> 100	> 100	C	1	· · ·	· · ·	NGC 2244,Mon OB2	no	M98,W02a
G206.45 − 16.59_01	ζ Ori	2.4	> 100	C	3	2.42	57.6	Ori OB1	no	M98
G206.82 − 17.34_01	σ Ori ABC	12.9	> 100	SB2?	5	0.25	41.6	Ori OB1	no	M98
G206.90 − 01.84_01	HD 046485	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Mon OB2	no	H64
G208.73 − 02.63_01	HD 046573	> 100	> 100	SB1?	1	· · ·	· · ·	Mon OB2	no	M98
G209.01 − 19.38_01	θ^1 Ori C	12.8	> 100	C	9	1.3	21.5	Trapezium,Ori OB1	no	M98
G209.05 − 19.37_01	θ^2 Ori A	52.4	> 100	SB1O	5	0.38	135.0	Ori OB1	no	M98
G209.52 − 19.58_01	ι Ori A	> 100	> 100	SB2O	4	0.10	49.5	Trapezium,Ori OB1	yes	H01
G210.03 − 02.11_01	HD 047432	> 100	> 100	C	1	· · ·	· · ·	Mon OB2	no	M98
G210.41 − 01.17_01	HD 048279	6.7	> 100	C	4	6.66	56.0	Field	no	M98
G216.85 + 00.80_01	HD 052533	22.8	> 100	SB1O	3	2.5	22.6	Field	no	M98
G219.13 − 00.68_01	HD 052266	> 100	> 100	SB1?	1	· · ·	· · ·	Field	no	M98
G224.17 − 00.78_01	HD 054662	> 100	> 100	SB2?	1	· · ·	· · ·	CMa OB1	no	M98
G224.41 + 02.63_01	HD 057682	> 100	> 100	C	1	· · ·	· · ·	Field	no	M98
G224.73 + 00.35_01	HD 055879	94.5	> 100	C	1	· · ·	· · ·	CMa OB1	no	M98
G225.55 − 01.28_01	HD 054879	> 100	> 100	U	1	· · ·	· · ·	CMa OB1	no	M98
G225.68 − 02.32_01	HD 053975	> 100	> 100	SB2O	1	· · ·	· · ·	CMa OB1	no	M98
G235.64 − 04.02_01	HD 057236	16.9	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G237.29 − 27.10_01	μ Col	> 100	> 100	C	1	· · ·	· · ·	Trapezium,Ori OB1	yes	H01
G237.82 − 05.37_01	CW CMa	> 100	> 100	SB2OE	1	· · ·	· · ·	NGC 2362:,Cr 121	no	M98,D99
G238.18 − 05.54_01	τ CMa	56.9	> 100	SBE	5	0.15	85.0	NGC 2362	no	M98
G243.14 + 00.71_01	HD 064568	71.6	> 100	· · ·	· · ·	· · ·	· · ·	NGC 2467,Pup OB1	no	H64,W82
G243.16 + 00.36_01	HD 064315	> 100	> 100	· · ·	· · ·	· · ·	· · ·	NGC 2467,Pup OB1	no	H64,W82
G243.82 + 00.14_01	CPD -26 2716	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Pup OB1:	no	M04
G245.45 − 00.10_01	CPD -28 2561	79.3	> 100	· · ·	· · ·	· · ·	· · ·	Pup OB1:	no	M04
G253.61 − 00.30_01	HD 069464	67.1	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G254.47 − 02.02_01	HD 068450	> 100	> 100	C	3	16.8	18.0	NGC 2546:	no	M98
G255.98 − 04.71_01	ζ Pup	> 100	> 100	C	1	· · ·	· · ·	Field	yes	M98
G258.29 + 04.18_01	HD 075222	> 100	> 100	C	1	· · ·	· · ·	Field	yes	M98

Table 12—Continued

GOS ID	other ID	d_1 ($''$)	d_2 ($''$)	SB	mult.	$d_{\rm min}$ ($''$)	$d_{\rm max}$ ($''$)	group	runaway	ref.
G260.18 + 00.64_01	HD 073882	> 100	> 100	SBE	2	0.66	0.66	IC 2395	no	M98
G261.76 − 03.77_01	HD 071304	> 100	> 100	U	3	11.8	18.6	Vel OB1	no	M98
G262.80 + 01.25_01	HD 075759	> 100	> 100	SB2O	1	···	···	IC 2395	no	M98
G263.53 + 01.52_01	HD 076341	> 100	> 100	C	1	···	···	Vel OB1	no	M98
G263.96 − 00.47_01	HD 075211	79.3	> 100	U	1	···	···	Vel OB1	no	M98
G264.04 − 01.95_01	HD 074194	> 100	> 100	SB1?	1	···	···	Vel OB1	no	M98
G267.58 − 01.63_01	HD 076556	97.4	> 100	SB1?	1	···	···	Vel OB1	no	M98
G267.98 − 01.36_01	CPD -47 2963	93.2	> 100	···	···	···	···	Vel OB1:	no	M04
G270.22 − 03.37_01	HD 076968	> 100	> 100	SB1?	1	···	···	Field:	no	M04
G274.47 − 00.25_01	HD 298429	> 100	> 100	···	···	···	···	Field:	no:	M04
G279.69 + 04.45_01	HD 089137	> 100	> 100	SB1?	1	···	···	Field	no	M98
G285.16 − 02.13_01	HD 090087	> 100	> 100	C	1	···	···	Car OB1	no	M98
G285.52 − 00.05_01	HD 091572	> 100	> 100	U	1	···	···	Car OB1	no	M98
G285.70 + 00.07_01	HD 091824	26.4	> 100	···	···	···	···	Car OB1	no	F58
G285.92 + 00.99_01	HD 092504	> 100	> 100	···	···	···	···	Car OB1:	no	M04
G286.22 − 00.17_01	HD 092206 AB	34.2	34.2	···	···	···	···	NGC 3324	no	W82
G286.22 − 00.18_01	HD 092206 C	34.2	34.2	···	···	···	···	NGC 3324	no	W82
G286.55 − 01.72_01	HD 091651	> 100	> 100	···	···	···	···	Field:	no:	M04
G287.34 + 01.27_01	HD 094024	> 100	> 100	···	···	···	···	Field:	no:	M04
G287.39 − 00.59_01	CPD -58 2611	81.9	58.4	C	1	···	···	Tr 14,Carina Nebula As.	no	M98,M04
G287.40 − 00.58_01	HD 093128	···	24.3	···	···	···	···	Tr 14,Carina Nebula As.	no	M98,M04
G287.41 − 00.36_01	HD 093249	7.9	> 100	···	···	···	···	Tr 15	no	W95
G287.41 − 00.56_01	CPD -58 2620	32.1	31.9	C	1	···	···	Tr 14,Carina Nebula As.	no	M98,M04
G287.41 − 00.57_01	HD 093129 A	32.1	2.6	C	4	2.8	5	Tr 14,Carina Nebula As.	no	M98,M04
G287.41 − 00.57_02	HD 093129 B	···	2.6	C	4	2.8	6.7	Tr 14,Carina Nebula As.	no	M98,M04
G287.44 − 00.59_01	HD 093160	12.5	12.6	C	5	3.3	20.1	Tr 16,Carina Nebula As.	no	M98,M04
G287.44 − 00.59_02	HD 093161 AB	2.1	12.6	SB1O	5	2.0	12.6	Tr 16,Carina Nebula As.	no	M98,M04
G287.48 − 00.54_01	HD 303311	82.6	82.6	···	···	···	···	Tr 16,Carina Nebula As.	no	M01,M04
G287.51 − 00.54_01	HD 093250	65.1	82.5	C	1	···	···	Tr 16,Carina Nebula As.	no	M98,M04
G287.54 − 00.34_01	HD 093403	77.9	> 100	SB2O	1	···	···	Tr 16,Carina Nebula As.	no	M98,M04
G287.57 − 00.71_01	HD 093204	18.8	18.8	C	2	18.7	18.7	Tr 16,Carina Nebula As.	no	M98,M04
G287.57 − 00.71_02	HD 093205	18.8	18.8	SB2O	2	18.7	18.7	Tr 16,Carina Nebula As.	no	M98,M04
G287.57 − 00.86_01	HD 093130	> 100	> 100	SB1O	2	11.9	11.9	Cr 228,Carina Nebula As.	no	M98,M04
G287.59 − 00.61_01	HD 303308	60.7	> 100	SB1?	12	47.2	63.1	Tr 16,Carina Nebula As.	no	M98,M04
G287.59 − 00.69_01	CPD -59 2603	> 100	> 100	···	···	···	···	Tr 16,Carina Nebula As.	no	M01,M04
G287.60 − 00.74_01	CPD -59 2600	> 100	> 100	···	···	···	···	Tr 16,Carina Nebula As.	no	M01,M04
G287.61 − 01.13_01	HD 093027	> 100	> 100	···	···	···	···	Cr 228,Carina Nebula As.	no	M01,M04
G287.64 − 00.65_01	CPD -59 2641	50.4	50.5	···	···	···	···	Tr 16,Carina Nebula As.	no	M01,M04
G287.64 − 00.67_01	CPD -59 2636	26.9	27.0	···	···	···	···	Tr 16,Carina Nebula As.	no	M01,M04
G287.64 − 00.68_01	HD 093343	14.8	14.7	···	···	···	···	Tr 16,Carina Nebula As.	no	M98,M04
G287.64 − 00.68_02	CPD -59 2635	14.8	14.7	···	···	···	···	Tr 16,Carina Nebula As.	no	M01,M04
G287.64 − 01.19_01	HD 093028	68.1	> 100	···	···	···	···	Cr 228,Carina Nebula As.	no	M01,M04
G287.66 − 00.90_01	HD 305523	> 100	> 100	···	···	···	···	more dist. than Cr 228	no	W95
G287.67 − 00.94_01	HD 093206	1.1	> 100	SB1O	4	1.05	8.8	Cr 228,Carina Nebula As.	no	M98,M04
G287.67 − 01.05_01	HD 093146	27.1	> 100	···	···	···	···	Cr 228,Carina Nebula As.	no	M01,M04
G287.74 − 01.02_01	HD 093222	> 100	> 100	C	1	···	···	Cr 228,Carina Nebula As.	no	M98,M04
G287.78 − 00.84_01	HD 305532	> 100	> 100	···	···	···	···	more dist. than Cr 228	no	W95
G287.84 − 00.73_01	Feinstein 97	> 100	> 100	···	···	···	···	Carina Nebula As.	no	M04

Table 12—Continued

GOS ID	other ID	d_1 ($''$)	d_2 ($''$)	SB	mult.	$d_{\rm min}$ ($''$)	$d_{\rm max}$ ($''$)	group	runaway	ref.
G287.94 − 00.88_01	HD 305539	> 100	> 100	· · ·	· · ·	· · ·	· · ·	more dist. than Cr 228	no	W95
G288.01 + 00.63_01	HD 094370	> 100	> 100	U	2	3.6	3.6	Field:	no	M04
G288.03 − 00.87_01	HD 093632	16.8	> 100	· · ·	· · ·	· · ·	· · ·	Bochum 11, p. more dist.	no	W95
G288.05 + 00.40_01	HD 303492	88.3	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G288.22 − 00.96_01	HD 305619	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Carina Nebula As.	no	M04
G288.24 − 00.90_01	HD 093843	> 100	> 100	C	1	· · ·	· · ·	Carina Nebula As.	no	M04
G289.28 + 03.06_01	HD 096917	> 100	> 100	SB1?	1	· · ·	· · ·	Field	no	M98
G289.76 − 01.81_01	HD 094963	> 100	> 100	C	1	· · ·	· · ·	Field:	no	M04
G289.77 − 01.22_01	LSS 2063	72.4	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G290.09 + 00.57_01	HD 096622	73.1	> 100	· · ·	· · ·	· · ·	· · ·	Car OB2	no	H64
G290.20 + 00.40_01	HD 096670	10.3	> 100	SB1O	1	· · ·	· · ·	Car OB2	no	M98
G290.27 + 00.33_01	HD 096715	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Car OB2:	no	H64
G290.40 − 00.80_01	HD 096264	> 100	> 100	C	2	24.0	24.0	Car OB2	no	M98
G290.51 − 02.24_01	HD 095589	71.5	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G290.67 + 00.19_01	HD 097166	> 100	> 100	U	1	· · ·	· · ·	Car OB2	no	M98
G290.73 − 00.34_01	HD 096946	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G290.74 + 01.53_01	HD 097848	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G290.79 + 00.09_01	HD 097253	41.0	> 100	SB1?	1	· · ·	· · ·	Car OB2	no	M98
G291.04 − 00.15_01	HD 097434	66.9	> 100	SB1?	2	3.3	3.3	Tr 18B	no	M98
G291.62 − 00.52_01	NGC 3603/HST-16	· · ·	3.5	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_02	NGC 3603/HST-33	· · ·	0.8	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_03	NGC 3603/HST-36	· · ·	0.5	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_04	NGC 3603/HST-37	· · ·	0.5	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_05	NGC 3603/HST-38	· · ·	1.0	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_06	NGC 3603/HST-40	· · ·	0.5	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_07	NGC 3603/HST-41	· · ·	0.4	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_08	NGC 3603/HST-42	· · ·	0.4	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_09	NGC 3603/HST-45	· · ·	0.9	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_10	NGC 3603/HST-A2	· · ·	0.4	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G291.62 − 00.52_11	NGC 3603/HST-A3	· · ·	0.4	· · ·	· · ·	· · ·	· · ·	NGC 3603	no	D95
G293.61 − 01.28_01	HD 099897	47.8	> 100	· · ·	· · ·	· · ·	· · ·	Cen OB2:	no	H64
G294.78 − 01.49_01	HD 101190	13.4	88.1	C	3	11.0	13.37	IC 2944,Cen OB2	no	H64,W73
G294.78 − 01.62_01	HD 101131	43.1	> 100	SB2?	1	· · ·	· · ·	IC 2944,Cen OB2	no	H64,W73
G294.81 − 01.49_01	HD 101223	88.1	88.1	C	1	· · ·	· · ·	IC 2944,Cen OB2	no	H64,W73
G294.81 − 04.14_01	HD 100213	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Cen OB2:	no	M04
G294.84 − 01.68_01	HD 101191	85.2	85.1	· · ·	· · ·	· · ·	· · ·	IC 2944,Cen OB2	no	H64,W73
G294.85 − 01.65_01	HD 101205	1.7	85.1	SBE	4	0.36	9.6	IC 2944,Cen OB2	no	H64,W73
G294.88 − 00.81_01	HD 101545 A	2.6	> 100	U	2	2.57	2.57	Cen OB2	no	H64
G294.94 − 01.69_01	HD 101298	56.3	> 100	C	1	· · ·	· · ·	IC 2944,Cen OB2	no	H64,W73
G295.03 − 01.71_01	HD 101413	27.8	27.8	SB1?	2	27.8	27.8	IC 2944,Cen OB2	no	H64,W73
G295.04 − 01.71_01	HD 101436	20.9	27.8	SB2?	2	27.8	27.8	IC 2944,Cen OB2	no	H64,W73
G295.30 + 00.45_01	HD 102415	67.8	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G296.51 + 04.02_01	HD 104565	70.9	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G297.40 − 00.32_01	HD 104649	88.2	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G298.15 − 00.10_01	HD 105627	13.7	> 100	C	2	13.69	13.69	Field	no	M98
G298.95 − 07.06_01	HD 105056	> 100	> 100	SB1?	1	· · ·	· · ·	Field:	yes	M98
G303.55 + 06.03_01	HD 112244	> 100	> 100	SB1?	2	29.1	29.1	Field	no	M98
G304.67 − 02.49_01	θ Mus B	5.3	5.5	SB1O	2	5.34	5.34	Cen OB1	no	M98

Table 12—Continued

GOS ID	other ID	d_1 (″)	d_2 (″)	SB	mult.	$d_{\rm min}$ (″)	$d_{\rm max}$ (″)	group	runaway	ref.
G304.88 − 16.13_01	HD 116852	> 100	> 100	C	1	···	···	Field:	yes	M98
G305.41 − 00.82_01	HD 114737	42.5	> 100	U	1	···	···	Cen OB1	no	M98
G305.52 − 00.83_01	HD 114886	1.7	> 100	SB1?	2	1.67	1.67	Cen OB1	no	M98
G305.76 + 00.15_01	V961 Cen	91.6	> 100	SBE	1	···	···	Stock 16	no	M98
G306.06 + 00.22_01	HD 115455	75.7	> 100	SB1?	1	···	···	Cen OB1	no	M98
G307.01 + 02.80_01	HD 116282	43.8	> 100	···	···	···	···	Cen OB1:	no	H64
G307.77 − 00.87_01	HD 117856	1.6	> 100	SB2?	2	1.59	1.59	Field	no	M98
G307.86 + 00.04_01	HD 117797	47.3	> 100	···	···	···	···	Cen OB1:	no	H64
G307.88 + 01.66_01	HD 117490	67.5	> 100	···	···	···	···	Cen OB1:	no	H64
G307.96 − 01.22_01	HD 118198	> 100	> 100	···	···	···	···	Cen OB1:	no	H64
G309.91 − 00.69_01	HD 120678	> 100	> 100	U	1	···	···	Field	no	M98
G310.73 + 03.42_01	HD 120521	> 100	> 100	···	···	···	···	Field:	no:	M04
G311.02 − 02.80_01	HD 123008	> 100	> 100	···	···	···	···	Field:	no:	M04
G311.95 − 01.00_01	HD 123590	> 100	> 100	···	···	···	···	Field:	no:	M04
G312.17 + 01.03_01	HD 123056	> 100	> 100	C	1	···	···	Field	no	M98
G312.67 − 00.43_01	HD 124314	2.7	> 100	SB1?	2	2.76	2.76	Field	no	M98
G313.45 − 00.03_01	HD 125206	> 100	> 100	SB2?	1	···	···	Field	no	M98
G313.54 + 00.14_01	HD 125241	> 100	> 100	···	···	···	···	Field:	no:	M04
G315.37 − 00.08_01	CPD -59 5634	> 100	> 100	···	···	···	···	Field:	no:	M04
G316.40 + 09.08_01	HD 124979	> 100	> 100	SB2?	1	···	···	Field:	yes	M98
G318.77 + 02.77_01	HD 130298	> 100	> 100	···	···	···	···	Field:	no:	M04
G319.69 − 02.91_01	δ Cir	> 100	> 100	SB2OE	2	5.0	5.0	Field	no	M98
G320.13 − 02.64_01	HD 135591	29.3	> 100	C	3	5.4	44.5	Field	no	M98
G327.56 − 00.83_01	Muzzio 116	0.9	> 100	···	···	···	···	Field:	no:	M04
G336.37 − 00.22_01	HD 148937	> 100	> 100	C	3	2.9	36	Ara OB1a	no	M98
G336.71 − 01.57_01	HD 150135	9.6	9.9	SB1?	6	9.6	20.2	Ara OB1a	no	M98
G336.71 − 01.57_02	HD 150136	9.6	9.9	SB1O	6	1.6	20.8	Ara OB1a	no	M98
G337.47 + 00.03_01	HD 149452	50.2	> 100	···	···	···	···	Ara OB1	no	M04
G338.56 − 01.15_01	HD 150958	31.8	> 100	SB1?	4	1.5	21.5	NGC 6204,Ara OB1	no	H64,M98
G339.00 − 00.20_01	HD 150574	72.7	> 100	···	···	···	···	Ara OB1:	no	M04
G339.38 + 02.51_01	μ Nor	> 100	> 100	C	1	···	···	Ara OB1a	no	M98
G339.51 − 00.41_01	HD 151018	> 100	> 100	···	···	···	···	Ara OB1:	no	M04
G340.54 + 03.01_01	HD 149404	> 100	> 100	SB2O	1	···	···	Ara OB1a	no	M98
G341.06 − 04.22_01	HD 154811	> 100	> 100	C	1	···	···	Field	no	M98
G341.11 − 00.94_01	HD 152386	> 100	> 100	C	2	0.55	0.55	Sco OB1	no	M53
G342.57 − 04.39_01	HD 155756	75.7	> 100	···	···	···	···	Field:	no:	M04
G342.72 + 02.41_01	HD 151003	> 100	> 100	···	···	···	···	Sco OB1	no	W73
G342.81 + 01.70_01	HD 151515	> 100	> 100	C	1	···	···	Sco OB1	no	M98
G343.15 + 01.10_01	HD 152147	> 100	> 100	SB1?	1	···	···	Sco OB1	no	M98
G343.33 + 01.41_01	HD 152003	> 100	> 100	C	1	···	···	Sco OB1	no	M98
G343.36 + 00.89_01	HD 152424	> 100	> 100	SB1?	1	···	···	Sco OB1	no	M98
G343.38 + 07.15_01	HD 148546	> 100	> 100	C	1	···	···	Field:	yes	M98
G343.39 + 01.18_01	HD 152219	> 100	> 100	SB1O	1	···	···	NGC 6231,Sco OB1	no	L80,M98
G343.45 + 01.16_01	HD 152249	30.4	30.4	C	1	···	···	NGC 6231,Sco OB1	no	L80,M98
G343.46 + 01.17_01	CPD -41 7733	30.4	30.4	SB1O	1	···	···	NGC 6231,Sco OB1	no	L80,M98
G343.46 + 01.18_01	HD 152248	13.5	71.7	SB2OE	4	0.05	24.0	NGC 6231,Sco OB1	no	L80,M98
G343.48 + 01.15_01	CPD -41 7742	···	57.8	···	···	···	···	NGC 6231,Sco OB1	no	L80,M98
G343.48 + 01.22_01	HD 152233	56.6	> 100	C	8	6.5	62.7	NGC 6231,Sco OB1	no	L80,M98

Table 12—Continued

GOS ID	other ID	d_1 ($''$)	d_2 ($''$)	SB	mult.	$d_{\rm min}$ ($''$)	$d_{\rm max}$ ($''$)	group	runaway	ref.
G343.49 + 01.14_01	HD 326331	82.9	69.9	SB2?	2	7.3	7.3	NGC 6231,Sco OB1	no	L80,M98
G343.52 + 01.14_01	HD 152314	> 100	> 100	C	1	· · ·	· · ·	NGC 6231,Sco OB1	no	L80,M98
G343.53 + 01.28_01	HD 152218	> 100	> 100	SB2O	1	· · ·	· · ·	NGC 6231:,Sco OB1	no	L80,M98
G343.61 + 01.30_01	HD 152247	> 100	> 100	SB1?	1	· · ·	· · ·	Sco OB1	no	M98
G343.62 + 01.94_01	HD 151804	> 100	> 100	C	1	· · ·	· · ·	Sco OB1	no	M98
G344.03 + 01.67_01	HD 152246	> 100	> 100	SB2?	1	· · ·	· · ·	Sco OB1	no	M98
G344.08 + 01.49_01	HD 152408	69.1	> 100	C	2	5.4	5.4	Sco OB1	no	M98
G344.56 + 01.89_01	HD 152405	> 100	> 100	SB2?	1	· · ·	· · ·	Sco OB1	no	M98
G344.62 + 01.61_01	HD 152623	46.6	> 100	SB1O	2	0.23	0.23	Sco OB1	no	M98
G344.81 + 01.61_01	HD 152723	7.6	> 100	SB1?	5	0.09	15.7	Sco OB1	no	M98
G344.84 + 01.83_01	HD 152590	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Sco OB1	no	M53
G345.26 + 01.47_01	HD 322417	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Sco OB1:	no	M04
G345.29 − 02.61_01	HD 155913	> 100	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G345.35 − 03.08_01	HD 156292	69.8	> 100	U	1	· · ·	· · ·	NGC 6322	no	M98
G347.14 + 02.38_01	HD 153426	> 100	> 100	SB2?	1	· · ·	· · ·	Field	no	M98
G347.75 + 02.17_01	HD 153919	> 100	> 100	SB1OE	1	· · ·	· · ·	Field	no	M98
G348.73 − 00.80_01	LSS 4067	53.5	> 100	· · ·	· · ·	· · ·	· · ·	Field:	no:	M04
G349.97 + 03.22_01	HD 154368	> 100	> 100	SBE	2	2.8	2.8	Field	no	M98
G350.54 + 03.19_01	HD 154643	> 100	> 100	SB1?	1	· · ·	· · ·	Field	no	M98
G351.03 + 00.65_01	HD 319703 A	> 100	14.9	· · ·	· · ·	· · ·	· · ·	NGC 6334	no	W82
G351.03 + 00.66_01	HD 319703 B	· · ·	14.9	· · ·	· · ·	· · ·	· · ·	NGC 6334	no	W82
G351.18 + 00.48_01	HD 156738	> 100	> 100	· · ·	· · ·	· · ·	· · ·	NGC 6334	no	W82
G351.22 + 01.36_01	HD 156154	56.2	> 100	U	1	· · ·	· · ·	Bochum 13	no	M98
G351.32 + 00.92_01	HD 319699	> 100	> 100	· · ·	· · ·	· · ·	· · ·	NGC 6334	no	W82
G351.35 + 00.61_01	HD 319702	42.0	> 100	· · ·	· · ·	· · ·	· · ·	NGC 6334	no	W82
G352.50 + 02.67_01	HD 155889	> 100	> 100	C	2	0.19	0.19	Sco OB4	no	M98
G352.59 + 02.87_01	HD 155806	> 100	> 100	C	1	· · ·	· · ·	Sco OB4	no	M98
G353.17 + 00.89_01	Pismis 24-1	47.2	15.7	· · ·	· · ·	· · ·	· · ·	Pismis 24	no	M01
G353.17 + 00.89_02	Pismis 24-17	· · ·	15.7	· · ·	· · ·	· · ·	· · ·	Pismis 24	no	M01
G355.36 − 06.10_01	HD 163758	> 100	> 100	C	1	· · ·	· · ·	Field	no	M98
G355.67 + 00.05_01	HD 159176	26.8	> 100	SB2OE	5	0.27	13.3	NGC 6383	no	M98
G355.91 + 01.60_01	HD 158186	> 100	> 100	SBE	1	· · ·	· · ·	Field	no	M98
G357.59 + 05.83_01	HD 156212	> 100	> 100	C	1	· · ·	· · ·	Field:	yes	M98
G358.42 − 01.88_01	HD 161853	> 100	> 100	SB1?	1	· · ·	· · ·	Field	no	M98

References. — D99: de Zeeuw et al. (1999), D95: Drissen et al. (1995), F58: Feast (1958), G92: Garmany & Stencel (1992), H64: Haffner & Alter (1964), H77: Heiser (1977), H93: Hillenbrand et al. (1993), H01: Hoogerwerf et al. (2001), L80: Levato & Malaroda (1980), M98: Mason et al. (1998), M95: Massey et al. (1995), M01: Massey et al. (2001), M53: Morgan et al. (1953), W72: Walborn (1972), W73: Walborn (1973), W82: Walborn (1982), W95: Walborn (1995), W02a: Walborn et al. (2002), W02b: Walborn (2002), M04: This paper.

Table 13. Supplement: Other information

GOS ID	other ID	d_1 ($''$)	d_2 ($''$)	SB	mult.	$d_{\rm min}$ ($''$)	$d_{\rm max}$ ($''$)	group	runaway	ref.
G072.65 + 02.07_01	WR 133	11.3	> 100	SB2O	8	6.6	38.3	NGC 6871,Cyg OB3	no	H64,M98
G076.60 + 01.43_01	V444 Cyg	> 100	> 100	···	···	···	···	Cyg OB1	no	M95
G080.93 + 04.18_01	WR 140	> 100	> 100	SB2O	2	5.8	5.8	Field	no	M98
G102.78 − 00.65_01	GP Cep	> 100	> 100	···	···	···	···	Cep OB1	no	H64
G262.80 − 07.69_01	γ^2 Vel	41.2	> 100	SB2O	5	1.6	93.5	Vel OB2	no	M98
G287.17 − 00.85_01	WR 22	> 100	> 100	···	···	···	···	Carina Nebula As.	no	W95,M04
G304.67 − 02.49_02	θ Mus A	5.3	5.5	···	···	···	···	Cen OB1	no	M98
G343.49 + 01.16_01	WR 79	25.2	57.8	SB2O	2	4.3	4.3	NGC 6231,Sco OB1	no	L80,M98

References. — H64: Haffnner & Alter (1964), L80: Levato & Malaroda (1980), M98: Mason et al. (1998), M95: Massey et al. (1995), W95: Walborn (1995), M04: This paper.